



Rajasthan Medical Services Corporation Limited
 Gandhi Block, SwasthyaBhawan, Tilak Marg, C-Scheme, Jaipur-302005 (Raj.)

Phone No: 0141-2228066 ,2228064
 CIN:U24232RJ2011SGC035067

Website: <http://rmsc.health.rajasthan.gov.in>
 E_mail : cdpssrmisc@rajasthan.gov.in

Ref. No.:- F.02 (158)/RMSCL/Proc./S&S (MD)/NIB-01/2024/ **3408**

Dated:- **27/2/24**

Corrigendum - II

Subject:- Deletion of items in bid.

Ref. No.: F.02 (158)/RMSCL/Proc./S&S (MD)/NIB-01/2024/3904 Dated:-18.01.2024
 (Technical bid opening due on dated 29.02.2024)

The following amendments are made:-

Existing Annexure VIII, BoQ			Amended Annexure VIII, BoQ		
1. Annexure VIII, BoQ			Annexure VIII, BoQ		
Items Deleted:-					
S. No	Drug/Item Code	Item Description	S. No	Drug/Item Code	Item Description
1	242	VDRL Antigen (with +ve and -ve control) / RPR slide Kit	1	242	VDRL Antigen (with +ve and -ve control) / RPR slide Kit
2	NRR-72	Laprosopic Knotless PGA -PCL Surgical Suture Self fixation device with autolock mechanism made up of PGA -PCL Unidirectional taper point 26 mm & 20 cm size 2-0	2	NRR-72	Laprosopic Knotless PGA -PCL Surgical Suture Self fixation device with autolock mechanism made up of PGA -PCL Unidirectional taper point 26 mm & 20 cm size 2-0
4	NRS-106	Microcatheter Selective infusion microcatheters for deploying intracranial device: stent deployment	4	NRS-106	Microcatheter Selective infusion microcatheters for deploying intracranial device: stent deployment
5	NRS-107	Microcatheter Selective infusion microcatheters for flow diverter delivery with single tip markers 0.027inch	5	NRS-107	Microcatheter Selective infusion microcatheters for flow diverter delivery with single tip markers 0.027inch
6	NRS-109	MICRO GUIDE WIRE For microcatheter shapable distal end and with torque 0.014inch	6	NRS-109	MICRO GUIDE WIRE For microcatheter shapable distal end and with torque 0.014inch
7	NRS-128	bipsy Gun with compitible Co-axial needle Size 14gX11cm Programmable automatic bipsy Gun with compitible Co-axial needle should have 20mm sample notch and thin wall cannula for larger core and echogenic making on both stylet tip and cannula for improved visibility during procedure. Should have three programmable firing mode- Automatic mode, Delay mode and Zero throw mode. Should have two firing btton on surface of the gun, Size 12G, 14G, 16G, 18G, 20G with length 11cm, 15cm, 20cm. Should come with compitible coaxial packed with Biopsy Gun. USFDA Approved.	7	NRS-128	bipsy Gun with compitible Co-axial needle Size 14gX11cm Programmable automatic bipsy Gun with compitible Co-axial needle should have 20mm sample notch and thin wall cannula for larger core and echogenic making on both stylet tip and cannula for improved visibility during procedure. Should have three programmable firing mode- Automatic mode, Delay mode and Zero throw mode. Should have two firing btton on surface of the gun, Size 12G, 14G, 16G, 18G, 20G with length 11cm, 15cm, 20cm. Should come with compitible coaxial packed with Biopsy Gun. USFDA Approved.
8	NRS-134	bipsy Gun with compitible Co-axial needle size 18gX11cm Programmable automatic bipsy Gun with compitible Co-axial needle should have 20mm sample notch and thin wall cannula for larger core and echogenic making on both stylet tip			

Signature valid

RajKaj Ref 588857 NRS-134
 Digitally signed by Hanish Kumar
 Designation: Executive Director
 Date: 2024.02.27 12:20:19
 Reason: Approved



		and cannula for improved visibility during procedure. Should have three programmable firing mode-Automatic mode, Delay mode and Zero throw mode. Should have two firing btton on surface of the gun, Size 12G, 14G, 16G, 18G, 20G with length 11cm, 15cm, 20cm. Should come with compitible coaxial packed with Biopsy Gun. USFDA Approved.			and cannula for improved visibility during procedure. Should have three programmable firing mode-Automatic mode, Delay mode and Zero throw mode. Should have two firing btton on surface of the gun, Size 12G, 14G, 16G, 18G, 20G with length 11cm, 15cm, 20cm. Should come with compitible coaxial packed with Biopsy Gun. USFDA Approved.
9	NRS-135	bipsy Gun with compitible Co-axial needle 18gX15cm Programmable automatic bipsy Gun with compitible Co-axial needle Should have 20mm sample notch and thin wall cannula for larger core and echogenic making on both stylet tip and cannula for improved visibility during procedure. Should have three programmable firing mode-Automatic mode, Delay mode and Zero throw mode. Should have two firing btton on surface of the gun, Size 12G, 14G, 16G, 18G, 20G with length 11cm, 15cm, 20cm. Should come with compitible coaxial packed with Biopsy Gun. USFDA Approved. Size - 18gX15cm	9	NRS-135	bipsy Gun with compitible Co-axial needle 18gX15cm Programmable automatic bipsy Gun with compitible Co-axial needle Should have 20mm sample notch and thin wall cannula for larger core and echogenic making on both stylet tip and cannula for improved visibility during procedure. Should have three programmable firing mode-Automatic mode, Delay mode and Zero throw mode. Should have two firing btton on surface of the gun, Size 12G, 14G, 16G, 18G, 20G with length 11cm, 15cm, 20cm. Should come with compitible coaxial packed with Biopsy Gun. USFDA Approved. Size - 18gX15cm
10	NRS-140	Patient pre operative skin prepration solution 26 ml Patient pre operative skin prepration solution 25-35 ml in one step sterile applicator container for single use with 2% chlorohexidine gluconate (CHG) and 70% IPA with orange tint colour or easy visulization, US FDA Approved (As per the general specification to be used only 25-35 ml to the patient part preparation in single surgery)	10	NRS-140	Patient pre operative skin prepration solution 26 ml Patient pre operative skin prepration solution 25-35 ml in one step sterile applicator container for single use with 2% chlorohexidine gluconate (CHG) and 70% IPA with orange tint colour or easy visulization, US FDA Approved (As per the general specification to be used only 25-35 ml to the patient part preparation in single surgery)
11	NRS-196	Over-the-Ear Nasal Cannula 50' Tubing Over-the-Ear Nasal Cannula Over-the-Ear Nasal Cannula with Star Lumen, 50' Tubing, must be Flexible contoured lip tab provides a high level of stability and patient comfort. Over-the-ear design for a comfortable and secure fit, Crush- and kink-resistant tubing. Manufacturer must be US-FDA registered & certified with EN/EU ISO 13485 & applicable 510K & CE certification.	11	NRS-196	Over-the-Ear Nasal Cannula 50' Tubing Over-the-Ear Nasal Cannula Over-the-Ear Nasal Cannula with Star Lumen, 50' Tubing, must be Flexible contoured lip tab provides a high level of stability and patient comfort. Over-the-ear design for a comfortable and secure fit, Crush- and kink-resistant tubing. Manufacturer must be US-FDA registered & certified with EN/EU ISO 13485 & applicable 510K & CE certification.
12	NRS-237	Torque Device Torque Device for .014" to .038" standard and hydrophilic guide wires with squeeze-load-release mechanism.USFDA Approved	12	NRS-237	Torque Device Torque Device for .014" to .038" standard and hydrophilic guide wires with squeeze-load-release mechanism.USFDA Approved
13	NRS-238	Radial Band Radial hemostatis band in 24 cm. Curved backer plat with large area & clear unobstructed site visibility, convenient tubing clip with two check valve options and device stickers : Should be available with standard luer and specialized connection syringe. USFDA Approved	13	NRS-238	Radial Band Radial hemostatis band in 24 cm. Curved backer plat with large area & clear unobstructed site visibility, convenient tubing clip with two check valve options and device stickers : Should be available with standard luer and specialized connection syringe. USFDA Approved
15	NRS-248(a)	Hydrophilic Wire Long Length Hydrophilic guidewire of .018", .025", .035", .038" in 180cm length with straight, angled tip. Should come in stiff & standard configuration, nitinol core polyurethane jacket hydrophilic			Hydrophilic Wire Long Length Hydrophilic guidewire of .018", .025", .035", .038" in 180cm length with straight, angled tip. Should come in stiff & standard configuration, nitinol core polyurethane jacket hydrophilic

RajKaj Ref 5818578

Signature valid

Digitally signed by Harsh Kumar Lalwani
Designation : Executive Director
Procurement
Date: 2024.02.27 12:20:42 IST
Reason: Approved



		coated guide wires with radiopaque jacket for enhanced visibility, hydrated gel coating and true 1:1 torque. USFDA Approved			coated guide wires with radiopaque jacket for enhanced visibility, hydrated gel coating and true 1:1 torque. USFDA Approved
16	NRS-248(b)	Hydrophilic Wire Long Length Hydrophilic guidewire of .018", .025", .035", .038" in 220cm length with straight, angled tip. Should come in stiff & standard configuration, nitinol core polyurethane jacket hydrophilic coated guide wires with radiopaque jacket for enhanced visibility, hydrated gel coating and true 1:1 torque. USFDA Approved	16	NRS-248(b)	Hydrophilic Wire Long Length Hydrophilic guidewire of .018", .025", .035", .038" in 220cm length with straight, angled tip. Should come in stiff & standard configuration, nitinol core polyurethane jacket hydrophilic coated guide wires with radiopaque jacket for enhanced visibility, hydrated gel coating and true 1:1 torque. USFDA Approved
17	NRS-254	PTCA Kit (1) Three Port manifold with knobs to turn "Right" when open (2) One pressure line, (3) fluid connecting line, (4) contrast connecting line, (5) one three way stop cock, (6) one Y-connector hemostatic valve with spring type push and release mechanism, (7) one inflation device with manometer upto 30 atm (easy to operate with luminescent dial), (8) one luer lock controlled syringe of 10 ml with finger grip, (9) Insertion needle, (10) torque device. USFDA Approved	17	NRS-254	PTCA Kit (1) Three Port manifold with knobs to turn "Right" when open (2) One pressure line, (3) fluid connecting line, (4) contrast connecting line, (5) one three way stop cock, (6) one Y-connector hemostatic valve with spring type push and release mechanism, (7) one inflation device with manometer upto 30 atm (easy to operate with luminescent dial), (8) one luer lock controlled syringe of 10 ml with finger grip, (9) Insertion needle, (10) torque device. USFDA Approved
25	NRS-532	Bone Marrow Biopsy Needle size - 8G 4" & 6" Bone Marrow Biopsy Needle with diamond Bevel tip & tapered distal canula. Disposable bone marrow biopsy needle should have Ergonomic T- handle design with separate handle cap. Should have Trocar/diamond tip for easy coring of bone. Should have triple crown cannula tip with 6 facets. Should be available with narrow acquisition cardle with sample size verification marking should be available in 8,11,13 Gauze USFDA/CE approved	25	NRS-532	Bone Marrow Biopsy Needle size - 8G 4" & 6" Bone Marrow Biopsy Needle with diamond Bevel tip & tapered distal canula. Disposable bone marrow biopsy needle should have Ergonomic T- handle design with separate handle cap. Should have Trocar/diamond tip for easy coring of bone. Should have triple crown cannula tip with 6 facets. Should be available with narrow acquisition cardle with sample size verification marking should be available in 8,11,13 Gauze USFDA/CE approved
26	NRS-547	Cutting & Coagulations device with Tissue fusion ligasure technology have Vessel sealing instrument for open surgeries Cutting & Coagulations device with Tissue fusion ligasure technology have Vessel sealing instrument for open surgeries with reusable clamp length between 16-18cm, with 12-14 degree jaw curve. And its should have Including 7mm Cutting and coag with USFDA.	26	NRS-547	Cutting & Coagulations device with Tissue fusion ligasure technology have Vessel sealing instrument for open surgeries Cutting & Coagulations device with Tissue fusion ligasure technology have Vessel sealing instrument for open surgeries with reusable clamp length between 16-18cm, with 12-14 degree jaw curve. And its should have Including 7mm Cutting and coag with USFDA.
27	NRS-552	Double lumen catheter Size- 12 FrX16 cm Double lumen catheter Size- 12 FrX16 cm (Double lumen catheter with kit internal juglar / straight (catheter should be madeup of flexible radiopaque polyurethane with a radiopaque tip, easy visualization in X-ray. Accessory should be provided like catheter ,dialator ,introducer, needle 18 G, guidewire with dispencer and injection caps. catheter should be D to have consistent blood flow with laser cut side slot) Size- 12 FrX16 cm with US FDA / ISO CE Certified	27	NRS-552	Double lumen catheter Size- 12 FrX16 cm Double lumen catheter Size- 12 FrX16 cm (Double lumen catheter with kit internal juglar / straight (catheter should be madeup of flexible radiopaque polyurethane with a radiopaque tip, easy visualization in X-ray. Accessory should be provided like catheter ,dialator ,introducer, needle 18 G, guidewire with dispencer and injection caps. catheter should be D to have consistent blood flow with laser cut side slot) Size- 12 FrX16 cm with US FDA / ISO CE Certified
28	NRS-	Double lumen catheter Size- 12 FrX13 cm	28	NRS-	Double lumen catheter Size- 12 FrX13 cm

Signature valid

RajKaj Ref 5818578

Digitally signed by Hanish Kumar
 Designation : Executive Director
 Procedure
 Date: 2024.02.27 11:20 AM
 Reason: Approved



	553	Double lumen catheter with kit internal juglar / straight (catheter should be madeup of flexible radiopaque polyurethane with a radiopaque tip, easy visualization in X-ray. Accessory should be provided like catheter ,dialator ,introducer, needle 18 G, guidewire with dispencer and injection caps. catheter should be D to have consistent blood flow with laser cut side slot Size- 12 FrX13 cm		553	Double lumen catheter with kit internal juglar / straight (catheter should be madeup of flexible radiopaque polyurethane with a radiopaque tip, easy visualization in X-ray. Accessory should be provided like catheter ,dialator ,introducer, needle 18 G, guidewire with dispencer and injection caps. catheter should be D to have consistent blood flow with laser cut side slot Size- 12 FrX13 cm
29	NRS-555	Long term double lumen dialysis catheter Size- 14.5 FrX23 cm (Long term double lumen dialysis catheter with kit accessories should be provided (catheter,pull apart sheath, dialator, tunneling stylet,guide wire j/s,with disppencer and injection Caps, symmetrical tip retrograde and antigrade) Size- 14.5 FrX23 cm USFDA certification	29	NRS-555	Long term double lumen dialysis catheter Size- 14.5 FrX23 cm (Long term double lumen dialysis catheter with kit accessories should be provided (catheter,pull apart sheath, dialator, tunneling stylet,guide wire j/s,with disppencer and injection Caps, symmetrical tip retrograde and antigrade) Size- 14.5 FrX23 cm USFDA certification
30	NRS-564	MULTI-VENT MASK Pediatric, AIR ENTRAINMENT MASKS, must be Safe, simple delivery of variable oxygen concentrations. Each mask to includes color-coded diluters: green for low concentration, white for medium concentration. Locking ring to secure flow setting. Must Include adaptor for high humidity entrainment. Complete kit with 7-ft oxygen tubing. Manufacturer must be US-FDA registered & certified with EN/EU ISO 13485 & applicable 510K & CE certification.	30	NRS-564	MULTI-VENT MASK Pediatric, AIR ENTRAINMENT MASKS, must be Safe, simple delivery of variable oxygen concentrations. Each mask to includes color-coded diluters: green for low concentration, white for medium concentration. Locking ring to secure flow setting. Must Include adaptor for high humidity entrainment. Complete kit with 7-ft oxygen tubing. Manufacturer must be US-FDA registered & certified with EN/EU ISO 13485 & applicable 510K & CE certification.
			<p>Total Deleted items : 21</p> <p>Total remaining items : 11</p>		

Note:-

- It may be noted that if any further amendments are issued then a corrigendum will be published and informed.
- Rest of the terms and conditions will remain the same.

**Executive Director (Proc.)
RMSCL**

Signature valid

RajKaj Ref
5818578

Digitally signed by Harish Kumar Lalwani
Designation : Executive Director Procurement
Date: 2024.02.27 11:20:12 IST
Reason: Approved

