



**Rajasthan Medical Services Corporation Limited**

Gandhi Block, Swasthya Bhawan, Tilak Marg, C-Scheme, Jaipur-302005 (Raj.)

Phone No: 0141-2228066 , 2228064

Website: www.rmssc.health.rajasthan.gov.in

CIN:U24232RJ2011SGC035067

E\_mail : edprmsc@gmail.com

Ref : F.02(45)/RMSCL/Proc/LABEMPANELMENT(S&S)/NIB-7/2017/ 74

Dated: 28/2/2018

**Notice to all concerned Responsive Bidders For Rate Match**

**Subject:- For matching L-1 approved rates.**

**Ref:- F.02(45)/RMSCL/Proc/LABEMPANELMENT(S&S)/NIB-7/2017/265**

**Dated: 26.07.2017**

Bidders other than L-1 are hereby given the opportunity to match the L-1 approved rate. The following statement shows L-1 approved rate for each item mentioned at column no. 7(Total Rate with GST). Those who are willing to do so are requested to intimate (through mail at edprmsc@gmail.com only from authorized mail address mentioned in Annexure V in tender) for the same up to 11.00 A.M. on 06.03.2018

| Sl. No | Item Code | Units  | Bidder Name                                     | Rate Without Tax | Tax 18 % & Amount | Total Rate With Tax | Bid Rank |
|--------|-----------|--------|---|------------------|-------------------|---------------------|----------|
| 1      | 2         | 3      | 4   | 5                | 6                 | 7                   | 8        |
| 1      | S-1       | Piece  | CEG Test House And Research Centre Pvt Ltd      | 2542.37          | 457.63            | 3000                | L1       |
|        |           |        | OASIS TEST HOUSE LTD                            | 2850             | 513               | 3363                | L2       |
|        |           |        | devansh testing and research laboratory pvt ltd | 3000             | 540               | 3540                | L3       |
|        |           |        | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L4       |
|        |           |        | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 6000             | 1080              | 7080                | L5       |
| 2      | S-2       | Packet | DELHI TEST HOUSE                                | 950              | 171               | 1121                | L1       |
|        |           |        | CEG Test House And Research Centre Pvt Ltd      | 1779.66          | 320.34            | 2100                | L2       |
|        |           |        | OASIS TEST HOUSE LTD                            | 2200             | 396               | 2596                | L3       |
|        |           |        | devansh testing and research laboratory pvt ltd | 2500             | 450               | 2950                | L4       |
|        |           |        | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 4000             | 720               | 4720                | L5       |
|        |           |        | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L6       |
| 3      | S-3       | Piece  | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |        | CEG Test House And Research Centre Pvt Ltd      | 2372.88          | 427.12            | 2800                | L2       |
|        |           |        | devansh testing and research laboratory pvt ltd | 3000             | 540               | 3540                | L3       |
|        |           |        | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L4       |
| 4      | S-4       | Unit   | DELHI TEST HOUSE                                | 2375             | 427.5             | 2802.5              | L1       |
|        |           |        | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 22000            | 3960              | 25960               | L2       |
| 5      | S-5(a)    | Pair   | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |        | CEG Test House And Research Centre Pvt Ltd      | 2033.9           | 366.1             | 2400                | L2       |
|        |           |        | devansh testing and research laboratory pvt ltd | 3000             | 540               | 3540                | L3       |
|        |           |        | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 7500             | 1350              | 8850                | L4       |
| 6      | S-5(b)    | Pair   | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |        | CEG Test House And Research Centre Pvt Ltd      | 2033.9           | 366.1             | 2400                | L2       |
|        |           |        | devansh testing and research laboratory pvt ltd | 3000             | 540               | 3540                | L3       |
|        |           |        | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L4       |
|        |           |        | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 7500             | 1350              | 8850                | L5       |

*[Handwritten signature]*

मुख्यमंत्री निःशुल्क दवा योजना



| Sl. No | Item Code | Units      | Bidder Name                                     | Rate Without Tax | Tax 18 % & Amount | Total Rate With Tax | Bid Rank |
|--------|-----------|------------|---|------------------|-------------------|---------------------|----------|
| 7      | S-6(a)    | Pair       | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 2033.9           | 366.1             | 2400                | L2       |
|        |           |            | devansh testing and research laboratory pvt ltd | 3000             | 540               | 3540                | L3       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 7500             | 1350              | 8850                | L4       |
| 8      | S-6(b)    | Pair       | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 2033.9           | 366.1             | 2400                | L2       |
|        |           |            | devansh testing and research laboratory pvt ltd | 3000             | 540               | 3540                | L3       |
|        |           |            | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L4       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 7500             | 1350              | 8850                | L5       |
| 9      | S-7(a)    | Pair       | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 2033.9           | 366.1             | 2400                | L2       |
|        |           |            | devansh testing and research laboratory pvt ltd | 3000             | 540               | 3540                | L3       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 7500             | 1350              | 8850                | L4       |
| 10     | S-7(b)    | Pair       | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 2033.9           | 366.1             | 2400                | L2       |
|        |           |            | devansh testing and research laboratory pvt ltd | 3000             | 540               | 3540                | L3       |
|        |           |            | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L4       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 7500             | 1350              | 8850                | L5       |
| 11     | S-8(a)    | Each piece | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 2118.64          | 381.36            | 2500                | L2       |
|        |           |            | devansh testing and research laboratory pvt ltd | 3000             | 540               | 3540                | L3       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L4       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 2118.64          | 381.36            | 2500                | L1       |
| 12     | S-8(b)    | Each piece | devansh testing and research laboratory pvt ltd | 3000             | 540               | 3540                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L3       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 2118.64          | 381.36            | 2500                | L1       |
| 13     | S-8(c)    | Each piece | devansh testing and research laboratory pvt ltd | 3500             | 630               | 4130                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L3       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 2118.64          | 381.36            | 2500                | L1       |
| 14     | S-8(d)    | Each piece | devansh testing and research laboratory pvt ltd | 3500             | 630               | 4130                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L3       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 2118.64          | 381.36            | 2500                | L1       |
| 15     | S-8(e)    | Each piece | devansh testing and research laboratory pvt ltd | 3000             | 540               | 3540                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L3       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 2118.64          | 381.36            | 2500                | L1       |
| 16     | S-8(f)    | Each piece | devansh testing and research laboratory pvt ltd | 3000             | 540               | 3540                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR                           | 5500             | 990               | 6490                | L3       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 2118.64          | 381.36            | 2500                | L1       |



| Sl. No | Item Code | Units      | Bidder Name                                     | Rate Without Tax | Tax 18 % & Amount | Total Rate With Tax | Bid Rank |
|--------|-----------|------------|---|------------------|-------------------|---------------------|----------|
|        |           |            | INDUSTRIAL RESEARCH                             |                  |                   |                     |          |
| 17     | S-8(g)    | Each piece | CEG Test House And Research Centre Pvt Ltd      | 2118.64          | 381.36            | 2500                | L1       |
|        |           |            | devansh testing and research laboratory pvt ltd | 3000             | 540               | 3540                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L3       |
| 18     | S-8(h)    | Each piece | CEG Test House And Research Centre Pvt Ltd      | 2118.64          | 381.36            | 2500                | L1       |
|        |           |            | devansh testing and research laboratory pvt ltd | 3000             | 540               | 3540                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L3       |
| 19     | S-8(i)    | Each Piece | CEG Test House And Research Centre Pvt Ltd      | 2118.64          | 381.36            | 2500                | L1       |
|        |           |            | devansh testing and research laboratory pvt ltd | 3000             | 540               | 3540                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L3       |
| 20     | S-8(j)    | Each Piece | CEG Test House And Research Centre Pvt Ltd      | 2118.64          | 381.36            | 2500                | L1       |
|        |           |            | devansh testing and research laboratory pvt ltd | 3000             | 540               | 3540                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L3       |
| 21     | S-9(a)    | Each Piece | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 2203.39          | 396.61            | 2600                | L2       |
|        |           |            | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 6000             | 1080              | 7080                | L4       |
| 22     | S-9(b)    | Each Piece | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 2203.39          | 396.61            | 2600                | L2       |
|        |           |            | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 6000             | 1080              | 7080                | L4       |
| 23     | S-9(c)    | Each Piece | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 2203.39          | 396.61            | 2600                | L2       |
|        |           |            | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 6000             | 1080              | 7080                | L4       |
| 24     | S-9(d)    | Each Piece | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 2203.39          | 396.61            | 2600                | L2       |
|        |           |            | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 6000             | 1080              | 7080                | L4       |
| 25     | S-9(e)    | Each piece | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 2203.39          | 396.61            | 2600                | L2       |
|        |           |            | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 6000             | 1080              | 7080                | L4       |
| 26     | S-9(f)    | Each piece | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 2203.39          | 396.61            | 2600                | L2       |
|        |           |            | devansh testing and research                    | 3200             | 576               | 3776                | L3       |

*Handwritten signature*

मुख्यमंत्री निःशुल्क दवा योजना



| Sl. No | Item Code | Units      | Bidder Name                                     | Rate Without Tax | Tax 18 % & Amount | Total Rate With Tax | Bid Rank |
|--------|-----------|------------|---|------------------|-------------------|---------------------|----------|
|        |           |            | laboratory pvt ltd                              |                  |                   |                     |          |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 6000             | 1080              | 7080                | L4       |
| 27     | S-9(g)    | Each piece | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 2203.39          | 396.61            | 2600                | L2       |
|        |           |            | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 6000             | 1080              | 7080                | L4       |
| 28     | S-11      | Unit       | DELHI TEST HOUSE                                | 3325             | 598.5             | 3923.5              | L1       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 5084.75          | 915.25            | 6000                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 22000            | 3960              | 25960               | L3       |
| 29     | S-12      | Unit       | DELHI TEST HOUSE                                | 3325             | 598.5             | 3923.5              | L1       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 4872.88          | 877.12            | 5750                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 22000            | 3960              | 25960               | L3       |
| 30     | S-13      | Unit       | DELHI TEST HOUSE                                | 3325             | 598.5             | 3923.5              | L1       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 4533.9           | 816.1             | 5350                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 22000            | 3960              | 25960               | L3       |
| 31     | S-14      | Unit       | DELHI TEST HOUSE                                | 3325             | 598.5             | 3923.5              | L1       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 3516.95          | 633.05            | 4150                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 22000            | 3960              | 25960               | L3       |
| 32     | S-15 (a)  | Each Piece | DELHI TEST HOUSE                                | 2850             | 513               | 3363                | L1       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 3644.07          | 655.93            | 4300                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 22000            | 3960              | 25960               | L3       |
| 33     | S-15 (b)  | Each Piece | DELHI TEST HOUSE                                | 2850             | 513               | 3363                | L1       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 3644.07          | 655.93            | 4300                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 22000            | 3960              | 25960               | L3       |
| 34     | S-15 (c)  | Each Piece | DELHI TEST HOUSE                                | 2850             | 513               | 3363                | L1       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 3644.07          | 655.93            | 4300                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 22000            | 3960              | 25960               | L3       |
| 35     | S-15 (d)  | Each Piece | DELHI TEST HOUSE                                | 2850             | 513               | 3363                | L1       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 3644.07          | 655.93            | 4300                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 22000            | 3960              | 25960               | L3       |
| 36     | S-15 (e)  | Each Piece | DELHI TEST HOUSE                                | 2850             | 513               | 3363                | L1       |
|        |           |            | CEG Test House And Research Centre Pvt Ltd      | 3644.07          | 655.93            | 4300                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 22000            | 3960              | 25960               | L3       |
| 37     | S-16      | Unit       | CEG Test House And Research Centre Pvt Ltd      | 1525.42          | 274.58            | 1800                | L1       |
|        |           |            | DELHI TEST HOUSE                                | 2500             | 450               | 2950                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 20000            | 3600              | 23600               | L3       |
| 38     | S-17(a)   | Each Piece | DELHI TEST HOUSE                                | 2850             | 513               | 3363                | L1       |

*Handwritten signature/initials*



| S# No | Item Code | Units      | Bidder Name                                     | Rate Without Tax | Tax 18 % & Amount | Total Rate With Tax | Bid Rank |
|-------|-----------|------------|---|------------------|-------------------|---------------------|----------|
|       |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 20000            | 3600              | 23600               | L2       |
| 39    | S-17(b)   | Each Piece | DELHI TEST HOUSE                                | 2850             | 513               | 3363                | L1       |
|       |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 20000            | 3600              | 23600               | L2       |
| 40    | S-18      | Unit       | CEG Test House And Research Centre Pvt Ltd      | 508.47           | 91.53             | 600                 | L1       |
|       |           |            | OASIS TEST HOUSE LTD                            | 580              | 104.4             | 684.4               | L2       |
|       |           |            | devansh testing and research laboratory pvt ltd | 1500             | 270               | 1770                | L3       |
|       |           |            | DELHI TEST HOUSE                                | 2000             | 360               | 2360                | L4       |
|       |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 2500             | 450               | 2950                | L5       |
|       |           |            | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L6       |
| 41    | S-19      | Unit       | CEG Test House And Research Centre Pvt Ltd      | 508.47           | 91.53             | 600                 | L1       |
|       |           |            | OASIS TEST HOUSE LTD                            | 580              | 104.4             | 684.4               | L2       |
|       |           |            | devansh testing and research laboratory pvt ltd | 1500             | 270               | 1770                | L3       |
|       |           |            | DELHI TEST HOUSE                                | 2000             | 360               | 2360                | L4       |
|       |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 2500             | 450               | 2950                | L5       |
|       |           |            | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L6       |
| 42    | S-20      | Unit       | CEG Test House And Research Centre Pvt Ltd      | 508.47           | 91.53             | 600                 | L1       |
|       |           |            | OASIS TEST HOUSE LTD                            | 580              | 104.4             | 684.4               | L2       |
|       |           |            | devansh testing and research laboratory pvt ltd | 1500             | 270               | 1770                | L3       |
|       |           |            | DELHI TEST HOUSE                                | 2000             | 360               | 2360                | L4       |
|       |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 2500             | 450               | 2950                | L5       |
|       |           |            | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L6       |
| 43    | S-21      | Unit       | CEG Test House And Research Centre Pvt Ltd      | 889.83           | 160.17            | 1050                | L1       |
|       |           |            | OASIS TEST HOUSE LTD                            | 1000             | 180               | 1180                | L2       |
|       |           |            | DELHI TEST HOUSE                                | 1500             | 270               | 1770                | L3       |
|       |           |            | devansh testing and research laboratory pvt ltd | 2000             | 360               | 2360                | L4       |
|       |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 3500             | 630               | 4130                | L5       |
|       |           |            | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L6       |
| 44    | S-22      | Unit       | CEG Test House And Research Centre Pvt Ltd      | 889.83           | 160.17            | 1050                | L1       |
|       |           |            | OASIS TEST HOUSE LTD                            | 1000             | 180               | 1180                | L2       |
|       |           |            | DELHI TEST HOUSE                                | 1500             | 270               | 1770                | L3       |
|       |           |            | devansh testing and research laboratory pvt ltd | 2000             | 360               | 2360                | L4       |
|       |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 3500             | 630               | 4130                | L5       |
|       |           |            | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L6       |
| 45    | S-25(a)   | Each Piece | DELHI TEST HOUSE                                | 2817.80          | 507.20            | 3325                | L1       |
|       |           |            | CEG Test House And Research Centre Pvt Ltd      | 3855.93          | 694.07            | 4550                | L2       |
|       |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 22000            | 3960              | 25960               | L3       |
| 46    | S-25(b)   | Each Piece | DELHI TEST HOUSE                                | 3325             | 598.5             | 3923.5              | L1       |
|       |           |            | CEG Test House And Research Centre Pvt Ltd      | 3855.93          | 694.07            | 4550                | L2       |
|       |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 22000            | 3960              | 25960               | L3       |

3

मुख्यमंत्री निःशुल्क दवा योजना



| Sl. No | Item Code | Units              | Bidder Name                                     | Rate Without Tax | Tax 18 % & Amount | Total Rate With Tax | Bid Rank |
|--------|-----------|--------------------|---|------------------|-------------------|---------------------|----------|
| 47     | S-25(c)   | Each Piece         | DELHI TEST HOUSE                                | 3325             | 598.5             | 3923.5              | L1       |
|        |           |                    | CEG Test House And Research Centre Pvt Ltd      | 3855.93          | 694.07            | 4550                | L2       |
|        |           |                    | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 22000            | 3960              | 25960               | L3       |
| 48     | S-25(d)   | Each Piece         | DELHI TEST HOUSE                                | 3325             | 598.5             | 3923.5              | L1       |
|        |           |                    | CEG Test House And Research Centre Pvt Ltd      | 3855.93          | 694.07            | 4550                | L2       |
|        |           |                    | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 22000            | 3960              | 25960               | L3       |
| 49     | S-26      | Unit               | DELHI TEST HOUSE                                | 3325             | 598.5             | 3923.5              | L1       |
|        |           |                    | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 23000            | 4140              | 27140               | L2       |
| 50     | S-27      | Unit               | DELHI TEST HOUSE                                | 3325             | 598.5             | 3923.5              | L1       |
|        |           |                    | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 23000            | 4140              | 27140               | L2       |
| 51     | S-28      | Unit               | DELHI TEST HOUSE                                | 3325             | 598.5             | 3923.5              | L1       |
|        |           |                    | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 23000            | 4140              | 27140               | L2       |
| 52     | S-29      | Unit               | DELHI TEST HOUSE                                | 3325             | 598.5             | 3923.5              | L1       |
|        |           |                    | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 23000            | 4140              | 27140               | L2       |
| 53     | S-30 (a)  | 100Bla des/ Packet | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |                    | devansh testing and research laboratory pvt ltd | 2500             | 450               | 2950                | L2       |
|        |           |                    | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 4000             | 720               | 4720                | L3       |
| 54     | S-30 (b)  | 100Bla des/ Packet | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |                    | devansh testing and research laboratory pvt ltd | 2500             | 450               | 2950                | L2       |
|        |           |                    | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 4000             | 720               | 4720                | L3       |
| 55     | S-30 (c)  | 100Bla des/ Packet | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |                    | devansh testing and research laboratory pvt ltd | 2500             | 450               | 2950                | L2       |
|        |           |                    | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 3500             | 630               | 4130                | L3       |
| 56     | S-31      | 6 Nos. /Pkt.       | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |                    | devansh testing and research laboratory pvt ltd | 1950             | 351               | 2301                | L2       |
|        |           |                    | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 3500             | 630               | 4130                | L3       |
| 57     | S-32      | 6 Nos. /Pkt.       | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |                    | devansh testing and research laboratory pvt ltd | 1950             | 351               | 2301                | L2       |
|        |           |                    | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 3500             | 630               | 4130                | L3       |
| 58     | S-33      | 6 Nos. /Pkt.       | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |                    | devansh testing and research laboratory pvt ltd | 1950             | 351               | 2301                | L2       |
|        |           |                    | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 3500             | 630               | 4130                | L3       |
| 59     | S-34      | 6 Nos. /Pkt.       | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |                    | devansh testing and research laboratory pvt ltd | 1950             | 351               | 2301                | L2       |
|        |           |                    | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 3500             | 630               | 4130                | L3       |

102



| Sl. No | Item Code | Units        | Bidder Name                                     | Rate Without Tax | Tax 18 % & Amount | Total Rate With Tax | Bid Rank |
|--------|-----------|--------------|---|------------------|-------------------|---------------------|----------|
|        |           |              | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L4       |
| 60     | S-35      | 6 Nos. /Pkt. | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |              | devansh testing and research laboratory pvt ltd | 1950             | 351               | 2301                | L2       |
|        |           |              | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 3500             | 630               | 4130                | L3       |
|        |           |              | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L4       |
| 61     | S-36      | 6 Nos. /Pkt. | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |              | devansh testing and research laboratory pvt ltd | 1950             | 351               | 2301                | L2       |
|        |           |              | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 3500             | 630               | 4130                | L3       |
|        |           |              | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L4       |
| 62     | S-37      | 6 Nos. /Pkt. | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |              | devansh testing and research laboratory pvt ltd | 1950             | 351               | 2301                | L2       |
|        |           |              | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 3500             | 630               | 4130                | L3       |
|        |           |              | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L4       |
| 63     | S-38      | 6 Nos. /Pkt. | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |              | devansh testing and research laboratory pvt ltd | 1950             | 351               | 2301                | L2       |
|        |           |              | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 3500             | 630               | 4130                | L3       |
|        |           |              | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L4       |
| 64     | S-39(a)   | Each piece   | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |              | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L2       |
|        |           |              | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 22000            | 3960              | 25960               | L3       |
| 65     | S-39(b)   | Each piece   | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |              | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L2       |
|        |           |              | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 22000            | 3960              | 25960               | L3       |
| 66     | S-40      | Unit         | CEG Test House And Research Centre Pvt Ltd      | 2288.14          | 411.86            | 2700                | L1       |
|        |           |              | DELHI TEST HOUSE                                | 3000             | 540               | 3540                | L2       |
|        |           |              | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L3       |
|        |           |              | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 20000            | 3600              | 23600               | L4       |
| 67     | S-43(a)   | Each piece   | CEG Test House And Research Centre Pvt Ltd      | 2203.39          | 396.61            | 2600                | L1       |
|        |           |              | DELHI TEST HOUSE                                | 3500             | 630               | 4130                | L2       |
|        |           |              | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 22000            | 3960              | 25960               | L3       |
| 68     | S-43(b)   | Each piece   | CEG Test House And Research Centre Pvt Ltd      | 2203.39          | 396.61            | 2600                | L1       |
|        |           |              | DELHI TEST HOUSE                                | 3500             | 630               | 4130                | L2       |
|        |           |              | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 22000            | 3960              | 25960               | L3       |
| 69     | S-43(c)   | Each piece   | CEG Test House And Research Centre Pvt Ltd      | 2203.39          | 396.61            | 2600                | L1       |
|        |           |              | DELHI TEST HOUSE                                | 3500             | 630               | 4130                | L2       |
|        |           |              | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 22000            | 3960              | 25960               | L3       |
| 70     | S-43(d)   | Each         | CEG Test House And Research                     | 2203.39          | 396.61            | 2600                | L1       |

7

मुख्यमंत्री निःशुल्क दवा योजना



| Sl. No | Item Code | Units      | Bidder Name                                | Rate Without Tax | Tax 18 % & Amount | Total Rate With Tax | Bid Rank |
|--------|-----------|------------|--|------------------|-------------------|---------------------|----------|
|        |           | piece      | Centre Pvt Ltd                             |                  |                   |                     |          |
|        |           |            | DELHI TEST HOUSE                           | 3500             | 630               | 4130                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH  | 22000            | 3960              | 25960               | L3       |
| 71     | S-43(e)   | Each piece | CEG Test House And Research Centre Pvt Ltd | 2203.39          | 396.61            | 2600                | L1       |
|        |           |            | DELHI TEST HOUSE                           | 3500             | 630               | 4130                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH  | 22000            | 3960              | 25960               | L3       |
| 72     | S-43(f)   | Each piece | CEG Test House And Research Centre Pvt Ltd | 2203.39          | 396.61            | 2600                | L1       |
|        |           |            | DELHI TEST HOUSE                           | 3500             | 630               | 4130                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH  | 22000            | 3960              | 25960               | L3       |
| 73     | S-43(g)   | Each piece | CEG Test House And Research Centre Pvt Ltd | 2203.39          | 396.61            | 2600                | L1       |
|        |           |            | DELHI TEST HOUSE                           | 3500             | 630               | 4130                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH  | 22000            | 3960              | 25960               | L3       |
| 74     | S-43(h)   | Each piece | CEG Test House And Research Centre Pvt Ltd | 2203.39          | 396.61            | 2600                | L1       |
|        |           |            | DELHI TEST HOUSE                           | 3500             | 630               | 4130                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH  | 22000            | 3960              | 25960               | L3       |
| 75     | S-43(i)   | Each piece | CEG Test House And Research Centre Pvt Ltd | 2203.39          | 396.61            | 2600                | L1       |
|        |           |            | DELHI TEST HOUSE                           | 3500             | 630               | 4130                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH  | 22000            | 3960              | 25960               | L3       |
| 76     | S-43(j)   | Each piece | CEG Test House And Research Centre Pvt Ltd | 2203.39          | 396.61            | 2600                | L1       |
|        |           |            | DELHI TEST HOUSE                           | 3500             | 630               | 4130                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH  | 22000            | 3960              | 25960               | L3       |
| 77     | S-43(k)   | Each piece | CEG Test House And Research Centre Pvt Ltd | 2203.39          | 396.61            | 2600                | L1       |
|        |           |            | DELHI TEST HOUSE                           | 3500             | 630               | 4130                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH  | 22000            | 3960              | 25960               | L3       |
| 78     | S-43(l)   | Each piece | CEG Test House And Research Centre Pvt Ltd | 2203.39          | 396.61            | 2600                | L1       |
|        |           |            | DELHI TEST HOUSE                           | 3500             | 630               | 4130                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH  | 22000            | 3960              | 25960               | L3       |
| 79     | S-43(m)   | Each piece | CEG Test House And Research Centre Pvt Ltd | 2203.39          | 396.61            | 2600                | L1       |
|        |           |            | DELHI TEST HOUSE                           | 3500             | 630               | 4130                | L2       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH  | 22000            | 3960              | 25960               | L3       |
| 80     | S-45      | Each Piece | DELHI TEST HOUSE                           | 2850             | 513               | 3363                | L1       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH  | 22000            | 3960              | 25960               | L2       |
| 81     | S-46      | Each Piece | DELHI TEST HOUSE                           | 2850             | 513               | 3363                | L1       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH  | 22000            | 3960              | 25960               | L2       |
| 82     | S-47(a)   | Each Piece | DELHI TEST HOUSE                           | 2850             | 513               | 3363                | L1       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH  | 22000            | 3960              | 25960               | L2       |
| 83     | S-47(b)   | Each Piece | DELHI TEST HOUSE                           | 2850             | 513               | 3363                | L1       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH  | 22000            | 3960              | 25960               | L2       |
| 84     | S-47(c)   | Each Piece | DELHI TEST HOUSE                           | 2850             | 513               | 3363                | L1       |
|        |           |            | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH  | 22000            | 3960              | 25960               | L2       |





| Sl. No | Item Code | Units         | Bidder Name                                     | Rate Without Tax | Tax 18 % & Amount | Total Rate With Tax | Bid Rank |
|--------|-----------|---------------|---|------------------|-------------------|---------------------|----------|
| 85     | S-48      | Each Piece    | devansh testing and research laboratory pvt ltd | 2800             | 504               | 3304                | L1       |
|        |           |               | DELHI TEST HOUSE                                | 2850             | 513               | 3363                | L2       |
|        |           |               | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 3500             | 630               | 4130                | L3       |
|        |           |               | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L4       |
| 86     | S-73      | Piece         | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |               | CEG Test House And Research Centre Pvt Ltd      | 2542.37          | 457.63            | 3000                | L2       |
|        |           |               | OASIS TEST HOUSE LTD                            | 2800             | 504               | 3304                | L3       |
|        |           |               | devansh testing and research laboratory pvt ltd | 3000             | 540               | 3540                | L4       |
|        |           |               | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L5       |
|        |           |               | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 4500             | 810               | 5310                | L5       |
| 87     | S-74      | Piece         | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |               | CEG Test House And Research Centre Pvt Ltd      | 2542.37          | 457.63            | 3000                | L2       |
|        |           |               | OASIS TEST HOUSE LTD                            | 2800             | 504               | 3304                | L3       |
|        |           |               | devansh testing and research laboratory pvt ltd | 3000             | 540               | 3540                | L4       |
|        |           |               | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L5       |
|        |           |               | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 4500             | 810               | 5310                | L5       |
| 88     | S-79      | Each piece    | OASIS TEST HOUSE LTD                            | 836              | 150.48            | 986.48              | L1       |
|        |           |               | CEG Test House And Research Centre Pvt Ltd      | 932.2            | 167.8             | 1100                | L2       |
|        |           |               | DELHI TEST HOUSE                                | 2000             | 360               | 2360                | L3       |
|        |           |               | devansh testing and research laboratory pvt ltd | 2500             | 450               | 2950                | L4       |
|        |           |               | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L5       |
|        |           |               | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 4500             | 810               | 5310                | L5       |
| 89     | S-80      | 2 gm/ Packet  | CEG Test House And Research Centre Pvt Ltd      | 1228.81          | 221.19            | 1450                | L1       |
|        |           |               | OASIS TEST HOUSE LTD                            | 1500             | 270               | 1770                | L2       |
|        |           |               | DELHI TEST HOUSE                                | 2000             | 360               | 2360                | L3       |
|        |           |               | devansh testing and research laboratory pvt ltd | 2500             | 450               | 2950                | L4       |
|        |           |               | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 4000             | 720               | 4720                | L5       |
| 90     | S-81      | Sachet        | devansh testing and research laboratory pvt ltd | 2430             | 437.4             | 2867.4              | L1       |
|        |           |               | DELHI TEST HOUSE                                | 3000             | 540               | 3540                | L2       |
|        |           |               | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 4500             | 810               | 5310                | L3       |
| 91     | S-82      | One Pack Each | DELHI TEST HOUSE                                | 2375             | 427.5             | 2802.5              | L1       |
|        |           |               | devansh testing and research laboratory pvt ltd | 2500             | 450               | 2950                | L1       |
|        |           |               | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 4500             | 810               | 5310                | L2       |
| 92     | S-84(a)   | Each Unit     | OASIS TEST HOUSE LTD                            | 627              | 112.86            | 739.86              | L1       |
|        |           |               | CEG Test House And Research Centre Pvt Ltd      | 720.34           | 129.66            | 850                 | L2       |
|        |           |               | DELHI TEST HOUSE                                | 2000             | 360               | 2360                | L3       |
|        |           |               | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 2000             | 360               | 2360                | L3       |
|        |           |               | devansh testing and research laboratory pvt ltd | 2500             | 450               | 2950                | L4       |
| 93     | S-84(b)   | Each Unit     | OASIS TEST HOUSE LTD                            | 627              | 112.86            | 739.86              | L1       |

3

मुख्यमंत्री निःशुल्क दवा योजना



| Sl. No | Item Code | Units                       | Bidder Name                                     | Rate Without Tax | Tax 18 % & Amount | Total Rate With Tax | Bid Rank |
|--------|-----------|-----------------------------|---|------------------|-------------------|---------------------|----------|
|        |           |                             | CEG Test House And Research Centre Pvt Ltd      | 720.34           | 129.66            | 850                 | L2       |
|        |           |                             | DELHI TEST HOUSE                                | 2000             | 360               | 2360                | L3       |
|        |           |                             | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 2000             | 360               | 2360                | L3       |
|        |           |                             | devansh testing and research laboratory pvt ltd | 2500             | 450               | 2950                | L4       |
| 94     | S-84(c)   | Each Unit                   | OASIS TEST HOUSE LTD                            | 627              | 112.86            | 739.86              | L1       |
|        |           |                             | CEG Test House And Research Centre Pvt Ltd      | 720.34           | 129.66            | 850                 | L2       |
|        |           |                             | DELHI TEST HOUSE                                | 2000             | 360               | 2360                | L3       |
|        |           |                             | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 2000             | 360               | 2360                | L3       |
|        |           |                             | devansh testing and research laboratory pvt ltd | 2500             | 450               | 2950                | L4       |
| 95     | S-85      | Piece                       | CEG Test House And Research Centre Pvt Ltd      | 508.47           | 91.53             | 600                 | L1       |
|        |           |                             | OASIS TEST HOUSE LTD                            | 650              | 117               | 767                 | L2       |
|        |           |                             | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 1800             | 324               | 2124                | L3       |
|        |           |                             | DELHI TEST HOUSE                                | 2000             | 360               | 2360                | L4       |
|        |           |                             | devansh testing and research laboratory pvt ltd | 2000             | 360               | 2360                | L4       |
|        |           |                             | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L5       |
| 96     | S-86 (a)  | Piece                       | CEG Test House And Research Centre Pvt Ltd      | 508.47           | 91.53             | 600                 | L1       |
|        |           |                             | OASIS TEST HOUSE LTD                            | 650              | 117               | 767                 | L2       |
|        |           |                             | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 1800             | 324               | 2124                | L3       |
|        |           |                             | DELHI TEST HOUSE                                | 2000             | 360               | 2360                | L4       |
|        |           |                             | devansh testing and research laboratory pvt ltd | 2000             | 360               | 2360                | L4       |
|        |           |                             | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L5       |
| 97     | S-86 (b)  | Piece                       | CEG Test House And Research Centre Pvt Ltd      | 508.47           | 91.53             | 600                 | L1       |
|        |           |                             | OASIS TEST HOUSE LTD                            | 650              | 117               | 767                 | L2       |
|        |           |                             | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 1800             | 324               | 2124                | L3       |
|        |           |                             | DELHI TEST HOUSE                                | 2000             | 360               | 2360                | L4       |
|        |           |                             | devansh testing and research laboratory pvt ltd | 2000             | 360               | 2360                | L4       |
|        |           |                             | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L5       |
| 98     | S-89      | Pair                        | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |                             | CEG Test House And Research Centre Pvt Ltd      | 2033.9           | 366.1             | 2400                | L2       |
|        |           |                             | devansh testing and research laboratory pvt ltd | 3000             | 540               | 3540                | L3       |
|        |           |                             | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L4       |
|        |           |                             | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L5       |
| 99     | S-90(a)   | Dispenser Box of 100 Gloves | CEG Test House And Research Centre Pvt Ltd      | 1313.56          | 236.44            | 1550                | L1       |
|        |           |                             | DELHI TEST HOUSE                                | 2000             | 360               | 2360                | L2       |
|        |           |                             | devansh testing and research laboratory pvt ltd | 3000             | 540               | 3540                | L3       |
|        |           |                             | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L4       |
|        |           |                             | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 4500             | 810               | 5310                | L4       |
| 100    | S-90 (b)  | Dispenser Box of 100        | CEG Test House And Research Centre Pvt Ltd      | 1313.56          | 236.44            | 1550                | L1       |

*Handwritten signature/initials*



| Sl. No | Item Code | Units                       | Bidder Name                                     | Rate Without Tax | Tax 18 % & Amount | Total Rate With Tax | Bid Rank |
|--------|-----------|-----------------------------|---|------------------|-------------------|---------------------|----------|
|        |           | Gloves                      |   |                  |                   |                     |          |
|        |           |                             | DELHI TEST HOUSE                                | 2000             | 360               | 2360                | L2       |
|        |           |                             | devansh testing and research laboratory pvt ltd | 3000             | 540               | 3540                | L3       |
|        |           |                             | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L4       |
|        |           |                             | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 4500             | 810               | 5310                | L4       |
| 101    | S-90 (c)  | Dispenser Box of 100 Gloves | CEG Test House And Research Centre Pvt Ltd      | 1313.56          | 236.44            | 1550                | L1       |
|        |           |                             | DELHI TEST HOUSE                                | 2000             | 360               | 2360                | L2       |
|        |           |                             | devansh testing and research laboratory pvt ltd | 3000             | 540               | 3540                | L3       |
|        |           |                             | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L4       |
|        |           |                             | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 4500             | 810               | 5310                | L4       |
| 102    | S-90 (d)  | Dispenser Box of 100 Gloves | CEG Test House And Research Centre Pvt Ltd      | 1313.56          | 236.44            | 1550                | L1       |
|        |           |                             | DELHI TEST HOUSE                                | 2000             | 360               | 2360                | L2       |
|        |           |                             | devansh testing and research laboratory pvt ltd | 3000             | 540               | 3540                | L3       |
|        |           |                             | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L4       |
|        |           |                             | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 4500             | 810               | 5310                | L4       |
| 103    | S-91      | Each piece in Blister Pack  | DELHI TEST HOUSE                                | 2850             | 513               | 3363                | L1       |
|        |           |                             | CEG Test House And Research Centre Pvt Ltd      | 4830.51          | 869.49            | 5700                | L2       |
|        |           |                             | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 22000            | 3960              | 25960               | L3       |
| 104    | S-92      | Each piece                  | CEG Test House And Research Centre Pvt Ltd      | 2203.39          | 396.61            | 2600                | L1       |
|        |           |                             | DELHI TEST HOUSE                                | 3500             | 630               | 4130                | L2       |
|        |           |                             | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L3       |
|        |           |                             | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 20000            | 3600              | 23600               | L4       |
| 105    | S-93      | Each Piece                  | CEG Test House And Research Centre Pvt Ltd      | 2203.39          | 396.61            | 2600                | L1       |
|        |           |                             | DELHI TEST HOUSE                                | 3500             | 630               | 4130                | L2       |
|        |           |                             | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 20000            | 3600              | 23600               | L3       |
| 106    | S-94      | Each piece                  | CEG Test House And Research Centre Pvt Ltd      | 1101.69          | 198.31            | 1300                | L1       |
|        |           |                             | DELHI TEST HOUSE                                | 2000             | 360               | 2360                | L2       |
|        |           |                             | devansh testing and research laboratory pvt ltd | 2500             | 450               | 2950                | L3       |
|        |           |                             | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 4000             | 720               | 4720                | L4       |
|        |           |                             | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L5       |
| 107    | S-95      | Each piece                  | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |                             | CEG Test House And Research Centre Pvt Ltd      | 2161.02          | 388.98            | 2550                | L2       |
|        |           |                             | devansh testing and research laboratory pvt ltd | 3000             | 540               | 3540                | L3       |
|        |           |                             | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 4500             | 810               | 5310                | L4       |

*Handwritten signature*

मुख्यमंत्री निःशुल्क दवा योजना



| Sl. No | Item Code | Units              | Bidder Name                                     | Rate Without Tax | Tax 18 % & Amount | Total Rate With Tax | Bid Rank |
|--------|-----------|--------------------|---|------------------|-------------------|---------------------|----------|
| 108    | S-96A     | Each Piece         | devansh testing and research laboratory pvt ltd | 3100             | 558               | 3658                | L1       |
|        |           |                    | DELHI TEST HOUSE                                | 3500             | 630               | 4130                | L2       |
|        |           |                    | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 7500             | 1350              | 8850                | L3       |
| 109    | S-96B     | Each Piece         | devansh testing and research laboratory pvt ltd | 3100             | 558               | 3658                | L1       |
|        |           |                    | DELHI TEST HOUSE                                | 3500             | 630               | 4130                | L2       |
|        |           |                    | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 7500             | 1350              | 8850                | L3       |
| 110    | S-97      | Each piece         | CEG Test House And Research Centre Pvt Ltd      | 1186.44          | 213.56            | 1400                | L1       |
|        |           |                    | DELHI TEST HOUSE                                | 2000             | 360               | 2360                | L2       |
|        |           |                    | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |                    | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 7000             | 1260              | 8260                | L4       |
| 111    | S-98      | 40 GM PACK         | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |                    | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L2       |
|        |           |                    | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 4000             | 720               | 4720                | L3       |
| 112    | S-99(a)   | 6 napkins per pack | CEG Test House And Research Centre Pvt Ltd      | 1440.68          | 259.32            | 1700                | L1       |
|        |           |                    | OASIS TEST HOUSE LTD                            | 1500             | 270               | 1770                | L2       |
|        |           |                    | DELHI TEST HOUSE                                | 2000             | 360               | 2360                | L3       |
|        |           |                    | devansh testing and research laboratory pvt ltd | 2500             | 450               | 2950                | L4       |
|        |           |                    | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 3000             | 540               | 3540                | L5       |
|        |           |                    | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L6       |
| 113    | S-99(b)   | 6 napkins per pack | CEG Test House And Research Centre Pvt Ltd      | 1440.68          | 259.32            | 1700                | L1       |
|        |           |                    | OASIS TEST HOUSE LTD                            | 1500             | 270               | 1770                | L2       |
|        |           |                    | DELHI TEST HOUSE                                | 2000             | 360               | 2360                | L3       |
|        |           |                    | devansh testing and research laboratory pvt ltd | 2500             | 450               | 2950                | L4       |
|        |           |                    | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 3000             | 540               | 3540                | L5       |
|        |           |                    | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L6       |
| 114    | S-99(P)   | 6 napkins per pack | CEG Test House And Research Centre Pvt Ltd      | 1440.68          | 259.32            | 1700                | L1       |
|        |           |                    | OASIS TEST HOUSE LTD                            | 1500             | 270               | 1770                | L2       |
|        |           |                    | DELHI TEST HOUSE                                | 2000             | 360               | 2360                | L3       |
|        |           |                    | devansh testing and research laboratory pvt ltd | 3000             | 540               | 3540                | L4       |
|        |           |                    | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 3000             | 540               | 3540                | L5       |
|        |           |                    | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4500             | 810               | 5310                | L6       |
| 115    | S-102     | Each piece         | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |                    | CEG Test House And Research Centre Pvt Ltd      | 2245.76          | 404.24            | 2650                | L2       |
|        |           |                    | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 6000             | 1080              | 7080                | L3       |
| 116    | R-1       | 12 Foils           | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |                    | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |                    | devansh testing and research                    | 3200             | 576               | 3776                | L3       |



| Sl. No | Item Code | Units    | Bidder Name                                     | Rate Without Tax | Tax 18 % & Amount | Total Rate With Tax | Bid Rank |
|--------|-----------|----------|---|------------------|-------------------|---------------------|----------|
|        |           |          | laboratory pvt ltd                              |                  |                   |                     |          |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 117    | R-2       | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 118    | R-3       | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 119    | R-4       | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 120    | R-5       | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 121    | R-6       | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 122    | R-7       | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |

*(Handwritten signature)*

मुख्यमंत्री निःशुल्क दवा योजना



| Sl. No | Item Code | Units    | Bidder Name                                     | Rate Without Tax | Tax 18 % & Amount | Total Rate With Tax | Bid Rank |
|--------|-----------|----------|---|------------------|-------------------|---------------------|----------|
|        |           |          | Pvt. Ltd.                                       |                  |                   |                     |          |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 123    | R-8       | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 124    | R-9       | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 125    | R-10      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 126    | R-11      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 127    | R-12      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 128    | R-13      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |

*Handwritten signature or mark.*



| Sl. No | Item Code | Units    | Bidder Name                                     | Rate Without Tax | Tax 18 % & Amount | Total Rate With Tax | Bid Rank |
|--------|-----------|----------|---|------------------|-------------------|---------------------|----------|
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 129    | R-14      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 130    | R-15      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 131    | R-16      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 132    | R-17      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 133    | R-18      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 134    | R-19      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |

27

मुख्यमंत्री निःशुल्क दवा योजना



| Sl. No | Item Code | Units    | Bidder Name                                     | Rate Without Tax | Tax 18 % & Amount | Total Rate With Tax | Bid Rank |
|--------|-----------|----------|---|------------------|-------------------|---------------------|----------|
| 135    | R-20      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 136    | R-21      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 137    | R-22      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 138    | R-23      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 139    | R-24      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 140    | R-25      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 141    | R-26      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |





| Sr. No | Item Code | Units    | Bidder Name                                     | Rate Without Tax | Tax 18 % & Amount | Total Rate With Tax | Bid Rank |
|--------|-----------|----------|---|------------------|-------------------|---------------------|----------|
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 142    | R-27      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 143    | R-28      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 144    | R-29      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 145    | R-30      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 146    | R-31      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 147    | R-32      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |

*[Handwritten signature]*

मुख्यमंत्री निःशुल्क दवा योजना



| Sl. No | Item Code | Units    | Bidder Name                                     | Rate Without Tax | Tax 18 % & Amount | Total Rate With Tax | Bid Rank |
|--------|-----------|----------|---|------------------|-------------------|---------------------|----------|
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 148    | R-33      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 149    | R-34      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 150    | R-35      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 151    | R-36      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 152    | R-37      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 153    | R-38      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |



| Sl. No | Item Code | Units    | Bidder Name                                     | Rate Without Tax | Tax 18 % & Amount | Total Rate With Tax | Bid Rank |
|--------|-----------|----------|---|------------------|-------------------|---------------------|----------|
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 154    | R-39      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 155    | R-40      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 156    | R-41      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 157    | R-42      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 158    | R-43      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 159    | R-44      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |

*Handwritten signature*

मुख्यमंत्री निःशुल्क दवा योजना



| Sl. No | Item Code | Units    | Bidder Name                                     | Rate Without Tax | Tax 18 % & Amount | Total Rate With Tax | Bid Rank |
|--------|-----------|----------|---|------------------|-------------------|---------------------|----------|
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 160    | R-45      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 161    | R-46      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 162    | R-47      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 163    | R-48      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 164    | R-49      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 165    | R-50      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |

*[Handwritten signature]*



| Sl. No | Item Code | Units    | Bidder Name                                     | Rate Without Tax | Tax 18 % & Amount | Total Rate With Tax | Bid Rank |
|--------|-----------|----------|---|------------------|-------------------|---------------------|----------|
| 166    | R-51      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 167    | R-52      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 168    | R-53      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 169    | R-54      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 170    | R-55      | 6 Foils  | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 171    | R-56      | 6 Foils  | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 172    | R-57      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |

*(Handwritten signature)*

मुख्यमंत्री निःशुल्क दवा योजना



| Sl. No | Item Code | Units    | Bidder Name                                     | Rate Without Tax | Tax 18 % & Amount | Total Rate With Tax | Bid Rank |
|--------|-----------|----------|---|------------------|-------------------|---------------------|----------|
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 173    | R-61      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 174    | R-62      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 175    | R-63      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 176    | R-64      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 177    | R-65      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 178    | R-66      | 36 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |

*Handwritten signature or mark.*



| Sl. No | Item Code | Units    | Bidder Name                                     | Rate Without Tax | Tax 18 % & Amount | Total Rate With Tax | Bid Rank |
|--------|-----------|----------|---|------------------|-------------------|---------------------|----------|
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 179    | R-67      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 180    | R-68      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L2       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3898.31          | 701.69            | 4600                | L3       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L4       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L5       |
| 181    | R-69      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L2       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3898.31          | 701.69            | 4600                | L3       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L4       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L5       |
| 182    | R-70      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L2       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3898.31          | 701.69            | 4600                | L3       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L4       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L5       |
| 183    | R-71      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L2       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3898.31          | 701.69            | 4600                | L3       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L4       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L5       |
| 184    | R-72      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L2       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3898.31          | 701.69            | 4600                | L3       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L4       |

Handwritten signature or mark.

मुख्यमंत्री निःशुल्क दवा योजना



| Sl. No | Item Code | Units    | Bidder Name                                     | Rate Without Tax | Tax 18 % & Amount | Total Rate With Tax | Bid Rank |
|--------|-----------|----------|---|------------------|-------------------|---------------------|----------|
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L5       |
| 185    | R-73      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L2       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3898.31          | 701.69            | 4600                | L3       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L4       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L5       |
| 186    | R-74      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L2       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3898.31          | 701.69            | 4600                | L3       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L4       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L5       |
| 187    | R-75      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 188    | R-76      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 189    | R-77      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |
| 190    | R-78      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 191    | R-79      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research                     | 3093.22          | 556.78            | 3650                | L2       |





| Sl. No | Item Code | Units    | Bidder Name                                     | Rate Without Tax | Tax 18 % & Amount | Total Rate With Tax | Bid Rank |
|--------|-----------|----------|---|------------------|-------------------|---------------------|----------|
|        |           |          | Centre Pvt Ltd                                  |                  |                   |                     |          |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5000             | 900               | 5900                | L6       |
| 192    | R-80      | 12 Foils | DELHI TEST HOUSE                                | 1900             | 342               | 2242                | L1       |
|        |           |          | CEG Test House And Research Centre Pvt Ltd      | 3093.22          | 556.78            | 3650                | L2       |
|        |           |          | devansh testing and research laboratory pvt ltd | 3200             | 576               | 3776                | L3       |
|        |           |          | OASIS TEST HOUSE LTD                            | 3500             | 630               | 4130                | L4       |
|        |           |          | Standard Analytical Laboratory (ND) Pvt. Ltd.   | 4800             | 864               | 5664                | L5       |
|        |           |          | SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH       | 5500             | 990               | 6490                | L6       |

  
**Executive Director (Proc.)**  
**RMSCL**

