

## Rajasthan Medical Services Corporation Limited, Jaipur

Gandhi Block, SwasthyaBhawan, TilakMarg, C-Scheme, Jaipur - 302005

Ph. No. 0141-2223887, Fax: 0141-2228065

CIN:U24232RJ2011SGC035067

E-mail: edepmrmsc-rj@nic.in
Website: http://rmsc.health.rajasthan.gov

Website: http://rmsc.health.rajasthan.gov.in

No. F-8(307)RMSC/EPM/M-2/NIB-663/RC-790/2022-23/13

Dated: |0 |4 |213

## **Revised Rate Contract and Price Details**

| S.N. | Item   |                                       | Detail  |            |  |  |  |
|------|--|---------------------------------------|---|------------|--|--|--|
| 1.   | Name of Equipment / I  | tem Locker C                          | ocker Cabinet (20 Locker)   |            |  |  |  |
| 2.   | Name & Address of Fi   | Godown,                               | shek Industries,22, Kartarpura Industrial Area, Bais Jaipur (Raj.) M09828367671,Email:-   |            |  |  |  |
| 3.   | Bidder Status  | Manufacti                             |   |            |  |  |  |
| 4.   | Performance Security   | 054GT022<br>Rs. 1,30,0                | Performance Security Deposit by Bank Guarantee No. 054GT02230320005 Dated 01.02.2023 (HDFC Bank) for Amount of Rs. 1,30,000/- (Rupees One Lakh Thirty Thousand Only) (Valid Up to 15.08.2026) |            |  |  |  |
| 5.   | HSN Code   | 9403                                  |   |            |  |  |  |
| 6.   | Brand/ Model   | AILC20                                |   |            |  |  |  |
|      | Make   | Abhishek                              |   |            |  |  |  |
| 7.   | Packing Unit   | Each                                  |   |            |  |  |  |
| 8.   | R/C No. & Validity   | R.C. No.                              | 790 (Valid Up to 28-02-2025)  |            |  |  |  |
| 9.   | Indicative Quantity  | -800                                  |   |            |  |  |  |
| 10.  |  | Rates for su                          | pply to RMSC from Suppliers   |            |  |  |  |
|      | (i) Basic Rate (in Rs.   |                                       |   | 27440.00   |  |  |  |
|      | (ii) IGST @ 18% (in Rs.)   |                                       |   |            |  |  |  |
|      | (iii) CGST @ 9% (in Rs.)   |                                       |   |            |  |  |  |
|      | (iv) SGST @ 9% (in R   | s.)                                   | 2469.60   |            |  |  |  |
|      | (v) Approved Rate F  |                                       | Supplier To RMSC {(i)+(ii)+(iii)+(iv)} (in Rs.)   |            |  |  |  |
| 11.  | And the state of t |                                       |   |            |  |  |  |
|      | (i) Basic Rate (in Rs.)  |                                       |   |            |  |  |  |
|      |  | Surcharge@ 5% On (i) (in Rs.)         |   |            |  |  |  |
|      | (iii) CGST@ 9% {On   |                                       | 2593.08<br>2593.08  |            |  |  |  |
|      | (iv) SGST@ 9% {On  |                                       |   |            |  |  |  |
| 10   | (v) Approved Rate for  | m RMSC {(i)+(ii)+(iii)+(iv)} (in Rs.) | 33998.16  |            |  |  |  |
| 12.  | TECHNICAL SPECIF   | OCKER CABINET (20 LOCKER=10+10 L      | OCKER)  |            |  |  |  |
|      | 1. No of Locke   | rs                                    | 10 Locker   |            |  |  |  |
|      | 2. Locker Size   | (inchs)                               | Equal size  |            |  |  |  |
|      |  |                                       | 78 inch   |            |  |  |  |
|      | height of peo  |                                       |   | *          |  |  |  |
|      | 4. Overall Wid   |                                       | 30 inch   |            |  |  |  |
|      | 5. Overall Depth   |                                       | 18 inch   |            |  |  |  |
|      | 6. Material  |                                       | Mild steel  |            |  |  |  |
|      | 7. Materials &   | Surface                               | Mild Steel Sheets wherever used sha   | II be CRCA |  |  |  |
|      | Finishing  | Surrace                               | not less than 0.8 mm, duly powder coated 50   |            |  |  |  |
|      | 1 moning   |                                       | microns minimum and other metal hardware  |            |  |  |  |







| 8. Door Type Hinged, Each door shall have separate mild  | a जा  | नःशुक्क <u>ा</u>                           | ः मुख्यमत्रा ।<br>—         |   |                             |      |   |     |  |  |  |  |
|--|---|--|-----------------------------|---|-----------------------------|------|---|-----|--|--|--|--|
| any burrs or dents.  Hinged, Each door shall have separate mild Die cut in-built handles and name ticket ho The minimum number of hinges in each shall be two numbers.  9. Other terms & condition:  Finish: All dents, burns and sharp edges sharemoved from the various components. components shall be individually pick scrubber and rinsed to remove grease, rust, sor any other foreign element. All metally should be more than 50 microns Powder Coat One year Guarantee for the date of successinstallation at consignee place.  Locker should be supplier with 10 No. of I with Key – 2 Set  Raw Dimensions of 10 + 10 Locker Cabinet to backer and any  | out   | either anodized or powder coated, and with |                             |   |                             |      |   |     |  |  |  |  |
| 9. Other terms & condition:  Finish: All dents, burns and sharp edges sharemoved from the various components components shall be individually pict scrubber and rinsed to remove grease, rust, sor any other foreign element. All metal pictory should be more than 50 microns Powder Coate One year Guarantee for the date of successinstallation at consignee place.  Locker should be supplier with 10 No. of I with Key – 2 Set  Raw Dimensions of 10 + 10 Locker Cabinet to backer 30"  Raw Dimensions of 10 + 10 Locker Cabinet to backer 30"  The provided Health of the Cook |   |  |                             |   |                             | Type |   | 8   |  |  |  |  |
| The minimum number of hinges in each shall be two numbers.  Finish: All dents, burns and sharp edges sharemoved from the various components. components shall be individually pick scrubber and rinsed to remove grease, rust, so or any other foreign element. All metal pick should be more than 50 microns Powder Coat One year Guarantee for the date of successinstallation at consignee place.  Locker should be supplier with 10 No. of I with Key – 2 Set  Raw Dimensions of 10 + 10 Locker Cabinet to backer  30''  30''  12'  12'  13'  14'  15'  16'  17'  17'  17'  18'  19'  19'  19'  19'  19'  19'  19  | Die cut in-built handles and name ticket holder.  |  |                             | Die   | Door Type                   |      |   |     |  |  |  |  |
| 9. Other terms & condition:  Finish: All dents, burns and sharp edges sharemoved from the various components. components shall be individually pict scrubber and rinsed to remove grease, rust, sor any other foreign element. All metal pictures are found to be more than 50 microns Powder Coate One year Guarantee for the date of successinstallation at consignee place.  Locker should be supplier with 10 No. of I with Key – 2 Set  Raw Dimensions of 10 + 10 Locker Cabinet  blocker  30"  19:  19:  19:  19:  10:  The provided High and Sharp edges sharemoved from the various components.  Finish: All dents, burns and sharp edges sharemoved from the various components.  Components shall be individually pictured from the various components.  Components shall be individually pictured from the various components.  Components shall be individually pictured from the various components.  Components shall be individually pictured from the various components.  Components shall be individually pictured from the various components.  Components shall be individually pictured from the various components.  Components shall be individually pictured from the various components.  Components shall be individually pictured from the various components.  Components shall be individually pictured from the various components.  Components shall be individually pictured from the various components.  Components shall be individually pictured from the various components.  Components shall be individually pictured from the various components.  Components shall be individually pictured from the various components.  Components shall be individually pictured from the various components.  Components shall be individually pictured from the various components.  Components shall be individually pictured from the various components.  Components shall be individually pictured from the various components.  Components shall be individually pictured from the various components.  Components shall be individually pictured from the various components.  Components  |   |  |                             | minimum num   | The minim                   |      |   |     |  |  |  |  |
| removed from the various components. components shall be individually picl scrubber and rinsed to remove grease, rust, sor any other foreign element. All metal pictures are all should be more than 50 microns Powder Coate One year Guarantee for the date of successinstallation at consignee place.  10. Locker should be supplier with 10 No. of I with Key – 2 Set  Raw Dimensions of 10 + 10 Locker Cabinet to locker and   | shall be two numbers.                             |  |                             | sha   | 0 041                       |      |   |     |  |  |  |  |
| components shall be individually pict scrubber and rinsed to remove grease, rust, so or any other foreign element. All metal 1 should be more than 50 microns Powder Coat One year Guarantee for the date of success installation at consignee place.  10. Locker should be supplier with 10 No. of I with Key – 2 Set  Raw Dimensions of 10 + 10 Locker Cabinet to tocker 30" 30" 30" 30" 30" 30" 30" 30" 30" 30"   | Finish: All dents, burns and sharp edges shall be |  |                             | extraction and the second   | 9. Other terms & condition: |      |   |     |  |  |  |  |
| scrubber and rinsed to remove grease, rust, so or any other foreign element. All metal pshould be more than 50 microns Powder Coat One year Guarantee for the date of successinstallation at consignee place.  Locker should be supplier with 10 No. of I with Key – 2 Set  Raw Dimensions of 10 + 10 Locker Cabinet to bocker  10.  Raw Dimensions of 10 + 10 Locker Cabinet to bocker  30'1  3 | removed from the various components. The          |  |                             | con   |                             |      |   |     |  |  |  |  |
| or any other foreign element. All metal pshould be more than 50 microns Powder Coat One year Guarantee for the date of successinstallation at consignee place.  10. Locker should be supplier with 10 No. of I with Key – 2 Set  Raw Dimensions of 10 + 10 Locker Cabinet  to Locker  30"  30"  30"  30"  30"  30"  30"  30  | cale  | e, rust, scal                              | to remove grease            | ibber and rinsed  | scri                        |      |   |     |  |  |  |  |
| One year Guarantee for the date of successinstallation at consignee place.  Locker should be supplier with 10 No. of I with Key – 2 Set  Raw Dimensions of 10 + 10 Locker Cabinet  blocker 30" 30" 30" 30" 30" 30" 30" 30" 30" 30"   | arts  | metal part                                 | gn element. All             | any other foreig  | or                          |      |   |     |  |  |  |  |
| installation at consignee place.  Locker should be supplier with 10 No. of I with Key – 2 Set  Raw Dimensions of 10 + 10 Locker Cabinet to tocker 30" 30" 30" 30" 30" 30" 30" 30" 30" 30"  | d.  | der Coated.                                | 50 microns Power            | uld be more than  | Sho                         |      |   |     |  |  |  |  |
| Locker should be supplier with 10 No. of I with Key – 2 Set  Raw Dimensions of 10 + 10 Locker Cabinet to locker 30"  19  19  19  10  10  10  10  10  10  10  | installation at consignee place.                  |  |                             | inst  |                             |      |   |     |  |  |  |  |
| Raw Dimensions of 10 + 10 Locker Cabinet to locker 30"  19"  19"  19"  19"  10"  10"  10"  1   |   |  |                             |   |                             |      |   | 10. |  |  |  |  |
| bo locker 30"  19  |   |  |                             |   |                             | -    | _ |     |  |  |  |  |
|  |   | įš.  | *                           |   |                             |      |   |     |  |  |  |  |
|  |   |  |                             | 7   | 30"                         |      |   |     |  |  |  |  |
|  |   | 1  |                             |   |                             |      | 1 |     |  |  |  |  |
|  | -   |  | 9                           |   |                             |      |   |     |  |  |  |  |
|  |   |  |                             |   | <u> </u>                    |      |   |     |  |  |  |  |
|  | 2   |  |                             |   |                             | Ö:   |   |     |  |  |  |  |
|  |   |  |                             |   |                             |      |   |     |  |  |  |  |
|  |   | 74   |                             |   |                             |      | 1 |     |  |  |  |  |
|  |   | 12   |                             |   |                             |      | ' |     |  |  |  |  |
|  |   |  |                             | 0:  |                             |      |   |     |  |  |  |  |
|  |   |  |                             |   |                             |      |   |     |  |  |  |  |
| 37   |   |  |                             |   |                             |      |   |     |  |  |  |  |
| 3"   |   | _  |                             |   |                             |      |   |     |  |  |  |  |
|  |   | <b>†</b>                                   | 37                          | J   |                             |      | 1 |     |  |  |  |  |
| All Dimensions are in Inch.  |   |  | All Dimensions are in Inch. |   |                             |      |   |     |  |  |  |  |
|  |   |  |                             | N   | 7                           |      |   |     |  |  |  |  |
| परिभावना एतर तथा देशहर स्वारंग्य ।<br>जिल्ह्या स्वारंग्य प्रसाद स्वारंग्य प्रसाद स्वारंग्य   |   |  | 0                           | परियोजना शिर्द ग्राम (शिर्द नगण्य)<br>विजित्सा स्व श्वाराय प्रेमाचे असापर<br>(स्वारकार) |                             |      |   |     |  |  |  |  |
| Ajen .   |   | · · ·                                      | Aun                         |   |                             |      |   |     |  |  |  |  |
| SME  |   |  | SME                         |   | 20)                         |      |   |     |  |  |  |  |

• The agreement signed between RMSCL and the firm forms integral part of the rate contract.

Executive Director (EPM) RMSC, Jaipur

## मुख्यमंत्री निःशुल्क जाँच यो

No. F-8(307)RMSC/EPM/M-2/NIB-663/RC-790/2022-23/

Copy forwarded to the following for information & necessary action:

Dated: 10/4/23

- 1. P.S. to Hon'ble Health Minister, Medical & Health Deptt. Govt. of Rajasthan.
- 2. P.S. to ACS/Principal Secy/Secy. Medical Health & FW Deptt. Rajasthan, Jaipur.
- 3. PS to Pr. Secy/Secy, Medical Education Department, Rajasthan, Jaipur
- 4. P.S. to Mission Director NHM Jaipur.
- 5. PA to Managing Director, RMSCL
- 6. Director, (PH)/(Aids)/(FW)/(RCH)/(IEC)/(ESI).
- 7. Principal, Medical College, Ajmer, Bikaner, Jaipur, Jodhpur, Kota, Jhalawar& Udaipur.
- 8. Principal R.U.H.S. College of Dental Science Jaipur.
- 9. Principal, RUHS College of Medical Scinces, Jaipur.
- 10. Superintendent Japuriya Hospital Jaipur (Associated with RUHS College of Medical Scinces, Jaipur).
- 11. Superintendent, SMS Hospital, Zenana Hospital, MahilaChikitsalya, Mental Hospital, J.K. Lon Hospital, T.B & Chest Hospital, Jaipur.
- 12. Superintendent Associated Group of Hospital-Ajmer, M.G. Hospital, Jodhpur, Ummaid Hospital-Jodhpur, PBM Hospital-Bikaner, MBS Hospital-Kota & A.G. Hospital-Udaipur.
- 13. Director, Medical & Health Services (ESI), Mobile Surgical Unit, Raj. Jaipur.
- 14. Addl. Director, Medical & Health Services (PW)/ (RH)/(Hospital Admn.)
- 15. Joint Director, Medical & Health Services, (Zone) Jaipur, Ajmer, Udaipur, Jodhpur, Bikaner, Kota & Bharatpur.
- 16. All P.M.O.'s.
- 17. All CM&HO's.
- 18. All Dy. CM&HO's.
- 19. AGM (IT), RMSC, Jaipur.
- 20. All Zonal BME are directed to carry out inspection of the supplied equipment as per RMSCL Letter no. 2513 dated 10-07-2018.
- 21. M/s Abhishek Industries, 22, Kartarpura Industrial Area, Bais Godown, Jaipur (Raj.) M.-09828367671, Email: -abhishek 8080@gmail.com
- 22. Guard file.

Executive Director (EPM) RMSC, Jaipur



## Rajasthan Medical Services Corporation Limited, Jaipur

Gandhi Block, SwasthyaBhawan, TilakMarg, C-Scheme, Jaipur - 302005

Ph. No. 0141-2223887, Fax: 0141-2228065

CIN:U24232RJ2011SGC035067

E-mail: edepmrmsc-rj@nic.in

Website: http://rmsc.health.rajasthan.gov.in

No. F-8(307)RMSC/EPM/M-2/NIB-663/RC-790/2022-23/12

Dated: 10/4/23

All Principals Medical Colleges,

All the Superintendents of Medical Colleges& Attached Hospitals.

Director (PH/HA/IEC/AIDS/RCH)

Sub:- Approval/Purchase of Item, 'Locker Cabinet (20 Locker), for the Rate Contract and supply, ending on 28.02.2025.

Please find enclosed herewith approved firm and Locker Cabinet (20 Locker) for the rate contract and supply ending on 28.02.2025. The rate contract and its terms & conditions are also available on Rajasthan Medical Services Corporation Ltd., Website www.rmsc.health.rajasthan.gov.in

Executive Director (EPM)

Rajasthan Medical Services Corporation Ltd, Jaipur

Dated:

No. F-8(307)RMSC/EPM/M-2/NIB-663/RC-790/2022-23/

Copy forwarded to the following for information & necessary action:

1. P.S. to Hon'ble Health Minister, Medical & Health Deptt. Govt. of Rajasthan.

2. P.S. to ACS/Principal Secy/Secy. Medical Health & FW Deptt. Rajasthan, Jaipur.

3. PS to Pr. Secy/Secy, Medical Education Department, Rajasthan, Jaipur

4. P.S. to Mission Director NHM Jaipur.

5. PA to Managing Director, RMSCL

6. Director, (PH)/(Aids)/(FW)/(RCH)/(IEC)/(ESI).

7. Principal, Medical College, Ajmer, Bikaner, Jaipur, Jodhpur, Kota, Jhalawar& Udaipur.

8. Principal R.U.H.S. College of Dental Science Jaipur.

9. Principal, RUHS College of Medical Scinces, Jaipur.

10. Superintendent Japuriya Hospital Jaipur (Associated with RUHS College of Medical Scinces, Jaipur).

11. Superintendent, SMS Hospital, Zenana Hospital, MahilaChikitsalya, Mental Hospital, J.K. Lon Hospital, T.B & Chest Hospital, Jaipur.

12. Superintendent Associated Group of Hospital-Ajmer, M.G. Hospital, Jodhpur, Ummaid Hospital-Jodhpur, PBM Hospital-Bikaner, MBS Hospital-Kota & A.G. Hospital-Udaipur.

13. Director, Medical & Health Services (ESI), Mobile Surgical Unit, Raj. Jaipur.

14. Addl. Director, Medical & Health Services (PW)/ (RH)/(Hospital Admn.)

15. Joint Director, Medical & Health Services, (Zone) Jaipur, Ajmer, Udaipur, Jodhpur, Bikaner, Kota & Bharatpur.

16. All P.M.O.'s.

17. All CM&HO's.

18. All Dy. СМ&НО's.

19. AGM (IT), RMSC, Jaipur

20. All Zonal BME are directed to carry out inspection of the supplied equipment as per RMSCL Letter no. 2513 dated 10-07-2018.

21. M/s Abhishek Industries, 22, Kartarpura Industrial Area, Bais Godown, Jaipur (Raj.) M.-09828367671, Email: -abhishek 8080@gmail.com

22. Guard file.

**Executive Director (EPM)** 

Rajasthan Medical Services Corporation Ltd, Jaipur