

**Rajasthan Medical Services Corporation Limited, Jaipur**  
**D-Block, Swasthya Bhawan, C-Scheme, Jaipur - 302005**



Ph. No. 0141-2223887, Fax No. 0141-2228065

E-Mail - [edepmrmsc-rj@nic.in](mailto:edepmrmsc-rj@nic.in)

**SECTION VI A: GENERAL CONDITIONS RATE CONTRACT (GCC)**

**Table of Contents**

S. No.	Description
1.	DEFINITIONS
2.	GENERAL TERMS
3.	BID SECURITY
4.	FORFEITURE OF BID SECURITY
5.	GUARANTEE CLAUSE
6.	MARKING
7.	APPLICABILITY OF TAXES
8.	COMPARISON OF RATES
9.	SUBMISSION OF SAMPLES & DEMONSTRATION
10.	PERFORMANCE SECURITY (P.S.) AND AGREEMENT
11.	SUPPLY ORDERS
12.	PURCHASE PREFERENCE
13.	SUBMISSION OF CONTRACT COMPLETION REPORT
14.	TERMS OF PAYMENT
15.	LIQUIDATED DAMAGES
16.	MEDICAL COLLEGES AND THEIR ATTACHED HOSPITALS
17.	RECOVERIES
18.	INSPECTION
19.	PACKING & INSURANCE
20.	REJECTION
21.	CORRECTION OF ARITHMETIC ERRORS
22.	PROCURING ENTITY'S RIGHT TO VARY QUANTITY
23.	DIVIDING QUANTITIES AMONG MORE THAN ONE BIDDER AT (IN CASE OF PROCUREMENT OF GOODS)
24.	PARALLEL RATE CONTRACT
25.	VALIDITY OF BID
26.	PRICE ESCALATION
27.	SUBLETTING OF CONTRACT
28.	FALL CLAUSE
29.	COMPREHENSIVE MAINTENANCE CONTRACT (CMC)
30.	GRIEVANCE REDRESSAL DURING PROCUREMENT PROCESS
31.	COMPLIANCE WITH THE CODE OF INTEGRITY AND NO CONFLICT OF INTEREST
32.	DISPUTE SETTLEMENT MECHANISM
33.	OTHER CLAUSES
34.	JURISDICTION

**Rajasthan Medical Services Corporation Limited, Jaipur  
D-Block, Swasthya Bhawan, C-Scheme, Jaipur - 302005**



Ph. No. 0141-2223887, Fax No. 0141-2228065

E-Mail - [edepmrmsc-ri@nic.in](mailto:edepmrmsc-ri@nic.in)

**SECTION VI A:-GENERAL CONDITIONS RATE CONTRACT (GCC)**

Bidder should read these terms & conditions carefully and comply strictly while submitting their bids. If a bidder has any doubt regarding the terms & conditions and specifications mentioned in the bid notice/catalogue, he should refer these to the M.D., Rajasthan Medical Services Corporation Limited, Rajasthan, and Jaipur before submitting bids and obtain clarifications. The decision of the M.D., RMSCL shall be final and binding on the bidder. The clauses of terms & conditions are as follows:-

Clause No.	Description
<b>1.</b>	<b>Definitions:</b>
	<p>The following words and expressions shall have the meanings hereby assigned to them:</p> <p>'Act'. Means the Rajasthan Transparency in Public Procurement Act, 2012.</p> <p>'Rules' Means the Rajasthan Transparency in Public Procurement Rules, 2012.</p> <p>'Completion' Means the fulfilment of the supplies and Related Services by the supplier in accordance with the terms and conditions set forth in the contract.</p> <p>"Contract" Means the Agreement entered into between the Procuring Entity and Supplier, together with the contract documents referred to therein, including all attachments, appendices, specifications and codes and all documents incorporated by reference therein.</p> <p>"Contract Documents" Means the documents listed in the Agreement, including any amendments thereto.</p> <p>"Contract Price/Rate" Means the price payable to the supplier as specified in the Agreement, subject to such additions and adjustments thereto or deductions there from, as may be made pursuant to the contract.</p> <p>"Day" Means calendar day.</p> <p>"Delivery" Means the transfer of the goods from the supplier to the Procuring Entity in accordance with the terms and conditions set forth in the contract.</p> <p>"GCC" Means the General Conditions of rate Contract.</p> <p>"SCC" Means the Special Conditions of rate Contract".</p> <p>"Goods" Means all of the commodities, raw material, machinery and equipment, documents, guarantee/warrantees and /or other materials that the supplier is required to supply to the Procuring Entity under the Contract.</p> <p>"Procuring Entity" Means the Entity purchasing the Goods and Related Services, M.D., RMSCL or as specified in the SCC.</p> <p>"Related Services" Means the services incidental to the supply of the Goods, such insurance, installation, training and initial maintenance, commissioning of equipment or machinery and other similar obligations of the supplier under the contract.</p> <p>"Subcontractor" Means any natural person, private or government entity, or a combination of the above, including its legal successors or permitted assigns, to whom any part of the Goods to be supplied is subcontracted by the supplier.</p> <p>"Supplier" Means the natural person, private or government entity, or a combination of the above, whose Bid to perform the contract has been accepted by the Procuring Entity and is named as such in the Agreement, and includes the legal successors or permitted assigns of the supplier.</p> <p>"The Site" where applicable, means the place of delivery, installation, testing/commissioning of the goods/equipment or machinery or In-charge Officer of Govt. Medical Institutions consignees or any other place named in the GCC/SCC.</p>

	"Consignee" Means the receiver of the stores as mentioned in supply order.
<b>2.</b>	<b>General terms:</b>
2.1	Bids are invited from Indian manufacturers /direct importers. (Bidder shall submit declaration in BF-XVII, XVIII & XIX)
2.2	E-bid shall be submitted up to <b>1.00 PM on dated 8.10.2015</b> as per schedule (col. no. 4) to M.D., Rajasthan Medical Services Corporation Limited, Rajasthan, Jaipur for the supply through rate contract. At any time prior to the date of submission of bid, Bid Inviting Authority may, for any reason, whether on his own initiative or in response to a clarification requested by a prospective bidder, modify the condition in bid document by an amendment. In order to provide reasonable time to take the amendment into account in preparing their bid, Bid Inviting Authority may at his discretion, extend the date and time for submission of bid. Interested eligible bidders may obtain further information in this regard from the office of the Bid Inviting Authority.
2.3	The bidder should have average gross annual turnover as per Table-I, for the preceding three financial years to be eligible to participate in the bid.
2.4	Supplies shall be made directly by the bidder, and not through its distributors/agents/suppliers. Manufacturer bidder should have permission to manufacture the item quoted as per specification given in the bid from the competent authority.
2.5	Bid shall be submitted to M.D., Rajasthan Medical Services Corporation, Rajasthan, Jaipur through <b><a href="https://eproc.rajasthan.gov.in">https://eproc.rajasthan.gov.in</a></b> .
2.6	<p>The bidder shall submit following certificates along with the bid the:-</p> <p>(i) Bid security, cost of bid document and processing fee shall be deposited through separate prescribed challans (format enclosed in BF-I) in any branch of the <b>Punjab National Bank, Account no. 2246002100024414 throughout the country</b>. The bidder shall submit scanned copy of the challans in the technical Bid (Cover-A).</p> <p style="text-align: center;">OR</p> <p>The cost of bid document amounting to Rs. 2000.00 (Rs. 1000.00 for SSI Units of Rajasthan) uploaded on the above website shall be submitted in form of D.D./Banker's cheque in favour of M.D., RMSCL payable at Jaipur. The bidder is also required to deposit processing fee of Rs. 1000.00 in form of D.D./Banker's cheque in favour of M.D., RISL payable at Jaipur. The cost of bid document, processing fee and bid security shall be deposited physically in the office of M.D., RMSCL, Jaipur before the last date and time of bid submission and are non refundable.</p> <p>(ii) (a) Manufacturer- bidder shall enclose duly self attested photocopy of acknowledgement of EM-II Memorandum/IEM/ Registration of SSI unit for the products duly approved by the licensing authority for every product quoted in the bid. The license, if any, should be renewed up to date. Acknowledgement of EM-II, issued by District Industries Centre with an affidavit as per Annexure-J, under rules for preference to industries of Rajasthan, in respect of stores for which they are registered. (BF-X)</p> <p>(b) Likewise, SSI manufacturer/bidder shall submit documents relating to the production capacity and properly installed quality control measures at the production site/ unit at the time of bid/agreement, which may be a certificate from NSIC (For micro and small scale industrial units) /MSME (Micro, Small, Medium Enterprises)/production capacity certificate issued from Industries Department.</p> <p>(iii) Firm shall submit copy of the registration with Central Excise Department/ exemption from registration, if applicable, as per provisions of Central Excise</p>

Act.

- (iv) In case of imported equipments and instruments self attested photocopy of IEC certificate and permission/authorization for sale from the foreign principal manufacturer.
- (v) Duly self attested photocopy of BIS certificate, renewed up to date with respective schedule for ISI certification for quoted items, if applicable.
- (vi) Duly attested photocopy of ISO Certificate, if applicable.
- (vii) Dully attested photocopy of BIS/CE/USFDA/certificate from Govt. of India lab or from Govt. of India approved lab for the quoted items, as mentioned in Table-1.
- (viii) The average annual turnover statement for preceding three financial years expired on March 31st, signed by the bidder, duly verified by the C.A. and attested by notary public.
- (ix) Copies of annual accounts (Balance Sheet & Profit & Loss statements) certified by the auditors for the preceding three financial years may also be asked.
- (x) Duly self attested copy of latest Sales Tax/VAT clearance certificate, (up to 31.03.2014) from the Commercial Tax Officer of the circle concerned, from where supplies will be affected, shall be submitted.
- (xi) Declaration regarding point of supply with full address in Bid Submission Letter.
- (xii) A combined undertaking/declaration regarding installed manufacturing capacity, that the quoted item model is of latest technology, the item has not become outdated, that the rate quoted is not more than the rate charged from anyone else, that the bidder is not black listed or banned or debarred by central or any state government or its append gages, availability of spare parts and consumables for the quoted equipment for at least 10 years/life of the item, from the date of installation must be submitted on Non-Judicial stamp-paper of Rs. 200/- in prescribed format **(BF-V)**, duly notarized for each item quoted in the bid. Bid should not be submitted for the quoted item(s) for which the bidder has been blacklisted/banned/debarred either by bid inviting authority or Govt. of Rajasthan or by any other state/central Govt. and its agencies. This also applies to the bidder for its sister/ allied firm(s)/ unit(s).
- (xiii) The declaration from the bidder regarding qualifications.**(BF-XVI)**
- (xiv) The bidder should submit a declaration giving details of plant and machinery, staff, production capacity achieved, factory area, etc. on non-judicial stamp paper of Rs. 50/- duly notarized, in enclosed Performa **(BF-VIII)**.

**The following documents are mandatory and shall be uploaded on e-procurement portal along with Technical Bid Submission Sheet. If the following documents/certificates/requirements are not uploaded on portal/ full filled , the bid will liable to be declared non responsive:-**

- i. Cost of bid document, RISL processing fee and bid security;
- ii. In case of Indian Manufacturer, valid Manufacturing License from Competent Authority, *if applicable*, Acknowledgement of EM-II Memorandum/IBM/ Registration of SSI unit, copy of the registration with Central Excise Department/ exemption from registration, *if applicable*, as per provisions of Central Excise Act.
- iii. In case of direct Importer, Import-Export Code (IEC) Certificate and Permission/Authorisation for sale from the foreign principal manufacturer. .
- iv The average gross annual turnover of the bidder shall be as per **Table-1** for last three years **(BF-VI)**.
- v Declaration by the Bidder Regarding Qualifications **(BF-XVI)**.
- vi. Bidders shall have to submit a valid 'VAT' clearance certificate from the concerned

	<p>Commercial Taxes Officer or declaration and the 'PAN' issued by Income Tax Department. .</p> <p>vii Duly signed scanned copy of Section VI A and VI B or BF-XIV, as acceptance of terms &amp; conditions;</p> <p>viii USFDA Certificate/CE Marking/ISO/.....etc. <i>as/ if applicable</i>;</p> <p>ix BIS certificate, in case of ISI marked items, <i>as/if applicable</i>;</p> <p><b>PLEASE ALSO NOTE THAT: -</b></p> <p>(A) All the above mentioned documents must be submitted duly signed on each page and self attested.</p> <p>(B) All attested documents must be submitted in Hindi or English language. If the documents are not in Hindi or English, translated version of the same, in Hindi or English, duly signed and attested by authorized translator must be submitted along with copy of original document.</p> <p>(C) All the above mentioned documents should be under the name and address of the premises where the quoted items are actually manufactured/stored for supply.</p> <p>(D) The point of supply should be specified as has been requested in bid conditions above.</p> <p>(E) The bidder may be asked to submit its annual accounts (Profit &amp; Loss account &amp; Balance Sheet etc.) for verification.</p>
2.7	Financial Bid duly filled in <b>(BF-IV/BOQ)</b> giving the rates for quoted items should be submitted through the portal " <a href="https://eproc.rajasthan.gov.in">https:// eproc.rajasthan.gov.in</a> ( <b>Format (BOQ)</b> ". The rate should not be disclosed in the technical bid.
2.8	<p>The required amounts towards cost of bid document, bid security and processing fee payable to RISL shall be deposited through prescribed challans (format enclosed in Annexure-1) in any branch of the Punjab National Bank, anywhere in the country. Bid security may be submitted physically/deposited in the form of DD/Banker's cheque in the office of MD RMSCL on or before the last date and time of bid submission. The bidders shall submit scanned copy of the challan/DD/Banker's cheque with the technical bid (Cover-A).</p> <p>All bids received will be opened in the presence of bidders, who choose to be present. Financial bid will be opened only for those bidders, who satisfy the criteria laid down by the corporation on the details furnished by the bidder in technical bid in compliance of terms &amp; conditions of the bid.</p>
2.9	<p>(i) In case of the bid being submitted by a proprietary firm, the bid must be signed by the sole proprietor. In case of a partnership firm, bid must be signed on behalf of the firm by a person authorized, holding a power of attorney in his favour to do so; and in the case of a company, the bid must be signed by an authorized signatory, in the manner laid down in the Articles of Association of the bidder company.</p> <p>(ii) Any change in the constitution of the firm/ company shall be notified forthwith by the bidder/contractor in writing to the M.D., RMSC Ltd., Jaipur and such change shall not relieve any former member of the firm/ company from the liability under the conditions of the bid/contract. No new partner / partners shall be accepted in the firm by the bidder/contractor in respect of the bid/contract unless he/ they agree to abide by all its terms and conditions and submit a written agreement to this effect with the M.D., Rajasthan Medical Services Corporation Ltd., D-Block, Swasthya Bhawan, C-scheme, Jaipur. The bidder's/contractor's receipt for acknowledgement or date of any new partner subsequently inducted, as above, shall bind all of them and will be a sufficient discharge for any of the purposes of the contract.</p>
2.10	The hard copy of bid documents shall be filled with ink or typed. The bidder shall sign the bid form at each page and at the end in token of acceptance of all the terms and

	conditions of the bid and then scanned copy be uploaded on the e-portal <a href="https://eproc.rajasthan.gov.in">https://eproc.rajasthan.gov.in</a> , except the financial bid (BOQ) (BF-IV).
<b>3</b>	<p><b>Bid Security:</b></p> <p>(i) Bid shall be accompanied with a bid security at the rate of 2% of the likely value of the indicative quantity or Rs. <b>5,00,000.00</b> (Rs. Five Lakh), whichever is less, for whole bid catalogue/each item(as per Table-1). Bids submitted without sufficient bid security will be summarily rejected.</p> <p>(ii) The bid security of bidder shall be refunded after the earliest of the following events, namely:-</p> <p>(a) the expiry of validity of bid security;</p> <p>(b) the execution of agreement for procurement and performance security is furnished by the successful bidder;</p> <p>(c) the cancellation of the procurement process; or</p> <p>(d) the withdrawal of bid prior to the deadline for presenting bids, unless the bidding documents stipulate that no such withdrawal is permitted.</p> <p>Bidder should produce a pre stamp receipt as per <b>BF-IX</b> with the bid document for that purpose.</p> <p>(iii) Firms which are registered as micro or SSI Unit of Rajasthan with Commissioner of Industries shall furnish the amount of bid security at the rate 0.50% of likely value of the indicative quantity or Rs.1,25,000/- (Rs. One Lac and Twenty Five Thousand), whichever is less, for whole bid catalogue/each item (as per Table-1). In respect of items for which they are registered to manufacture, shall submit an attested copy of acknowledgment of EM-II issued by DIC, with an affidavit on non-judicial stamp paper worth Rs. 10/- as per BF-X.</p> <p>(iv) The Public Sector Undertakings need not furnish any amount of bid security. However, bid securing declaration shall be necessary as per (<b>BF-XXI</b>).....</p> <p>(v) The bid security lying with the Corporation in respect of other bids awaiting approval or rejection or on account of contracts being completed, will not be adjusted towards bid security for the fresh bids. The bid security may, however, be taken into consideration in case bids are re-invited for the same item.</p> <p>(vi) In case any document submitted by the bidder or by his authorized representative is found to be forged, false or fabricated, the bid shall be rejected and bid security may be forfeited. Bidder/his representative may also be banned/debarred. Report with police station may also be filed against such bidder/his representative.</p>
<b>4</b>	<p><b>Forfeiture of bid security:</b></p> <p>The bid security will be forfeited if:</p> <p>(i) The bidder withdraws or modifies the offer after opening of financial bid, but before acceptance of bid,</p> <p>(ii) The bidder does not execute the agreement, if any, prescribed within the specified time or extended time by competent authority (on the request of the bidder),</p> <p>(iii) The bidder does not deposit the 'performance security' after the supply order is placed/requested for signing the agreement,</p> <p>(iv) The bidder fails to commence the supply of the items as per supply order within the time prescribed,</p> <p>(v) The bidder fails to submit samples/demonstration of quoted item on demand,</p> <p>(vi) The bidder violates any of the terms &amp; conditions of the bid document.</p>
<b>5</b>	<p><b>Guarantee clause:</b></p> <p>(i) The bidder would guarantee that the subject matter of procurement would continue to conform to the description and quality as per technical specifications and</p>

	<p>performs as per descriptions, from the date of delivery/installation of the said subject matter of procurement. Notwithstanding the fact that the purchaser may have inspected and/or approved the said subject matter of procurement during the guarantee period, if the said subject matter of procurement is discovered not to conform to the description and quality as aforesaid or not performing, as described, the procuring entity will be entitled to reject the said subject matter of procurement or such portion thereof as may be discovered not to conform to the said description and quality or not performing as described. On such rejection, the subject matter of procurement will be at the seller's risk and all the provisions relating to rejection of goods, etc., shall apply. The successful bidder shall, if called upon to do so, replace the goods etc. or such portion thereof, as rejected by the procuring entity. Otherwise, the bidder shall pay such damages, as may arise by reason of such breach of the condition herein contained. Nothing herein contained shall prejudice any other right of the procuring entity in that behalf under this contract or otherwise.</p> <p>(ii) The bidder shall, during the guarantee period appearing in the contract, replace the whole subject matter of procurement or part(s), if any, and remove the manufacturing defects, if found during the above period so as to make the machinery and equipment operative.</p> <p>(iii) In case of the machinery or equipment, the successful bidder shall be responsible for carrying out annual maintenance and repairs on the terms &amp; conditions, as agreed. The bidder shall also be responsible to ensure adequate and regular supply of spare parts and consumables required for the machinery or equipment, whether under their annual maintenance and repairs contract or otherwise. In case of change of model the bidder shall notify the procuring entity sufficiently in advance, to facilitate procurement of sufficient quantity of consumables/ spare parts from the bidder to maintain the machinery or equipment.</p> <p>(iv) In case, any item supplied by the successful bidder does not conform to the required specifications, the payment thereof, if received by the supplier, shall have to be refunded to the M.D., Rajasthan Medical Services Corporation Ltd., Jaipur. The supplier will not have any rightful claim to the payment of cost for substandard supplies, which may have been consumed, either in part or whole, pending receipt of laboratory test/inspection report, wherever required. Supply of goods less in weight and volume than those mentioned on the label of the container, the same will be dealt with in the manner prescribed under rules.</p>
<b>6</b>	<b>Marking:</b>
	All non consumable subject matter of procurement, except glass or imported articles, (like instruments/equipments and others accessories) should bear marking "GOVERNMENT OF RAJASTHAN" or as mentioned in supply order in English on the instruments/equipments, without which the supply will not be entertained.
<b>7</b>	<b>Applicability of taxes:</b>
	C-form shall be issued by RMSCL for charging CST at concessional rate against supplies made as per order. The invoice should show the concessional rate of CST separately. Purchase of medical equipments, instruments and ambulances made by RMSCL are exempt from VAT.
<b>8</b>	<b>Comparison of rates:</b>
	<p>(i) Only net rates should be quoted. No separate free goods or cash discounts should be offered. Rates must be valid for the entire bid validity period.</p> <p>(ii) In comparing the rates quoted by a firm from outside Rajasthan and another bidder from within the state, the element of Central Sales Tax shall be added in the rates of the firm from outside Rajasthan and VAT or RST, if any, shall be excluded from the rates quoted. While comparing the rates in respect of firms within Rajasthan, the element of Rajasthan VAT or CST shall be excluded from the rates quote.</p> <p>(iii) The tendered quantity is under the scheme "strengthening of pre service education for nursing and pre midwifery in Rajasthan." In this scheme, except for item S.No.12 i.e. Geysers mentioned in Table-1, all the other supplies will be taken at Jaipur. Since the item Geysers requires both installation and commissioning,</p>

	<p>therefore, this item shall be delivered at the consignee. If Supply order is placed for other scheme or on demand of other institution beyond the quantity mentioned in Table-1, the supplier will have to supply the item at concerned consignee's place. No cartage or transportation charges shall be payable.</p> <p>(iv) The net rate must be inclusive of all charges by way of packing, forwarding, incidental or transit charges, including transit insurance, and any other levies or duties etc. on the subject matter of procurement, except <i>VAT or CST</i>.</p> <p>(v) Excise duty or surcharge prevailing on the date of submission of bid rate must be included in the net rate and should also be shown separately in the Financial Bid <b>(BF-IV)</b>. In the event of any subsequent variation (increase or decrease) in the rate of excise duty, <i>VAT or CST</i> by the government (state or central), the same will be admissible accordingly.</p> <p>(vi) If the rates of item quoted are found same from two for more bidders, then the such bidders shall be asked to submit revised financial bid, containing reduced rates within given time by RMSCL.</p> <p>(vii) The rates must be written both in words and figures. In case of discrepancy between the prices quoted in words and in figures, lower of the two shall be considered. There should not be errors or overwriting and corrections, if any, should be made clearly and initialled with dates. Element of the Rajasthan <i>VAT</i> or Central Sales Tax should be mentioned separately.</p> <p>(viii) The bidder will exercise all due diligence at their own level regarding applicability of other taxes, duties and fees etc. for the unit of supplies as specified in the bid document and accordingly include the same in their quotes. Any additional/extra claims over and above the rates agreed pertaining to taxes, duties and fees etc. will not be entertained later on any account.</p> <p>(ix) (A) No part of the bid document should be detached/deleted. (B) The bidder shall sign with seal on every page of the bid form and terms &amp; conditions (Annexure-B &amp; N) in token of his acceptance of all the terms &amp; conditions of the bid and upload the same along with bid documents. He should also sign at the bottom of each page of the original bid items, Non receipt of terms and conditions duly signed with the bid shall render the bid to be rejected.</p> <p>(x) Any change or insertion of any other condition or stipulation in the above terms of supplies are not allowed and if so found, this shall render the bid to be rejected without notice.</p> <p>(xi) For comparison of rates, the average comprehensive annual maintenance charges shall be added to the rate quoted for the equipments, if comprehensive annual maintenance is applicable.</p>
9	<b>Submission of samples &amp; demonstration:</b>
	<p>(i) Samples must be sent of the quoted items free of cost on demand by RMSCL even though the specifications or descriptions etc. are mentioned in the bid form are complied. No sample will be accepted after prescribed period. In the event of non submission of samples within the prescribed period on demand, the bid shall not be considered and bid security shall be forfeited. RMSCL may grant extension in time for submission of samples on the request of bidder.</p> <p>(ii) Samples of equipment/ instrument of the unsuccessful bidder should be collected</p>



	<p>back from the E.D. (EPM), RMSCL, Jaipur within the period intimated. The corporation will not be responsible for any damage, wear and tear or loss during the course of testing/examination etc. The corporation would retain the sample of approved item for one month beyond expiry of contract. The corporation shall not be responsible for any damage, wear &amp; tear or loss in this period. The corporation will not make any arrangement for return of samples even if the bidder agrees to pay the cost of transportation. The uncollected samples shall stand forfeited to the corporation after the period allowed for collection and no claim for cost etc. shall be entertained.</p> <p>(iii) The bidder may be asked to demonstrate the technique, procedure and utility of equipment as per specifications given in the bid document before the technical committee of the corporation.</p> <p>(iv) Sample should be strictly according to the item quoted in the bid form failing which the bid will not be considered. Sample must be submitted duly sealed and marked suitably either by writing on the sample or on a slip or durable paper securely fastened to the sample with the particulars as mentioned below:-</p> <p>(A) Name and full address of the firm,  (B) Catalogue No. and name of item,  (C) Name of section,  (D) Name of manufacturer,  (E) Brand.</p> <p>(v) No change in marking on sample will be allowed after the submission of the sample.</p>
<b>10</b>	<b>Performance Security (P.S.) and agreement:</b>
	<p>(i) The successful Bidder shall submit the original copy of Bid document signed on each page (<i>As has been uploaded on e-procurement portal</i>) at the time of agreement.</p> <p>(ii) <b>The period of rate contract shall be Eighteen months from the 1st. day of next month of agreement</b> signing month. The M.D., RMSC Ltd., can extend the original rate contract, subject to original terms and conditions for a period deemed fit by him, but not exceeding three months, for which the bidder shall abide.</p> <p>(iii) Successful bidders, whose offers are accepted, will have to deposit performance security @5 % of the value of the indicative quantity in the bid subject to a maximum Rs. 10,00,000.00 ( Ten Lacs) for each item in favor of M.D., Rajasthan Medical Services Corporation Ltd., Jaipur at the time of agreement. The Performance Security shall be deposited in the form of DD/Banker cheque/ B.G. However, the Bank Guarantee shall be for a validity period of 6 months, beyond the guarantee period sought for the item. The firms, which are registered as SSI units of Rajasthan, shall be required to deposit performance security, as applicable under the rules.</p> <p>(iv) The firm may submit Bank Guarantee issued by any scheduled bank. The minimum validity of bank guarantee should be 6 months after completion of guarantee period for the item.</p> <p>(v) The Performance Security (P.S.) shall be 5% of the total value of stores ordered for supply. The Procurement Officer will not release payment for supplies, until the additional Performance Security due is either deposited by the supplier or additional P.S. , as calculated, is withheld.</p> <p>(vi) The bid security of successful Bidder will be adjusted toward Performance Security. The bidders shall submit scanned copy of the challan/DD/Banker cheque in Technical Bid (Cover-A).</p>

	<p>(vii) The performance security shall be refunded after six months after satisfactory completion of rate contract and after satisfying that there are no dues outstanding against the bidder, subject to Comprehensive Maintenance Agreement provisions.</p> <p>(viii) Firms, which are registered as micro and SSI units with the Department of Industries, Rajasthan shall furnish the amount of performance security @1% of value of indicative quantity as per bid catalogue on furnishing attested copy of Acknowledgment of EM-II issued by DIC with an affidavit as per <b>BF-IX</b>. Provision of 17 (ii) also applies.</p> <p>(ix) It is to be noted that earlier years bid security and performance security, even if lying in this department shall not be considered towards this contract and therefore fresh bid security/performance security shall be deposited.</p> <p>(x) The Corporation will pay no interest on bid security or performance security amount.</p> <p>(xi) Successful bidders will have to execute an agreement on a Non Judicial Stamp Paper of an amount mentioned in the offer letter, in the prescribed form with the M.D./ E.D.(EPM), Rajasthan Medical Services Corporation Limited, Jaipur and deposit performance security within 15 days from the date of acceptance of the bid is communicated to him. However, M.D. RMSC Ltd., Jaipur may condone the delay in execution of contract by the bidder. The expenses in this regard shall be borne by the successful bidder. The validity of rate contract under this agreement shall be for a period, as mentioned.</p> <p>(xii) The bidder shall furnish the following documents at the time of execution agreement:-</p> <ul style="list-style-type: none"> <li>(i) Attested copy of Partnership Deed, in case of Partnership Firms;</li> <li>(ii) Registration Number and year of registration, in case partnership firm is registered with Registrar of Firms;</li> </ul> <p>(xiii) Address of residence and office, telephone numbers, in case of Sole Proprietorship with</p> <ul style="list-style-type: none"> <li>(i) Registration issued by Registrar of Companies, in case of Company,</li> <li>(ii) Comprehensive maintenance agreement, if applicable.</li> </ul> <p>(xiv) In case of breach of any terms and conditions of the contract or on unsatisfactory performance, the amount of performance security shall be liable to forfeiture by M.D. RMSC Ltd., Jaipur and decision of M.D. RMSC Ltd., Jaipur shall be final.</p> <p>(xv) Public Sector Undertakings need not to furnish amount of Security Deposit.</p> <p>(xvi) The 25% of total deposited Performance Security amount shall be retained as Performance Security against the security of Comprehensive Maintenance Contract (CMC) If there is any default in comprehensive maintenance service, the corporation may forfeit the performance security, as described under different clauses or any other recovery from this Performance Security.</p> <p>(xvii) The rate contract can be repudiated at any time by the M.D., RMSC Ltd., if the supplies are not made to his satisfaction after giving an opportunity to the Bidder of being heard and after reasons for repudiation being recorded by him in writing. However, M.D., RMSC may terminate the agreement of rate contract at any time without notice/intimation to the successful bidder.</p>
11	<b>Supply Orders:</b>
	<p>(i) Supply order will be placed through registered post/e-mail/any communication medium by the corporation. The date of dispatch of letter or communication date will be treated as the date of order for calculating the period of execution of order. The successful bidder will execute the orders within a period of 45 days or as</p>

	<p>specified in the supply order.</p> <p>(ii) The successful bidder acknowledge receipt of orders within 7 days from the date of dispatch of order, failing which the procuring entity may be at liberty to initiate action to purchase the items on risk &amp; cost purchase provision.</p> <p>(iii) In case of imported items, 30 days will be given in addition to above mentioned period, as mentioned in condition No. 19 (i) above.</p> <p>(iv) The tendered quantity is under the scheme "strengthening of pre service education for nursing and pre midwifery in Rajasthan." In this scheme, except for item S.No.12 i.e. Geysers mentioned in Table-1, all the other supplies will be taken at Jaipur. Since the item Geysers requires both installation and commissioning, therefore, this item shall be delivered at the consignee. If Supply order is placed for other scheme or on demand of other institution beyond the quantity mentioned in Table-1, the supplier will have to supply the item at concerned consignee's place.</p> <p>(v) To ensure sustained supply without any interruption, the M.D., RMSCL reserves the right to have more than one approved supplier from amongst the qualified bidders. In such a case, the requirement may be met by dividing the quantity among the R/C holders considering the quantity required and dedicated capacity of the successful bidders (BF-V).</p> <p>(vi) The ready stock position of the item, if provided by the firm, may be considered by the Corporation for the placement of supply orders.</p> <p>(vii) It may be noted that the Corporation does not undertake to assist in the procurement of raw material, whether imported or controlled or restricted, and as such the bidders must offer their rates to supply the specific items from own quota of raw material stock by visualizing the prospect of availability and requirement. Any of the above points if taken, as argument for non-supply/delayed supply will not be entertained.</p> <p>(viii) The quantities indicated in the Table-1 are mere estimates and are intended to give an idea to the prospective bidder. The figures indicated do not constitute any commitment on the part of corporation to purchase any of the articles and the quantities shown therein against each or in any quantity whatsoever and no objection against the quantity of the indent of approved item being more or less than the indicative quantity will be entertained and shall not be acceptable as a ground for non supply of the quantity indented.</p>
<b>12</b>	<b>Purchase preference:</b>
	<p>Purchase preference to the extent of 15% of the requirement will be admissible to the goods produced or manufactured by registered small scale industries of Rajasthan over goods produced or manufactured by Industries outside Rajasthan as per Purchase of Stores (Preference to Industries of Rajasthan) Rules, 1995 and approved by Board. Purchase preference admissible to the PSUs and to the SSIs of the state of Rajasthan, together shall not exceed 25% (10% for PSUs and 15% of SSI units). However, these units will be required to participate in bidding process and match lowest price (L-1).</p>
<b>13</b>	<b>Submission of contract completion report:</b>
13.1	(i) A consolidated statement (BF-XI) shall be submitted to ED, EPM by the 10th of each month. Every time the statement should contain details of all orders placed under the contract.
13.2	(ii) Firms will have to submit consolidated statement (BF-XI) in duplicate at the end of rate contract well as after expiry of equipment/instrument guarantee period (as provided in guarantee clause of the contract) to enable the Corporation to examine the case for refund of performance security.
13.3	(iii) The consignee shall intimate the contractor/supplier about the defect(s) at once in such a manner, so as to reach the office of the firm immediately and before completion of guarantee period. It shall be the responsibility of the consignee to get the complaint of defective equipment or defective performance registered

	immediately with the office of ED (EPM), RMSCL/MD, RMSCL also. 2
<b>14</b>	<b>Terms of payment:</b>
	<p>(i) Unless otherwise agreed between the corporation and the firm, payment/part payment for the delivery of the stores will be made on submission of bills in proper form by the firm. Payment shall be released on receipt of certificate of supply as per specifications and in good condition from the consignee along with the bill. Installation/commissioning of equipment and rendition of required satisfactory training to the consignee's personnel, if any, shall also be necessary for releasing payment. In case of delayed supplies, deduction of L.D. as per provisions shall be made from payments. The firms shall seek time extension from the Corporation before delayed dispatch of supplies.</p> <p>(ii) Payment shall be made by RTGS/account payee bank demand draft/banker's cheque, as the case may be. Expenses on this account, if any, shall be borne by the firm.</p> <p>(iii) No advance payments towards cost of items will be made to the bidder.</p> <p>(iv) All bills/invoices should be raised in triplicate and in the case of Excisable items; the bills should be drawn as per Central Excise Rules in the name of the authority concerned.</p> <p>(v) If at any time during the period of contract, the price of bid items is reduced or brought down by any law or Act of the Central or State Government or by the bidder himself, the bidder shall be bound to inform M.D., RMSCL, Jaipur immediately about it. Purchasing authority shall be empowered to unilaterally effect such reduction as is necessary in rates in case the bidder fails to notify or fails to agree for such reduction of rates.</p> <p>(vi) In case of any enhancement in Excise Duty due to notification of the Government after the date of submission of bids and during the bid period, the quantum of additional excise duty so levied will be allowed to be charged extra as a separate item without any change in the basic price structure of the items approved under the bid. For claiming the additional cost on account of the increase in Excise Duty, the bidder should produce a letter from the concerned Excise authorities for having paid additional Excise Duty on the goods supplied to ordering authority and also must claim the same in the invoice separately. Similarly if there is any reduction in the rate of excise duty of items, as notified by the Government, after the date of submission of bid, the quantum of the price to the extent of reduction of excise duty of items will be deducted without any change in the basic price structure of the items approved under the bidder.</p> <p>(vii) In case of successful bidder has been enjoying excise duty exemption on any criteria, such bidder will not be allowed to claim excise duty at later point of time during the tenure of contract, if the excise duty become chargeable on goods manufactured due to any reason.</p> <p>(viii) If there is any hindrance by the consignee to provide the required site for installation the part payment of equipment will be made/decided by M.D. RMSCL.</p>
<b>15</b>	<b>Liquidated damages:</b>
	<p>(i) The time specified for delivery in the bid form shall be deemed to be the essence of the contract and the successful bidder shall arrange supplies within the period on receipt of order from the Purchasing Officers.</p> <p>(ii) In case of extension in the delivery period with liquidated damages, recovery of L.D. shall be made at such rates, as given below, of value of stores which the bidder has failed to supply :-</p> <p>(a) Delay up to one- fourth period of the prescribed Delivery Period - <b>2.5%</b></p>

	<p>(b) Delay exceeding one fourth but not exceeding half of the Prescribed delivery period - <b>5%</b></p> <p>(c) Delay exceeding half but not exceeding three- fourth of the Prescribed delivery period - <b>7.5%</b></p> <p>(d) Delay exceeding three- fourth of the prescribed period -<b>10%</b></p> <p>Fraction of a day in reckoning the period of delay in supplies shall be eliminated if it is less than half a day. The maximum amount of agreed liquidated damage shall be 10%.</p> <p>(iii) If the supplier requires an extension of time in completion of contractual supply on account of occurrence of any hindrances, he shall apply in writing to M.D. RMSC Ltd., Jaipur, for the same immediately on occurrence of the hindrances but not after the stipulated date of completion of supply. The firms shall ensure extension of delivery period for delayed supplies. The payment shall only be released by purchase officer after sanction of extension in delivery period.</p> <p>(iv) Delivery period may be extended with or without liquidated damages. If the delay in the supply of goods is on account of force majeure i.e., which is beyond the control of the bidder, the extension in delivery period may be granted without Liquidated Damage.</p> <p>(v) If the bidder is unable to complete the supply within the specified or extended period, the purchasing officer shall be entitled to purchase the goods or any part thereof from elsewhere without notice to the bidder on his (i.e., bidders) account at his cost and risk, with the prior approved from M.D., RMSC Ltd., Jaipur. The bidder shall be liable to pay any loss or damage which the purchasing officer may sustain by reasons of such failure on the part of the bidder.</p> <p>The bidder shall not be entitled to any gain on such purchases made against default. The recovery of such loss or damage shall be made from any sums accruing to the bidder under this or any other contract with the corporation/government. If recovery is not possible from the bill and the bidder fails to pay the loss or damage within one month of the demand, the recovery of such amount or sum due from the bidder shall be made under the Rajasthan Public Demand Recovery Act 1952 or any other law for the time being in force. In case supplier fails to deliver ordered goods, the risk purchases may be made at market rate from any other firm. It is mandatory for the approved supplier to acknowledge receipt of orders within seven days from the date of dispatch of order, failing which the procuring entity will be at liberty to initiate action to purchase the items on risk purchase provision at the expiry of the prescribed supply period.</p>
<b>16</b>	<p><b>Medical colleges and their attached hospitals:</b></p> <p>(i) The following medical colleges and their attached hospitals may procure goods through RMSCL :-</p> <ol style="list-style-type: none"> <li>a. S.M.S. medical college, Jaipur and attached hospitals.</li> <li>b. Dr. S.N. Medical College, Jodhpur and attached hospitals.</li> <li>c. Government Medical College, Kota and attached hospitals.</li> <li>d. Jawaharlal Nehru Medical College, Ajmer and attached hospitals.</li> <li>e. RNT Medical College, Udaipur and attached hospitals.</li> <li>f. Sardar Patel Medical College, Bikaner and attached hospitals.</li> </ol> <p>(ii) The funds shall be transferred to RMSC with indent form and supply orders will be placed by RMSC to suppliers</p>
<b>17</b>	<p><b>Recoveries:</b></p> <p>(i) Recoveries of liquidated damages, short supplies, breakage, rejected articles shall ordinarily be made from bills. Such amount may also be recovered from any other untied dues &amp; security deposits available with the corporation. In case</p>

	<p>recovery is not possible, recourse will be taken under Rajasthan PDR Act or any other law in force.</p> <p>(ii) Any recovery on account of L.D. charges/risk &amp; cost charges in respect of previous rate contracts/supply orders placed on them by the corporation can also be recovered from any sum accrued against this bid after accounting for untied sum or due payment lying with corporation against previous rate contracts/supply orders. Firm shall submit details of pending amount lying with corporation but decision of M.D., RMSC Ltd., Jaipur regarding authenticity of sum payable shall be final.</p>
<b>18</b>	<b>Inspection:</b>
	<p>(i) The equipments, instruments and other hospital supplies shall be according to specifications provided at <b>Section IV, (3) schedule of supply</b> and shall be inspected by the agency/committee as mentioned in the supply order or amended thereafter by competent authority. In case of BIS Items, inspection shall be strictly as per relevant BIS specifications with latest amendments and have been made applicable by B.I.S. at the time of inspection. The inspection and testing of the material may be got done by any Inspecting Agency/Committee of experts at the works of the Manufacturer or at site of installation. The supplier shall provide all facilities for inspection/testing free of cost.</p> <p>(ii) Notwithstanding the fact that the authorized inspecting agency had inspected and/or has approved the stores/articles, the procurement officer or his authorized Expert/Doctor, not below the rank of Medical officer/ Accountant, may inspect the item/material as soon as it is received in the stores to ensure that the supply is in accordance with the specifications laid down in rate contract.</p> <p>(iii) In case of doubts in inspection/ test, same may be got inspected or tested in any laboratory. If the material is not found as per specifications or defective, consignee will not accept the material and shall inform the RMSCL within 3 days. Consignee may also simultaneously ask the firm for removal of defect/replacement. The firm shall be bound to remove the defect or replace the defective equipment/item within 15 days of receipt of intimation from the consignee. However the date of delivery, in case of defective item shall be taken as the date on which the corporation accepts the item after replacement of defective material/removal of defects as the case may be. Wherever defective item is replaced, the inspection/testing charges, if any, shall be borne by the supplier.</p> <p>(iv) If required, the consignee may refer inspection committee to match the specification with available reserved sample with the corporation which is submitted by the firm/supplier at the time of technical approval.</p> <p>(v) In case of imported item, the supplier shall ensure that the item shall be inspected by the third party Inspection Agency before dispatched to the consignee. In case any un-inspected item has been found in the item received by consignee, the firm shall be solely responsible for it and the corporation shall be free to take suitable necessary action as per terms and conditions of bid documents/agreement against the firm.</p>
<b>19</b>	<b>Packing &amp; insurance:</b>
	<p>(i) The good will be delivered at the destination in perfect condition. The firm if so desires may insure valuable goods against loss by theft, destruction or damages by fire, flood, under exposure to weather of otherwise in any situation. The insurance charges will have to be borne by the supplier and the corporation shall not be required to pay any such charges, if incurred.</p>

	<p>(ii) The firm shall be responsible for the proper packing so as to avoid damages under normal conditions of transport by Sea, Rail, Road or Air and delivery of material in good condition to the Procurement Officer's store. In the event of any loss, damage, breakage or leakage or any shortage the firm shall be liable to make good such loss and shortage found at destination after the Checking/inspection of material by the consignee. No extra cost on such account shall be admissible. The firm may keep its agent to verify any damage or loss discovered at the consignee's store, if it so likes.</p> <p>(iii) Packing, cases, containers and other allied material if any shall be supplied free, except where otherwise specified by the firm(s) and agreed by the corporation and the same shall not be returned to him.</p> <p>(iv) Packing specifications:</p> <p>A. Schedule For Packaging-General Specifications:-</p> <ol style="list-style-type: none"> <li>1. No corrugate package should weigh more than 15 kgs (ie, product + inner carton + corrugated box.)</li> <li>2. All Corrugated boxed should be of 'A' grade paper i.e., Virgin.</li> <li>3. All items should be packed only in first hand boxes only.</li> <li>4. <b>Flute:</b> The corrugated boxes should be of narrow flute.</li> <li>5. <b>Joint:</b> Every box should be preferably single joint and not more than two joints.</li> <li>6. <b>Stitching:</b> Every box should be stitched using pairs of metal pins with an interval of two inches between each pair. The boxes should be stitched and not joined using calico at the corners.</li> <li>7. <b>Flap:</b> The flaps should uniformly meet but should not overlap each other. The flap when turned by 45-60° should not crack.</li> <li>8. <b>Tape:</b> Every box should be sealed with gum tape running along the top and lower opening.</li> <li>9. <b>Carry Strap:</b> Every box should be strapped with two parallel nylon carry straps (they should intersect).</li> <li>10. <b>Label:</b> Every corrugated box should carry a large outer label at least 15cms. 10cms dimension clearly indicated that the product is for "Rajasthan Govt. Supply - Not For Sale" and it should carry the correct technical name, strength or the product, date of manufacturing, date of expiry, quantity packed and net weight of the box in bold letters as depicted in Enclosure II to Annexure-VI of this document.</li> <li>11. <b>Other:</b> No box should contain mixed products or mixed batches of the same product.</li> </ol> <p>B. Specifications for Chemicals:- Not more than 25 kg may be packed in a single bag/carton.</p>
<b>20</b>	<b>Rejection:</b>
	<p>(i) Articles not as per specification/ or not approved shall be rejected by the corporation/consignee and will have to be replaced by the supplier firm at its own cost within 15 days or as time limit fixed by the corporation.</p> <p>(ii) All the stores supplied shall be of the best quality and conforming to the specification, trademark laid down in the schedule attached to agreement and in strict accordance with and equal to the approved, standard, samples. In case of any material of which there are no standards or approved samples, the supply shall be of the best quality to be substantiated by documents. The decision of M.D., RMSC Ltd., Jaipur as to the quality of stores be final and binding upon the bidder. In case any of the article supplied are not found as per specification or declared sub-standard/spurious, that shall be liable to be rejected and any expenses of loss caused to the supplier as a result of rejection of supplies shall be</p>

	<p>entirely at his account.</p> <p>(iii) If, however, due to exigencies of Government work/interest such replacement either in whole or in part is not considered feasible, the prices of such articles will be reduced suitably. In cases where material has been used &amp; some defect are noticed then the firm can be allowed to rectify/replace defects in portion of such defective material. The prices fixed by M.D., RMSC Ltd., Rajasthan Jaipur shall be final.</p> <p>(iv) The rejected item must be removed by the firm, within 15 days of the date of intimation of rejection. The officials concerned will take reasonable care of such material but in no case shall be responsible for any loss, damage, shortage that may occur while it is in their premises.</p> <p>(v) No payment shall be made for defective/incorrect items. However, if payment has been made, then defective items shall be allowed to be removed only after the firm replaces material as per specifications, duly inspected. If the payment has not been made, the firm may be allowed to remove the material without prior replacement (provided firm has performance Security as per <b>condition no. 19</b>) Joint inspection of defective material may be carried out as required by the corporation. However sample of ISI marked material found defective shall be kept by consignee for reference to BIS.</p> <p>(vi) In case firm wants to take back item to their works for rectification then firm has to deposit payment received against such defective supplies. In case supplier has not received any payment then material be returned to supplier firm for rectification.</p> <p>(vii) The Bidder shall be responsible for the proper packing and delivery of the material to the consignee. In the event of any loss, damage, or breakage, leakage or shortage in transit, the Bidder shall be responsible. No extra cost on such account shall be admissible.</p>
<b>21</b>	<p><b>Correction of arithmetic errors:</b></p> <p>Provided that a financial bid is substantially responsive, the procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:</p> <p>(i) If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;</p> <p>(ii) If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and.</p> <p>(iii) If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to clause (a) and (b) above.</p> <p>If the Bidder that submitted the lowest evaluated bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed.</p>
<b>22</b>	<p><b>Procuring entity's right to vary quantity:</b></p> <p>(i) The quantity of equipments originally indicated in the bidding document may vary without any change in the unit prices and other terms and conditions of the bid and the conditions of contract.</p> <p>(ii) If the RMSCL procures less than the quantity indicated in the bidding documents the bidder shall not be entitled for any claim or compensation except otherwise provided in the conditions of contract.</p> <p>(iii) If the Bidder fails to supply the RMSCL shall be free to arrange/procure the</p>



	items and the extra cost incurred shall be recovered from the Supplier.
<b>23</b>	<b>Dividing quantities among more than one bidder at (in case of procurement of goods):</b> As a general rule all the quantities of the subject matter of procurement shall be procured from the bidder, whose bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the bidder, whose bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the bidder, whose bid is accepted and the second lowest bidder or even more bidders in that order, in a fair, transparent and equitable manner at the rates of the bidder, whose bid is accepted as described in clause-32.
<b>24</b>	<b>Parallel rate contract:</b> The corporation may also execute parallel rate contract to with more than one firm for each item on the lowest approved rates on the same terms & conditions, if the original lowest one each not in a position to supply material as per corporation's requirements. (i.) To ensure sustained supply without any interruption, the Bid Inviting Authority reserves the right to approve more than one supplier to supply the requirement among the qualified Bidders. (ii.) Orders will be placed with lowest-1 (L-1) firm. However in case of any exigency at the discretion of the Bid Inviting Authority, the orders may also be placed with the other firms, in the ascending order, L-2, L-3 and so on who have matched with the L-1 rates and executed agreement with corporation on same terms & conditions. (iii.) After the conclusion of financial bid opening (cover-B) the lowest offer of the Bidder is considered for negotiations and rate arrived after negotiations is declared as L-1 rate and L-1 supplier for an item for which the bid has been invited. (iv.) The bid who has been declared as L-1 supplier for certain item shall execute necessary agreement for the supply of the required quantity of such item on depositing the required amount performance security and on execution of the agreement such Bidder is eligible for the placement of supply orders. (v.) RMSC will inform the L-1 rate to the Bidders who had qualified for financial bid (Cover-B) opening, inviting their consent to match with the L-1 rate for the item/items quoted by them and the Bidders who agree to match L-1 rate, will be considered as Matched L-1. (vi.) The Bidder, who agrees to match L-1 rate shall furnish the breakup detail (Rate, CST, VAT etc.) of rates (L-1 rate). (vii.) The supplier, on receipt of the supply orders deems that the purchase orders exceeds the production capacity declared in the bid documents and the delay would occur in executing the order, shall inform the RMSC immediately without loss of time and the supply orders shall be returned within 7 days from the date of issuing order, failing which the supplier would be deprived from disputing the imposition of liquidated damages, and penalty for the delayed supplies. (viii.) If the L-1 supplier has failed to supply/ intimated RMSC about his inability/ delay in supply as per the supply order, the required items within the stipulated time or as the case may be, RMSC may also place purchase orders with the Matched L-1 Bidders for purchase of the items provided such matched L-1 Bidders shall execute necessary agreement indicating the production capacity as specified in the bid document on depositing the required amount. Such Bidder is eligible for the placement of purchase orders for the item quoted by them. (ix) Subject to para (vii) above, while RMSC has chosen to place purchase orders

	<p>with matched L-1 supplier and there are more than one such matched L-1 supplier, then the purchase orders for the requirement of items will be place with L-2 first on matched rates of L-1 and in case L-2 does not have the required capacity than L-3 would be considered on matched L-1 rates and the same order would be followed in case of L-3, L-4 etc.</p> <p>(x) The matched L-1 supplier, on placement of purchase orders, will be deemed as L-1 rate supplier for the purpose of the bid and all provisions of the bid document applicable to L-1 rate Bidder will apply <i>mutatis mutandis</i> to the matched L-1 supplier.</p> <p>(xi) If the supplier fails to supply the item for the purchase orders, at any point of time, either fully or partly, within the stipulated time, RMSC is at liberty to place purchase orders with other Bidders (in ascending order, viz, L-2, L-3 and so on) at the price offered by then and in such cases the supplier is liable to indemnify RMSC, without any protest or demur, for the difference in cost incurred by RMSC and the RMSC is entitled to recover the difference in cost from the amount due/payable to the supplier.</p> <p>(xii.) Parallel rate contract may be concluded as described above during any time/ currency of rate contract subject to matching of L-1 rates, price fall clause and on same terms &amp; conditions.</p>
<b>25</b>	<b>VALIDITY OF BID:</b>
	<p>Bids shall be valid for a period of 120 days from the date of opening of technical bid. Prior to the expiry of the period of validity of bid , the procuring entity, may request the bidders to extend the bill validity period for an additional specified period of time. A bidder ma refuse the request and such refusal shall be treated as withdrawal of the bid but in such circumstances bid security shall not be forfeited.</p>
<b>26</b>	<b>Price escalation:</b>
	<p>Price Escalation or Price Variation shall not be applicable or considered under any circumstances for the purchases made under this bid or agreement. However, the provisions provided for tax variations are exclusive to this clause.</p>
<b>27</b>	<b>Subletting of contract:</b>
	<p>Subletting or assigning contract to third party is prohibited. In the event of Bidder violating this condition, the M.D., Rajasthan Medical Services Corporation, Jaipur shall be at liberty to place the contract elsewhere on the Bidder's account and at his risk. The Bidder shall be liable for any loss or damage, which the Government may sustain in consequence or arising out of such replacement of the contract.</p>
<b>28</b>	<b>Fall clause:</b>
	<p>(i) The prices under rate contract shall be subject to price fall clause. The prices charged for the store supplies under the contract by successful bidder shall in no event exceed the lowest price at which the successful bidder sells the stores of identical description to any other persons during the period of the contract in the state of Rajasthan. If any time, during the period of the contract, the bidder reduces the sales price chargeable under the contract, he shall forth with notify such reduction to the M.D., RMSCL, Jaipur and the price payable under the contract for the stores supplied after the date of coming into force of such reduction or sale shall stand reduced correspondingly. It imply that if the rate contract holder quotes/ reduces its price to render similar goods at a price lower than the rate contract price to anyone in the State at any time during the currency of rate contract including extension period, the rate contract price shall be automatically reduced with effect from the date of reducing or quoting lower price for all delivery of subject matter of procurement under rate contract and the rate contract shall be amended accordingly.</p> <p>(ii) The firms holding parallel rate contract shall also reduce their price. Firms shall</p>

	<p>notify their reduced price and intimate their acceptance to the revised price within 15 days time to M.D./ED(EPM), RMSCL. Similarly, if parallel rate contract holding firm reduces its price during currency of the rate contract, its reduced price shall be conveyed to other parallel rate contract holding firms and the original rate contract holding firms for corresponding reduction in their prices. If any rate contract holding firm does not agree to reduced price, further transaction with it, shall not be conducted.</p>
<b>29</b>	<p><b>Comprehensive Maintenance Contract (CMC):</b></p> <p>If required, Bidder shall execute a CMC with the RMSC as described in <b>BF-XII</b> and GCC clause no. 5. The rates for maintenance shall be applicable as quoted in [<b>BF-IV, (BOQ)</b>]. CMC will only be commence after the guarantee period and on a written request made by the concerned procurement officer/user medical institutions to the firm. The firm shall abide itself by the terms &amp; conditions of CMC.</p>
<b>30</b>	<p><b>Grievance redressal during procurement process:</b></p> <p>(i) The Designation and address of the First Appellate Authority is Secretary,( MD, NHM), Department of Medical &amp; Health, D-Block, Swasthya Bhawan, or as decided by the Govt. of Rajasthan.</p> <p>(ii) The Designation and address of the Second Appellate Authority is Principal Secretary, Medical, Health &amp; Family Welfare, Govt. of Rajasthan Room No 5213,2nd Floor, Secretariat, and Chairman, RMSCL,Jaipur or as decided by the Govt. of Rajasthan.</p> <p>(iii) <b>Filing an appeal</b>          If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring Entity is in contravention to the provisions of the Act or the Rules of the Guidelines issued there under, he may file an appeal to First Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or ground on which he feels aggrieved:          Provided that after the declaration of a Bidder as successful the appeal may be filed only by a Bidder who has participated in procurement proceedings:          Provided further that in case a procuring entity evaluates the technical bids before the opening of the financial bids, an appeal related to the matter of financial bids may be filed only by a bidder whose technical bid is found to be acceptable.</p> <p>The Officer to whom an appeal is filed under Para (1) shall deal with the appeal as expeditiously as possible and shall endeavor to dispose it of within thirty days from the date of the appeal.</p> <p>(iv) If the officer designated under Para (1) fails to dispose of the appeal filed within the period specified in Para (2), or if the bidder or prospective bidder or the procuring entity is aggrieved by the order passed by the first appellate authority, the bidder or prospective bidder or the procuring entity, as the case may be, may file a second appeal to second appellate authority specified in the bidding document in this behalf within fifteen days from the expiry of the period specified in Para (2) or of the date of receipt of the order passed by the first appellate authority, as the case may be.</p> <p>(v) <b>Appeal not to lie in certain cases</b>          No appeal shall lie against any decision of the procuring entity relating to the following matters, namely:-</p> <p>(a) Determination of need of procurement;</p> <p>(b) Provision limiting participation of Bidders in the Bid process;</p> <p>(c) The decision of whether or not to enter into negotiations;</p>

	<p>(d) Cancellation of a procurement process;</p> <p>(e) Applicability of the provisions of confidentiality.</p> <p>(vi) <b>Form of Appeal</b></p> <p>(a) An appeal under Para (1) or (3) above shall be in the Form <b>(BF-XV)</b> along with as many copies as there are respondents in the appeal.</p> <p>(b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.</p> <p>(c) Every appeal may be presented to first appellate authority or second appellate authority, as the case may be, in person or through registered post or authorized representative.</p> <p>(vii) <b>Fee for filing appeal</b></p> <p>(a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.</p> <p>(b) The fee shall be paid in the form of bank demand draft or banker's cheque of a scheduled bank in India payable in the name of appellate authority concerned.</p> <p>(viii) <b>Procedure for disposal of appeal</b></p> <p>(a) The first appellate authority or second appellate authority, as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.</p> <p>(b) On the date fixed for hearing, the first appellate authority or second appellate authority, as the case may be, shall,-</p> <p>(i) Hear all the parties to appeal present before him; and</p> <p>(ii) Peruse or inspect documents, relevant records or copies thereof relating to the matter.</p> <p>(c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the appellate authority concerned shall pass an order in writing and provide the copy of order to the parties free of cost.</p> <p>(d) The order passed under sub-clause (c) above shall be placed on the State Public procurement Portal.</p>
31	<p><b>Compliance with the code of integrity and no conflict of interest:</b></p>
	<p>Any person participating in a procurement process shall-</p> <p>a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;</p> <p>b) Not misrepresent or omit misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;</p> <p>c) Not indulge in any collusion, Bid rigging or any-competitive behavior to impair the transparency, fairness and progress of the procurement process;</p> <p>d) Not misuse any information shared between the procuring Entity and the Bidders <u>with an intent to gain unfair advantage in the procurement process;</u></p> <p>e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any part or to its property to influence the procurement process;</p> <p>f) Not obstruct any investigation or audit of a procurement process;</p> <p>g) Disclose conflict of interest, if any; and</p> <p>h) Disclose any previous transgressions with any entity in India or any other</p>

	<p>country during the last three years or any debarment by any other procuring entity.</p> <p><b>Conflict of Interest:-</b></p> <p>The Bidder participating in a bidding process must not have a conflict of interest. A conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.</p> <p>A Bidder may be considered to be in conflict of interest with one or more parties in bidding process if, including but not limited to:</p> <ol style="list-style-type: none"> <li>Have controlling partners/shareholders in common; or</li> <li>Receive or have received any direct or indirect subsidy from any of them; or</li> <li>Have the same legal representative for purposes of the Bid; or</li> <li>Have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or</li> <li>The Bidder participates in more than one Bid in a bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or</li> <li>The Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specification of the Goods, Works or Services that are the subject of the Bid; or</li> </ol> <p>Bidder or any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as engineer-in-charge/ consultant for the contract</p>
<b>32</b>	<p><b>Dispute settlement mechanism:</b></p> <p>If any dispute arise out of the contract with regard to the interpretation, meaning and breach of the terms of the contract, the matter shall be referred by the Parties to the M.D, Corporation who will appoint his senior most deputy [ED,(P)] as the Sole Arbitrator of the dispute who will not be related to this contract and whose decision shall be final. All legal proceedings, if necessary arise to institute may by any of the parties (Corporation or Contractor) shall have to be lodged in courts situated at Jaipur in Rajasthan and not elsewhere.</p>
<b>33</b>	<p>All correspondence in this connection should be addressed to the M.D, RMSCL/ E.D. (EPM), RMSCL, D-Block, Swasthya Bhawan, Tilak Marg, C-Scheme, Jaipur-302005, Rajasthan. Technical questions should be referred to the M.D., RMSCL, Jaipur direct by correspondence or by personal contact.</p>
<b>34</b>	<ol style="list-style-type: none"> <li>Direct or indirect canvassing on the part of Bidders or their representative shall disqualify their bids.</li> <li>Supplier may be disqualified, banned or suspended from business during the rate contract, if :- <ol style="list-style-type: none"> <li>fails to execute a contract or fails to execute it satisfactorily ;</li> <li>no longer has the technical staff or equipment considered necessary ;</li> <li>is declared bankrupt or insolvent or its financial position has become unsound, and in the case of a limited company, it is wound-up or taken into liquidation ;</li> <li>The firm is suspected to be doubtful loyalty to state.</li> <li>The State Bureau of Investigation (SBI) or any other investigating agency recommends such a course in respect of a case under investigation.</li> </ol> </li> </ol>

	(f) M.D., RMSCL, Rajasthan, Jaipur is prima- facie of the view that the firm is guilty of an offence involving moral turpitude in relation to business dealings, which if established would result in business dealing with it banned.
35	No action on the letter head of the Bidder /firm regarding any complaints against the Corporation will be considered unless the letter head bears the signature of the Bidder or the authority higher than the bid signatory of the firm.
36	(i) If any certificate/documents/information submitted by the Bidder found to be false/forged/fabricated/vexatious or frivolous or malicious appeals or complaints etc. than bidder shall be liable for the appropriate legal action/RTPPA provision. along with disqualification, banning, suspension etc. for limited or unlimited period. (ii) Bidders are required to submit wanted information (if any) based on the facts. If the furnished information by the firm found to misleading or not based on facts disciplinary action against the firm may be taken as to banning concerned item/items for certain or uncertain period.
37	The Corporation reserves the right to accept any bid not necessarily the lowest. Corporation may reject any bid without assigning any reasons and accept bid for all or anyone or more of the articles for which Bidder has been given or distribute items of stores to more than one firm/supplier.
38	The Purchase Committee will have the right of rejection of all or any of the quotations without giving any reason for the same. The right to conclude parallel rate contracts with another firm for the stores detailed in Table-1 is also reserved by the M.D., RMSC Ltd., Rajasthan, Jaipur.
39	Extra stipulation or any other condition contrary to the above bid conditions are not acceptable and may render the bid liable to rejection.
40	The Bidder must sign all the pages of bid document at the below of terms & conditions agreeing to abide by all conditions of the bid and accept them in toto. The Signing of <b>BF-XIV</b> shall be treated as acceptance all the terms and conditions of the bid document.
41	The Purchase Committee of RMSC may relax or change/ modify terms and conditions in the exigency excluding fundamental changes. In case of such urgency the terms & conditions shall also be got approved from Board of Directors of RMSCL if the bid is under board competency.
42	<b>Jurisdiction:</b> All actions, legal proceedings and suits arising from or connected to this bid shall be subject to the exclusive jurisdiction of courts in Jaipur only.

**Rajasthan Medical Services Corporation Limited, Jaipur  
D-Block, Swasthya Bhawan, C-Scheme, Jaipur - 302005**



Ph. No. 0141-2223887, Fax No. 0141-2228065

E-Mail -[edepmrmisc-rj@nic.in](mailto:edepmrmisc-rj@nic.in)


**SECTION VI B: SPECIAL CONDITIONS RATE CONTRACT (SCC)**

The following Special Conditions of Contract (SCC) shall supplement the General Conditions of Contract (GCC). Whenever there is a conflict, the provisions herein shall prevail over those in the GCC. The clauses of special conditions of rate contract are as follows:-

Clause No.	Particulars
1.	Technical details, bid form duly signed in all respect, bid security and all other required documents should be submitted in Cover "A" and Financial details (BOQ), should be submitted in Cover "B" otherwise bid will not be considered.
2.	Pre-requisite, if any, for installation, including UPS, Computer, Printer, and other items should be provided by the firm in technical bid and financial bid respectively.
3.	Firm shall provide comprehensive guarantee with spare parts for item(s), as mentioned in technical specification (from the date of installation/demonstration). Acceptance of comprehensive maintenance contract after expiry of guarantee period should be submitted with the cover "A" and rates in cover "B" respectively.
4.	Conditional bids will not be considered.
5.	List of consumable items is to be provided in technical bid (BF-XII), which is not covered under the guarantee; otherwise all the consumables will be treated as spare parts covered under the guarantee and CMC.
6.	Transshipment will be permitted and partial shipment not allowed.
7.	Normally, payment will be released after installation, demonstration and commissioning of equipment/machine and satisfactory operational training, if required.
8.	The bidder should quote rates in Indian rupees and payment will be made in Indian rupees (INR) only.
9.	All certificates should be valid on the date of submission of bids and issue of supply order.
10.	The bidder should have well equipped local service centre in India preferably in Rajasthan.
11.	(i)The bidder shall be a manufacturer/direct importer who must have manufactured/imported and supplied and installed this equipments/instruments in India satisfactorily to the extent of at least 10% in last three financial years of the quantity specified in the NIB. The list of such installation of the equipments may be asked from the bidder in verification of <b>BF-VII</b> information and he should submit self attested copy of purchase order, indent and invoice (inclusive of quantity & rate). However, the condition of past performance is not applicable for the ISI marked items. (ii)The merger/amalgamation/transfer of business/transfer of assets etc. of a firm affects the bid condition relating to 'Post Performance' and 'Turn Over' in preceding years. In cases where bidder acquires an ongoing business or assets of another entity, eligibility in respect of the past performance and condition relating to minimum turn over in preceding years shall be decided based on specific mention in purchase and transfer of ownership agreement/agreement of sale of business and/or its assets/B.O.D. resolution/C.A. certification or any other document (s) in this regard, which the bidder shall have to submit preferably with the bid. The eligibility of a bidder in this

	regard shall be ascertained by the purchase committee on the basis of the above stated agreement or any other document (s) and the decision of purchase committee shall be final.
12.	In case of imported item, the bidder will have to produce third party inspection report from NABL approved/accredited laboratory or ERTL or DGS&D or Central/State Govt. laboratory or Central/State Govt. approved laboratory pertaining to specification and performance of each supplied machine/equipment with the consignment. All expenses regarding third party inspection will be borne by the bidder.
13.	The Name, Make, Model and Brand of equipments and instruments, which are offered, should be mentioned in BOQ against each item. Mere indication of English/USA/Indian will not serve the purpose.
14.	In the case of supply of imported item the suppliers may be asked to furnish a certificate to the effect that the firm has completed all the formalities in connection with import of the item in question.
15.	The bidding process shall be subject to the provisions of the Rajasthan Transparency in Public Procurement Act and Rules made there under.
16.	Any other, if required.

**Applicability of clauses:** All the clauses from 1 to 42 of general terms and conditions and from 1 to 16 of special terms and conditions and their annexure, formats & enclosures are applicable for the bid items.



Managing Director  
Rajasthan Medical Services Corporation  
Limited  
Rajasthan, Jaipur.

I/We have read the above terms and conditions and I/We agree to abide myself/ourselves by the above terms & conditions of the bid document

Signature of Bidder with Seal





**RAJASTHAN MEDICAL SERVICES CORPORATION LTD.**

D- Block, Swasthya Bhawan, Tilak Marg, C-Scheme JAIPUR (Raj)



Ph. No. 0141-2223887, Fax No. 0141-2228065

CIN:U24232RJ2011SGC035067

E-Mail -edepmrmssc-ri@nic.in

No. F-8( )RMSC/EPM/M-3/15-16/NIB-97/1558

Dated: 5/10/15

**CLARIFICATION/CORRIGENDUM/ADDENDUM**

**Subject: -Revised technical Specifications and other terms and conditions of Bid document ANM/GNM Training Centre Furniture NIB No. F-8( )RMSC/EPM/M-3/15-16/NIB-97/1112 Dated: 26.8.2015.**

In Reference to subject cited above and NIB-97, the various representations received from the firms and issues raised by the Bidders are examined by the competent Authorities and technical committee. The following Corrigendum/Addendum is issued for inclusion in bid document & Technical Specification of items (Section-V, Schedule of Supply, Point no. 3) as below:-

**Revised Technical Specification**

**Item No.1 - Technical Specification of Office Table with drawer**

1. Office table with drawer of steel frame manufactured by ISO – 9001, ISO-14001/OHSAS CERTIFIED or BIFMA CERTIFIED manufacturers.
2. **MATERIALS:** Frame should be made up of CRCA steel pipe/Sheets. Screws used shall be anodized wherever used. Table top should be made up of minimum 18mm thick MDF Board both side laminated conforming to ISI-14587 along with PVC beading all around the top.
3. Frame & Drawer should be duly powder coated.
4. **DIMENSIONS:** The dimensions of the table and table top shall be 1200mm X 750mm X 750mm  $\pm 5$ mm
5. **DRAWER BOX:** The drawer box shall consisting of three drawers be made from metal sheet not less than 0.8 mm thick. Minimum dimension of the Box should be width of the Box: 355mm; Height of the Box : 425mm; Depth of the Box : 565mm with maximum Tolerance:  $\pm 5$ mm
6. **DRAWER:** Drawer shall be made from CRCA sheet not less than 0.63 mm thick and shall have a slot and stopper strip of metal sheet at the rear, holding drawer in the box when it is fully opened./ Minimum dimension of the drawer: Width of the Drawer: 315mm; Height.: 125mm; Depth of the Drawer: 445 mm with maximum Tolerance:  $\pm 5$ mm. The lock shall not be less than six levers Brass-lock with duplicate keys of non-corrosive material. Each drawer shall be fitted with a built-in drawer pull system duly padded with a plastic cover
7. Drawer movement should be smooth based on channel type mechanism of good quality.
8. **TUBULAR FRAME:** The legs of the frame shall be made from CRCA 25 mm square steel tubular pipe (without joint) with a wall thickness of minimum 1.2 mm, welded/screwed to the main frame.
9. **FOOT REST:** Foot rest shall be made out of minimum 1.2 mm thick tubular pipe.
10. **FINISH:** All Dents. Burns and Sharp edges shall be removed from the various components. The components shall be individually pickled, scrubbed and rinsed to remove grease, rust scale or any other foreign element. Immediately after pickling, all the mild steel parts shall be given phosphate treatment. The finish should be smooth and uniform. The finish shall be free from all visible defects.

*Signature*

## Item No.2 - Technical Specification of Office Chair

1. Office chair's standard covers requirements of materials, construction and finishing by an **ISO – 9001, ISO- 14001/OHSAS CERTIFIED** or **BIFMA CERTIFIED** manufacturers only.
2. **Dimension:**
  - Height of Chair : 820mm
  - Depth of Chair : 640mm
  - Seat Height : 460mm
  - Width of the Chair : 570mm
  - Tolerance : ±5mm
3. Seat made out of 40 density machine pressed PU foam.
4. Full back made out of 30 density machine pressed PU foam and having perfect ergonomics for back support.
5. The Chair should have 1" diameter pipe base of 16 SWG made out of steel duly powder coated.
6. The chair should have comfortable and balanced seating.
7. The fabric used should be low piling and permeable fabric used on upholstery of seat and back of the chair.
8. All metal parts shall be Powder Coated and screws used should be anodized.
9. The color of fabric shall be confirmed at the time of order.
10. All dents, burrs and sharp edges shall be removed from the various components.
11. The Chair should have steel reinforced PU arms.

## Item No.3 - Technical Specification of Revolving Chair

1. Revolving chair's with high back standard covers requirements of materials, construction and finishing by an **ISO – 9001, ISO- 14001/OHSAS CERTIFIED** or **BIFMA CERTIFIED** manufacturers only.
2. **Dimension:**
  - Height of Revolving Chair : 1050mm to 1170mm
  - Depth of Revolving Chair : 700mm
  - Seat Height : 420mm to 540mm
  - Width of the Chair : 700mm
  - Tolerance : ±5mm
3. Revolving and tilting chair with five-prong powder coated base having 60mm double castor wheels.
4. Revolving chair should have gas lift mechanism for height adjustment.
5. The arms of the chair should be soft Polyurethane with iron insert.
6. Seat made out of 40 density machine pressed PU foam.
7. Curved High back made out of 30 density machine pressed PU foam and having perfect ergonomics for back support.

*2/12*

8. The chair should have comfortable and balanced seating.
9. The fabric used should be low piling and permeable fabric used on upholstery of seat and back of the chair.
10. All metal parts shall be Powder Coated and screws used should be anodized.
11. The color of fabric shall be confirmed at the time of order.
12. All dents, burrs and sharp edges shall be removed from the various components.

#### **Item No.4 - TECHNICAL SPECIFICATIONS FOR OFFICE ALMIRAH (SMALL)**

1. Almira (small) with adjustable shelves conforming to IS: 3312 /1984 ISO – 9001, ISO- 14001/OHSAS CERTIFIED or BIFMA CERTIFIED manufacturers only.
2. Materials used: CRCA sheet and anodized screws.
3. **DIMENSIONS**

The dimensions of Almira (small) shall conform to IS 3312 / 1984.

Height	:	1280mm including the height of pedestals (pedestals height should be 125mm $\pm$ 5mm).
Width	:	765mm
Depth	:	430mm
No. of shelves	:	Three Numbers (adjustable)
Tolerances	:	$\pm$ 5mm

#### **4. FABRICATION**

- a. Sides, Back, Top and Bottom shall be made of Mild steel CRCA sheet 0.8mm thickness.
  - b. **Supports:** The adjustable shelves shall be supported on four adjustable brackets, resting on slotted MS Strips, fixed at four inside corners of almira.
  - c. **Doors:** The steel Almira shall be provided with two doors formed out of mild steel CRCA sheet which shall have 1mm thickness.
  - d. Pedestal shall also be made from mild steel CRCA sheet 0.8mm
  - e. Hinges shall be either plain butt type made from mild steel 1.6mm thick or double folded type fabricated from mild steel 1.2mm thick The number of hinges on each door shall be three numbers.
5. **Locking Mechanism:** There shall be suitable locking mechanism not be less than six levers brass lock with duplicate keys of non corrosive material and three way bolting device .
  6. All metal parts shall be powder coated and screws used should be anodized.
  7. **FINISH:** All Steel components shall be free from dents, burs and sharp edges. The components shall be individually picked, scrubbed and rinsed to remove grease, rust, scale or any other foreign element. The finish should be smooth and uniform. The finish shall be free from all visible defects.

### **Item No.5 - Technical Specifications of Steel Rack**

1. Rack (steel) standard covers requirements of materials, construction and finish with adjustable shelves by an **ISO – 9001, ISO- 14001/OHSAS CERTIFIED or BIFMA CERTIFIED** manufacturers.
2. **MATERIALS:** Mild Steel Sheet shall wherever used shall be CRCA. Angle sections should be cold formed from strip steel conforming to IS 4030-1973. The bolts used for assembly of side racks shall be (6mm in dia) and the thickness of the square nut shall be 6mm. (Tolerance =  $\pm 1$ mm)
3. **DIMENSIONS:** The overall dimensions of side racks shall be as follows:

Height	:	1800mm (excluding pedestals height 125mm $\pm 2$ mm)
Width	:	900mm
Depth	:	430mm
Tolerance	:	$\pm 5$ mm
4. The metal racks shall have 5 shelves; the top shelf shall be flush with the top of the angle posts and, therefore, the first hole shall be appropriately located. The bottom shelf shall be fixed at the second hole from the bottom.
5. Back and sides of rack should be covered by CRCA metal sheet duly powder coated, i.e. Rack should be covered from 3-sides.
6. The length of angle posts shall correspond to height of rack. The thickness of post when made from sheet shall be not less than 3mm. Rolled steel angle posts shall be 40 x 40 x 2mm size. Angle posts shall be free from twist, sharp edges and burrs. Angle posts shall have 6-8mm diameter holes provided at 50 mm center approx. Shelves shall be made from mild steel sheets having 9 folds not less than 1.0 mm in thickness. Shelves shall have lipped flanges, width of flange being 30mm and depth of lip 15 mm. The size of shelves shall be derived from the dimensions of racks. Shelves have 6-8mm corresponding holes for fixing them to angle posts. In addition, shelves shall have 8 mm holes for corner gussets. Eight gussets, four on each face of the rack shall be fitted. Gussets shall be made of 1.00 mm minimum thick mild steel sheet and shall be not less than 75 mm long each end joining to the shelf and the angle post. The various components shall be assembled by means as per IS: 3761–1983.
7. **FINISH:** All dents, burrs and sharp edges shall be removed from the various components. The components shall be individually pickled, scrubbed and rinsed to remove grease, rust, scale or any other foreign element. All metal parts should be Powder Coated. The dry film thickness shall be not less than 0.10 mm.

### **Item No.6 - Technical Specifications of Student Table with Chair (for two)**

1. Student Table with chair's standard covers requirements of materials, construction and finish by an **ISO – 9001, ISO- 14001/OHSAS CERTIFIED or BIFMA CERTIFIED** manufacturers only.
2. **MATERIALS:** Mild Steel Sheets conform to grade of IS-513 / 1986.
  1. Frame and Base made out of 50mm x 25mm x 1.2mm CRCA Pipes.
  2. Foot rest should be made out of two parallel CRCA MS 25mm square pipes; welded with the frame.

*Dr. M*

3. The table top and Side-Panels should screw tighten / welded with Horizontal / Parallel Sectional Pipes of 25mm x 25mm x 1.2mm.
  4. The tapped edges of the Base Pipe and Frame Pipe should have Polyurethane cap.
  5. Screws used should be anodized. Steel parts should have been given antirust treatment.
  6. Front and Side-Panels made out of 22 SWG CRCA sheet.
  7. The width of Front panel covering shelf shall not be less than 175mm. Similarly the width of Side-Panel should not be less than 250mm. However, the Panels incorporate C-Bend at the edges to avoid sharp edges.
  8. The shelf 150mm  $\pm$  5mm underneath top, should have a depth of 300mm  $\pm$  5mm supported with 2mm thick metal strip.
  9. Chair Seat, Chair Back, Table top and shelf of the Table shall made from 18mm thick both said laminated MDF board conforming to ISI-14587 along with PVC beading all around.
  10. Frame under chair/seat should be supported by CRCA MS 25mm square pipe, welded with the frame.
3. **TABLE AND CHAIR DIMENSIONS:** The dimensions of the Student Table shall be: 1200mm (L) x 450mm (D) x 750mm (H)  $\pm$  5 mm. The dimensions of Student Bench-Chair with Back, suitable for two students shall be: 1200mm (L) x 400mm (D) x 440mm seat height x 850mm back height. Back width shall be 300mm. Seat and Back made of both side laminated MDF board conforming to ISI-14587 along with PVC beading all around. Bench-Chair frame made out of 25mm square pipe 16 SWG.
11. All metal parts shall be powder coated and screws shall be anodized.
  12. **FINISH:** All Steel components shall have smooth finish, free from dents, burs and sharp edges. The components shall be individually picked, scrubbed and rinsed to remove grease, rust, scale or any other foreign element. After pickling, the steel parts shall be given a phosphate treatment.

### Item No.7 - Technical Specifications of White Boards

1. **MATERIALS:** The White Board shall have Anodized Aluminum sheets for beading and string purposes shall conform to IS: 4972 : 1986. White board used shall be of superior quality with porcelain fused steel Matt surface suitable for writing with sketch pen and wiping with ordinary duster as well as for Projection Screen. The white Board and all other accessories should have Magnetic effect. It should also be suitable as Projection Screen.
2. **DIMENSIONS:** The dimensions of White – Board shall be 1200 x 3600mm  $\pm$ 5mm.
3. **FABRICATION:** It should be with even surface and scratch resistant. It should have no effect to any chemical influence. The board shall have an envelope of Aluminum beading in such a way that the board remains in this framework only. The beading at four corners of the board shall be hinged properly.
4. It should be designed with in-built arrangements to hang/install in proper balance and put in use instantly.
5. **ACCESSORIES:** Hardware, nuts, bolts and screws should be of chemically anodized steel.

*DM*

5

## **Item No.8 - Technical Specifications of Library Cabinet (Steel) with Glass Door**

1. Library Cabinet (Steel) with Glass Door standard covers requirements of materials, construction and finish of Toughened Glass with adjustable shelves from **ISO – 9001, ISO- 14001/OHSAS CERTIFIED or BIFMA CERTIFIED** manufacturers only.
2. **DIMENSIONS:**

The dimensions of Library Glass Door Cabinet shall:

Height: 1800mm

Width: 900mm

Depth: 375mm

No. of shelves: Four Numbers (adjustable)

Tolerances:  $\pm 5$ mm
3. **MATERIALS:** Should be Mild Steel Sheets wherever used shall be CRCA and screws shall be anodized.
4. Cabinet Sides, Back, Top and Bottom shall be made of Mild steel sheet 0.8mm thickness.
5. The adjustable shelves shall be supported on four adjustable brackets, resting on slotted MS Strips, fixed at four inside corners of Cabinet.
6. The Glass Door Cabinet shall be provided with two doors, fitted with Toughened Glass, formed out of mild steel sheet which shall have 1mm thickness.
7. The pedestal shall also be made from mild steel sheet 0.8mm.
8. The hinges shall be either plain butt type made from mild steel 1.6mm thick or double folded type fabricated from mild steel 1.2mm thick.
9. The number of hinges on each door shall be three numbers. There shall be suitable locking mechanism not be less than six levers brass lock with duplicate keys of non corrosive material and three way bolting device controlled by zinc based alloy handle.
10. All Metal Parts shall be powder coated and screws shall be anodized.
11. **FINISH:** All Dents. Burns and Sharp edges shall be removed from the various components. The components shall be individually pickled, scrubbed and rinsed to remove grease, rust scale or any other foreign element.

## **Item No.9 - Technical Specifications of Notice Board**

1. Notice board should be made from Slimline aluminium frame in satin silver.
  2. Fabric shall be used Camira lucia fire rated fabric BS476 Part 7 Class 1 type.
  3. Dimension: 1200mm (length) x1800mm (width), tolerance:  $\pm 5$ mm.
  4. Notice Board shall have easy fix corners conceal fixings.
  5. Should be supplied with wall fixing unit.
- 2 m*

### Item No.10 - Technical Specifications of Study-Table

1. Study Table standard covers requirements of materials, construction and finish by an ISO – 9001, ISO- 14001/OHSAS CERTIFIED or BIFMA CERTIFIED manufacturers only.
2. **MATERIALS:** Mild Steel Sheets wherever used shall be CRCA and screws used shall be anodized.
3. The dimensions of the table and table top shall be: 900mm (L) x 600mm (D) x 750mm (H), Tolerance  $\pm 5$ mm.
4. The top shall be made from both side pre laminated, 18mm thick both side laminated MDF board confirming to ISI-14587, along with PVC beading all around the top.
5. The drawer box shall be made from metal sheet not less than 0.8 mm thick, suitable for one drawer.
6. Drawer shall be made from CRCA sheet not less than 0.63 mm thick and shall have a stopper arrangement at the rear, holding drawer in the box when it is fully opened. Minimum dimension of the drawer: Width: 315 mm; Ht: 125 mm; Depth: 445 mm; Tolerance:  $\pm 5$ mm. The lock shall not be less than six levers Brass-lock with duplicate keys of non-corrosive material. Each drawer shall be fitted with a built-in drawer pull system duly padded with a plastic cover.
7. **TUBULAR FRAME:** The legs of the frame shall be made from CRCA 25 mm square steel tubular pipe with a wall thickness of 1.2 mm, welded/screwed to the main frame, under the table top, made of C shaped metal sheet with a thickness of 1.2 mm and minimum front width of 30mm.
8. **FINISH:** All Dents. Burns and Sharp edges shall be removed from the various components. The components shall be individually pickled, scrubbed and rinsed to remove grease, rust scale or any other foreign element. All metal parts finally are powder coated. The finish should be smooth and uniform. The finish shall be free from all visible defects.

### Item No. 11 - Technical Specification of Study Chair

1. Chair should be perfectly ergonomically designed manufactured by an ISO – 9001, ISO- 14001/OHSAS CERTIFIED or BIFMA CERTIFIED manufacturers only.
2. Screws used, if any, should be anodized.
3. Seat made out of metal perforated CRCA sheet of 20 SWG, duly powder coated
4. Half back made out of metal perforated CRCA sheet of 22 SWG, duly powder coated
5. The Chair frame made from 19mm Dia CRCA Steel pipe of 20 SWG, duly powder coated.
6. The chair should have comfortable and balanced seating.
7. The chair should have metal arms.

8. **DIMENSIONS:**

Height of the Chair	:	805mm
Depth of the Chair	:	520mm
Seat Height	:	450mm
Width of the chair seat	:	450mm
Tolerance	:	$\pm 5$ mm

22

②

9. All dents, burrs and sharp edges shall be removed from the various components. The components shall be individually pickled, scrubbed and rinsed to remove the grease, rust, scale or any other foreign element.
10. Chair should be compatible & tested for stability at least up to a weight of 120kg load.

### **Item No. 12 - Technical Specifications of Geyser (50 Ltr)**

1. Geyser type should be Class I and BEE star rating should be 5.
2. Outer Frame of Geyser should be made of high quality Mild Steel sheet duly pre-treated and finished in either white stove enamel paint or powder coated in white color. Storage electric water heater shall be complete in all respect with fittings as per the general technical requirement.
3. Material of the Inner container of geyser should be Vertical Type, Made of Stainless Steel shall conform to material grade 04Cr18Ni11 or 07Cr18Ni9 of IS:1570 (Part- 5)/1985 (reaffirmed 2004) or Best Quality Copper shall be of copper purity 90% minimum with impurities of zinc not exceeding 1%.
4. Geyser should be vertical type.
5. Geyser Body Diameter shall be between 350mm to 480mm height shall be 400mm to 650mm.
6. Geyser should be Environment friendly (CFC free) PUF insulation to minimize heat loss and reduce power consumption.
7. Heating element should be high quality "D" Type heating element (needed for hard water problems). D-shaped mineral filled heating elements with pockets (vertical models ) to increase the life span of water heater.
8. Working pressure of geyser should between 7 Kg/cm<sup>2</sup> to 10 Kg/cm<sup>2</sup>.
9. Geyser should works on 220-240V, single phase AC, 50Hz, ISI marked to IS:2082 and Power rating should be 2000watts.
10. Geyser temperature raised should be 30°C per minute.
11. Geyser should have externally adjustable capillary thermostat (imported quality) ranging from 30°C to 75°C.
12. Geyser should have:
  - An additional thermal cut-out, set at 90°C, for back-up safety measure, which restarts manually.
  - Pressure release valve fitted on the inlet pipe to release any excess pressure.
  - Analog Temperature Indicator.
13. Bidder should be installed Geyser with including all other accessories/fitting required for make functional at FOR location.
14. Guaranty should be 03 years from the date of successful installation at consignee place.

### **Item No. 13 Technical Specification of Computer Table**

1. Computer Table with sliding Tray for keyboard and storage shelf should be perfectly ergonomically designed by an **ISO – 9001, ISO- 14001/OHSAS CERTIFIED or BIFMA CERTIFIED** manufacturers only.
  2. **MATERIALS:** Should be Mild Steel Sheets and pipes used for table, should be CRCA and screws shall be anodized.
- dm*



3. **DIMENSIONS:**

The dimensions of COMPUTER Table shall:

Width: 1200mm

Depth: 600mm

Height: 750mm

Tolerances:  $\pm 5$ mm

with three drawer box on right side, one shelf for CPU & stationery and one sliding tray for key board.

4. Frame and Base of Computer Table made out of **50mm x 25mm x 1.2mm** CRCA Pipes.
5. The table top and Side-Panels should screw tighten / welded with Horizontal / Parallel Sectional Pipes of **25mm x 25mm x 1.2mm**.
6. The tapped edges of the Base Pipe and Frame Pipe should have Polyurethane Cap cover.
7. Front and Side-Panels made out of 0.8mm gauge CRCA sheet. The width of Front panel shall not be less than 175mm. Similarly the width of Side-Panel should not be less than 250mm. However, the Panels incorporate C-Bend at the edges to avoid sharp edges.
8. Both side laminated Table top, sliding tray for keyboard and shelf of the Table shall have 18mm thick MDF board conforming to ISI-14587, along with PVC beading all around.
9. **The size of Keyboard Sliding Tray should not be less than 500mm x 425mm.** The Keyboard Sliding tray for movements should have ball bearing type guides.
10. The full length shelf underneath for CPU, rested on 25mm square pipes should have a depth of 300mm, under the sliding tray.
11. **DRAWER BOX:** The drawer box shall be made from CRCA metal sheet not less than 0.8mm thick. The width of the Drawer Box: 355mm, height: 415mm and depth: 565mm with tolerance limit:  $\pm 5$ mm.
12. **DRAWER:** 3-Drawers shall be made from CRCA sheet not less than 0.63 mm thick and shall have a slot and stopper strip of metal sheet at the rear, holding drawer in the box when it is fully opened. Dimension of a drawer:- Width : 315mm, Height: 125mm and Depth of the drawer: 445mm with Tolerance limit:  $\pm 5$ mm. There shall be suitable locking mechanism not be less than six levers brass lock with duplicate keys of non corrosive material and each drawer shall be fitted with a built-in drawer pull system duly padded with plastic cover.
13. Drawers movement should be smooth based on channel type mechanism of good quality.
14. All metal parts shall be powder coated and screws used shall be anodized.
15. **FINISH:** All Steel components shall be free from dents, burs and sharp edges. The components shall be individually picked, scrubbed and rinsed to remove grease, rust, scale or any other foreign element. The finish should be smooth and uniform. The finish shall be free from all visible defects.

*Handwritten signature*

(9)

**Other T&C**

1. Minimum 1 year manufacturing defect guaranty i.e. fabric, welding, screws etc, excluding item No.12- Geysers.
2. All tubular ends in table & chair should be covered with good quality rubber stopper.
3. Packing shall be of good quality to avoid damage or scratches during transit.
4. Color of item (frame & Fabric) shall be confirmed by ordering authority at the time of supply order or as per sample. Possible color options must be identified by bidder for various parts.
5. The final technical approval of furniture items shall be after inspection of samples by technical committee at the time of technical bid evaluation.
6. The Technical Committee or RMSCL representative may visit manufacturing unit any time during Rate Contract period on expenses of bidder.


The last date for sale of bid, receipt of bid & date of opening of technical bid is hereby extended as below:-

Extended dates		
Last Date for Sale of Bid Form	Last Date of Receipt of Bid Form	Date of Opening of Technical Bid
20.10.2015 11:00 AM	20.10.2015 01:00 PM	20.10.2015 03:00 PM

Please note that all clarification/amendment/corrigendum in technical specifications/bid conditions is the integral part of the bid document. This corrigendum/ addendum should be signed and annexed with bid document.

All other terms & conditions remains the same.

This bears the approval of M.D., RMSCL, Jaipur.

  
**Executive Director (EPM)**  
**RMSC, Jaipur**

(10)