

## Rajasthan Medical Services Corporation Limited

Gandhi Block, SwasthyaBhawan, Tilak Marg, C-Scheme, Jaipur-302005 (Raj.)

Phone No: 0141-2228066 ,2228064

Website: <http://rmsc.health.rajasthan.gov.in>

CIN:U24232RJ2011SGC035067

E\_mail : [edprmsc@nic.in](mailto:edprmsc@nic.in)

Ref. No.:- F.02(76)/RMSCL/Proc./S&S(MD)/NIB-8/2020/ 313

Dated:- 16/9/2020

### Corrigendum – I

**Subject:-Amendment in bid condition**

Ref.:- NIB No. F.02(76)/RMSCL/Proc./S&S(MD)/NIB-8/2020/285 Dated:03.09.2020

(Technical bid opening due on dated -29.09.2020)

S. No	Existing condition	Amended														
	<p><b>Clause 2(c) ELIGIBILITY CRITERIA</b>  <b>Clause 5 (i) (j) TECHNICAL BID</b></p> <table border="1"> <thead> <tr> <th>Code No.</th> <th>Name of item with specification</th> </tr> </thead> <tbody> <tr> <td>S-18</td> <td>Paper Adhesive Plaster 1" X 9.0 mts (with cutter) Non woven adhesive tape, hypoallergic, should have stretch bonding</td> </tr> <tr> <td>S-19</td> <td>Paper Adhesive Plaster 2" X 9.0 mts (with cutter) Non woven adhesive tape hypoallergic, should have stretch bonding</td> </tr> <tr> <td>S-20</td> <td>Paper Adhesive Plaster 3" X 9.0 mts (with cutter) Non woven adhesive tape hypoallergic, should have stretch bonding</td> </tr> </tbody> </table>	Code No.	Name of item with specification	S-18	Paper Adhesive Plaster 1" X 9.0 mts (with cutter) Non woven adhesive tape, hypoallergic, should have stretch bonding	S-19	Paper Adhesive Plaster 2" X 9.0 mts (with cutter) Non woven adhesive tape hypoallergic, should have stretch bonding	S-20	Paper Adhesive Plaster 3" X 9.0 mts (with cutter) Non woven adhesive tape hypoallergic, should have stretch bonding	<p><b>Clause 2(c) ELIGIBILITY CRITERIA</b>  <b>Clause 5 (i) (j) TECHNICAL BID</b></p> <table border="1"> <thead> <tr> <th>Code No.</th> <th>Relaxation in Condition of Market Standing Certificate</th> </tr> </thead> <tbody> <tr> <td>S-18</td> <td rowspan="3">Market Standing Certificate of one year accepted.</td> </tr> <tr> <td>S-19</td> </tr> <tr> <td>S-20</td> </tr> </tbody> </table>	Code No.	Relaxation in Condition of Market Standing Certificate	S-18	Market Standing Certificate of one year accepted.	S-19	S-20
Code No.	Name of item with specification															
S-18	Paper Adhesive Plaster 1" X 9.0 mts (with cutter) Non woven adhesive tape, hypoallergic, should have stretch bonding															
S-19	Paper Adhesive Plaster 2" X 9.0 mts (with cutter) Non woven adhesive tape hypoallergic, should have stretch bonding															
S-20	Paper Adhesive Plaster 3" X 9.0 mts (with cutter) Non woven adhesive tape hypoallergic, should have stretch bonding															
Code No.	Relaxation in Condition of Market Standing Certificate															
S-18	Market Standing Certificate of one year accepted.															
S-19																
S-20																

**Note:-**

- It may be noted that if any further amendments are issued then a corrigendum will be published and informed.
- Rest of the terms and conditions will remain the same.

(Srinivas Meena)

Executive Director (Proc.)  
RMSCL