

Rajasthan Medical Services Corporation Swasthaya Bhawan, C-Scheme, Jaipur

Phone No: 0141-2228065, Fax No: 0141-2228065

CIN: U24232RJ2011SGC035067

E mail: rmsc@nic.in

Website: WWW.rmsc.health.rajasthan.gov.in

Ref: - F.02(67)/RMSCL/Proc./Sanitary Napkins(Non Drug)/NIB-5/2019/200


Dated: 08/08/2019

Corrigendum-I

Subject: - Date extension and Amendment in conditions and specification of E-BID FOR THE RATE CONTRACT CUM SUPPLY AND EMPANELMENT OF BELTLESS SANITARY NAPKINS WITH WINGS (NON - DRUG ITEMS)

Ref: - F.02(67)/RMSCL/Proc./Sanitary Napkins(Non Drug)/NIB-5/2019/183 Dated:16.07.2019 The following amendments are made:

S.	Existing condition / technical specification/		Amended condition / technical specification/	
No	(clause no.)		(clause no.).	
1	Date of submission for	E-bids reference no	Date of submission for E-bi	ds reference no
	F.02(67)/RMSCL/Proc./Sanitary Napkins(Non		F.02(67)/RMSCL/Proc./Sanitary Napkins(Non	
· .	Drug)/NIB-5/2019/183 Dated:16.07.2019		Drug)/NIB-5/2019/183 Dated:16.07.2019	
	Last date and time of	19.08.2019 up to	! !	22.08.2019 up
	submission of online bids	6:00 PM	submission of online bids	to 6:00 PM
	Date and time of opening	20.08.2019 up to	Date and time of opening of	23.08.2019 up
	of Online technical bids	11:00 AM	Online technical bids	to 11:00 AM
	Bid Security, Tender fees,	19.08.2019	11	22.08.2019
ļ	RISL fees through challan		RISL fees through challan	
	Bid Security, Tender fees,	19.08.2019 up to	Bid Security, Tender fees,	22.08.2019 up
	RISL fees Physically	6:00 PM	RISL fees Physically	to 6:00 PM
2	4 TECHNICAL DID		5 PECUNICAL DID	
2	4. TECHNICAL BID		5. <u>TECHNICAL BID</u>	
	(Z) The minimum monthly installed capacity of		(Z) The minimum monthly installed capacity of	
	the firm should be 50 Lacs packets per month		the firm should be 50 Lacs packets per month.	
	(for MSME of Rajasthan 5 Lacs packets per		Capacity of manufacturing firms shall be	
	month). Capacity of manufacturing firms shall		certified by Practicing Chartered Engineer /any	
	be certified by Practicing Chartered Engineer		competent Authority. Details of installed	
	/any competent Authority. Details of installed		machines and their capacity must be enclosed as	
	machines and their capacity must be enclosed as		per Annexure XVII.	i .
	per Annexure XVII.			





		Words \$	
S.	Existing condition / technical specification/	Amended condition / technical specification/	
No	(clause no.)	(clause no.).	
3,	Annexure – VI Clause 9.3	Annexure - VI Clause 9.3	
	Technical Specifications of Sanitary Napkins	Technical Specifications of Sanitary Napkins (Beltless)	
	(Beltless) for adolescent girls	for adolescent girls	
	Item Code - S-99 P	Item Code - S-99 P	
	Name of Item- Belt-less Sanitary Napkin with wings	Name of Item- Belt-less Sanitary Napkin with wings	
	1. Covering (Absorbing top sheet character)—Good	1. Covering (Absorbing top sheet character)-Good Quality	
	Quality knitted sleeve or non woven fabric of rash free,	knitted sleeve or non woven fabric of rash free, non irritant	
	non irritant and soft to touch material which has	and soft to touch material which has sufficient porosity to	
	sufficient porosity to permit the assembled napkin to	permit the assembled napkin to meet absorbency	
	meet absorbency requirements. The napkins shall have a	requirements. The napkins shall have a non absorbent	
	non absorbent barrier on one side with adhesive covered	barrier on one side with adhesive covered by a differently	
	by a differently identifiable paper	identifiable paper	
	2.Overall Length (mm) 230 ± 5	2.Overall Length (mm) 230 ± 5	
	3.Core length 220 mm± 10	3.Core length 220 mm± 10	
	4.Fluff core/pad length 220 mm± 10	4.Fluff core/pad length 220 mm± 10	
	5. Over all width with wings 160mm+_5	5. Over all width with wings 160mm+_5	
	6.Fluff core/pad length $70 \text{ mm} \pm 5$	6.Fluff core/pad length 70 mm± 5	
	7. Thickness of a single pad 9-10mm	7.Thickness of a single pad 9-10mm	
	8. Weight of a single pad: 8-10 gm	8. Weight of a single pad: 8-10 gm	
	9. Pack Six napkins in a pack.	9. Pack Six napkins in a pack.	
	10 Type Belt-less Sanitary Napkin with	10 Type Belt-less Sanitary Napkin with	
	wings	wings	
	11. Minimum Absorbency: 50ml	11. Minimum Absorbency: 50ml	
	12.pH value of absorbent material 6-8.5	12.pH value of absorbent material 6-8.5	
	B. DISPOSABLE Individual pouch / wrapper for each	B. DISPOSABLE Individual pouch for each sanitary	
	sanitary napkin(as per ministry of environment, forest	napkin(as per ministry of environment, forest and	
	and climate change dated 08.04.2016)	climate change dated 08.04.2016)	
	Pouch/Wrapper specifications:-	Pouch specifications:-	
	1. Pouch/Wrapper should be of the size of sanitary napkin	1. Pouch should be of the size of sanitary napkin being	
	being supplied.	supplied.	
	2. It should have adhesive to seal the sanitary napkin within.	2. It should have adhesive to seal the sanitary napkin	
	•	within.	
	3. Pouch/Wrapper should not be transparent.	3. Pouch should not be transparent.	
	Note:-Instructions for use of disposable pouch /wrapper must be written in Hindi on disposable pouch /wrapper.	Note:-Instructions for use of disposable pouch must be	
	इस्तेताल किये हुये सेनेटरी नेपकिन को मोड कर Disposable	written in Hindi on disposable pouch.	
		इस्तेक्काल किये हुये सेनेटरी नेपिकन को मोड कर Disposable	
	Pouch/Wrapper में डाले एवं Disposable Pouch/Wrapper	Pouch में डाले एवं Disposable Pouch को गोंद लगी पद्टी	
	को गोंद लगी पट्टी से बन्द कर सुरक्षित तरीके से कूडेदान	से बन्द कर सुरक्षित तरीके से कूडेदान में डालें।	
	में डालें।	:	

Rest terms and conditions will remain the same.

B =

(V.C. Bunkar) RAcS
Executive Director (Proc.)
RMSC

