



RAJASTHAN MEDICAL SERVICES CORPORATION LTD.

(A Govt. of Rajasthan Undertaking) Gandhi Block, Swasthya Bhawan, Tilak Marg, Jaipur – 302005, India

Tel No: 0141-2228066, 2228064, E-mail: edprmsc@nic.in

E-BID FOR THE RATE CONTRACT CUM EMPANELMENT OF ANALYTICAL TESTING LABORATORIES FOR THE TEST AND ANALYSIS OF DRUGS

(Two Years RC ending on 31.03.2025)



!! सर्वे सन्तु निरामयाः!!

LAST DATE OF SUBMISSION OF ONLINE BIDS	16.02.2023 & 6.00 PM
DATE AND TIME OF OPENING OF ONLINE TECHNICAL BIDS	17.02.2023 & 11.00 AM



मुख्यमंत्री निःशुल्क दवा योजना



RAJASTHAN MEDICAL SERVICES CORPORATION LTD.

(A Govt. of Rajasthan Undertaking)

Gandhi Block, Swasthya Bhawan, Tilak Marg, Jaipur – 302005, India

Phone No: 0141-2228066, 2228064 Website: www.rmsc.health.rajasthan.gov.in CIN:U24232RJ2011SGC035067 E-mail: edprmsc@nic.in

Ref. No.: F.02(370)/RMSCL/ED (P) EMPANELMENT/DTL/NIB-02/2023/393 Dated :-30.01.2023

Notice Inviting E-Bids

E-bids are invited up to 6.00 PM of 16.02.2023 from approved Drugs Testing Laboratories situated in India for analysis of Drugs. (Ending on **31.03.2025**).

Details of NIB may be seen at the website of State Public procurement Portal http://sppp.rajasthan.nic.in, http://sppp.rajasthan.gov.in, http://sppp.rajasthan.gov.in and may be downloaded from there.

UBN.No MSC2223SLRC00114

Executive Director (Procurement) RMSCL



RAJASTHAN MEDICAL SERVICES CORPORATION LTD. RAJASTHAN

e-BID FOR RATE CONTRACT CUM EMPANELMENT OF ANALYTICAL TESTING LABORATORIES FOR THE TEST AND ANALYSIS OF DRUGS

(Rate contract for two years ending on 31.03.2025)

F.02(370)/RMSCL/ED (P) **Bid Reference**

EMPANELMENT/DTL/NIB-02/2023/393 Dated:-

30.01.2023

Pre- bid conference 02.02.2023 at 12.30 P.M.

Date and time for downloading bid : 28.01.2023 from 06.00 PM

document

Last date and time of submission of :

online bids

16.02.2023 at 6.00 PM

Date and time of opening of Online

technical bids

17.02.2023 at 11.00 PM

Cost of the Bid Document Rs. 2360/- (Including GST@ 18%) :

RISL Processing Fees Rs. 1770/- (Including GST @ 18%)

Rs. 20000/-**Bid Security** :



RAJASTHAN MEDICAL SERVICES CORPORATION LTD. RAJASTHAN

E-BID FOR RATE CONTRACT CUM EMPANELMENT OF ANALYTICAL TESTING LABORATORIES FOR THE TEST AND ANALYSIS OF DRUGS (Rate contract for two years ending on 31.03.2025)

"CONFIDENTIALITY IS THE ESSENCE OF THIS BID"

1. LAST DATE FOR RECEIPT OF BIDS, BID FORM FEES, BID SECURITY & RISL PROCESSING FEES

- a) E-Bids [In Two Separate Bids (Technical Bid & Price Bid)] Shall Be Received Till 06.00 PM on 16.02.2023 By The Rajasthan Medical Services Corporation Ltd, For The Rate contract cum Empanelment Of Analytical Testing Laboratories For The Test And Analysis Of DRUGS (Rate contract for two years ending on 31.03.2025) in English language. Proposal received after the closing date and time shall not be considered.
- b) The bids shall be valid for a Period of 120 days from the date of opening of Technical Bid and prior to the expiration of the bid validity the Bid Inviting Authority may request the Bidders to extend the bid validity for another period of 30 days. The Bidder may refuse extension of bid validity without forfeiting the Bid Security deposit. No refund of tender fee is claimable under any circumstances to any of the bidder.
- c) The e-Bids will be received on web-portal of e-procurement of GoR i.e. http://eproc.rajasthan.gov.in. Every Bidder will be required to pay the Bid form fee Rs. 2360/- (Including GST@ 18%) for downloaded forms from the website, Bid Security as applicable in Bid condition no. 6 and processing fee of Rs. 1770/- (Including GST@ 18%) of R.I.S.L. through three separate prescribed challans (*format enclosed in Annexure- I*) in any branch of the Punjab National Bank into Account no. 2246002100024414 throughout the country upto 16.02.2023 or through D.D. / Bankers Cheque in favour of M.D. RMSCL (tender fees and Bid Security) and MD, RISL (tender processing fees) physically in the office of RMSCL by 6.00 PM on 16.02.2023 The bidders shall submit/upload scanned copy of all the challans in Technical Bid. Bids will be opened only after ensuring receipt of Bid fees, processing fees and Bid Security the Bids shall be rejected and shall not be opened.



2. Eligibility Criteria for Empanelment :-

- (1) Drug Testing Laboratories should have valid Approval for carrying out test on drugs under the Drugs and Cosmetics Act, 1940 and Rules there under. Three years standing in the test & analysis of drugs/chemicals or food items and the lab shall be entitled for empanelment for the categories of items for which lab has bidded and having approval. Bid is invited from approved Drugs Testing Laboratories situated in India.
- (2) The laboratory should be GLP compliant under the provisions of Drugs and Cosmetics Act, 1940 and Rules there under and should hold schedule L-1 certificate or should have approval from Drug Control Department and NABL accreditation with proper scope of accreditation to undertake testing of drugs, surgical and sutures.
- (3) The laboratory should have an average annual turnover of not less than Rs. 50 Lakh for past preceding three years (2018-19, 2019-20 & 2020-21 or 2019-20, 2020-21 & 2021-22).
 Only audited accounts would be considered provisional accounts would not be considered in any case.
- (4) The lab should have undertaken test and analysis of drugs and supplies of similar nature of drugs for at least three government institutions/corporation/reputed manufacturers of drug formulations.
- (5) The lab should not stand banned / debarred or blacklisted by any State or Central Government or its Organizations or its procurement agencies on the due date of bid submission. If a bidder or an approved bidder will be found defaulter for concealing this fact, then following actions may be taken.
 - (i) Bid rejection
 - (ii) Bid Security forfeiture
 - (iii) Agreement rejection
 - (iv) Performance Security forfeiture
 - (v) Blacklisting
- (6) The laboratory and its responsible persons should not have been convicted under the provisions of applicable laws with regard to the activities and



- conduct of the laboratory.
- (7) The laboratory should have all necessary instruments/equipments/machines for testing of drugs with minimum three functional HPLC's.

3 TECHNICAL BID

The Bidder must furnish the following in technical bid.

- a. Bidders are allowed the option to quote for anyone item or more items as mentioned in bid (list of medicines proposed to be analyzed tested as at Annexure-VII).
- b. The bidders shall submit/upload in Technical Bid scanned copies of all the challans / DD/ BC of deposits of Bid form fees, RISL processing fee and Bid Security Money.
- c. Attested Photocopy of Analytical approval duly renewed up to date, issued by the State Licensing Authority.
- d. Compliance of Schedule L-1 of Drugs & Cosmetics Rules, 1945 (GLP certificate) and Copy of NABL accreditation with scope for testing of drug formulations.
- e. Documentary evidence of having analysed Drugs, <u>chemicals</u>, <u>foods and other</u> <u>items</u> for last three years with a statement in the proforma as given in Annexure III.
- f. Attested copy of certificate of GST registration.
- g. GST return 30.09.2022 or latest Months.
- h. Non- Conviction Certificate by the State Licensing Authority/ competent authority.
- i. Annual turnover statement for 3 year i.e. (2018-19, 2019-20 & 2020-21 or 2019-20, 2020-21 & 2021-22) certified by the practicing Chartered Accountant with UDIN No.
- j. Copies of the Balance Sheet and Profit and Loss Account for three years i.e. (2018-19, 2019-20 & 2020-21 or 2019-20, 2020-21 & 2021-22) duly audited or certified by the practicing Chartered Accountant. No provisional balance sheet or Profit and Loss account would be entertained.
- k. The following information in the form given in Annexure IV (a) to IV (d).
 - a) The list of permanent technical qualified personnel employed in the laboratory with proof of their qualifications and relevant approvals.



- b) The list of sophisticated instruments available in the laboratory.
- c) Micro Biological facilities available in the laboratory.
- d. List of Reference Samples along with their date of procurement and quantities.
- e. In the case of Non- Pharmacopoeial Products the Method of Analysis Should be appended to the Report, especially if the sample is declared as "Not of the Standard Quality".
- 1. A declaration in the proforma given in Annexure V duly signed and Notarized.
- m. Details of Laboratory in Annexure VI.
- n. A copy of PAN issued by Income Tax Department.
- o. Documentary evidence for the constitution of the company / concern.
- p. At any time prior to opening of price bid, RMSC either at their own initiate or in response to clarification requested by prospective tender, may modify tender by issuing an amendment. Such amendments shall be uploaded on e-Proc site and will be part of the tender.
- q. A bidder has to fill up the checklist enclosed at Annexure VIII indicating the infrastructure and testing facilities available in the lab.

4 PRICE BID:

The price bid shall also be known as financial document and every bidder will be required to submit its price in excel format attached to the bid document (BOQ). BOQ template must not be modified/ replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bid is liable to be rejected for the particular item. Bidders are allowed to enter the bidder name and values only. The bidder should quote rate for the complete tests as applicable to the item. The rate for sterility test for sterile products should also be quoted separately at last entry of BOQ. Any type of uncalled clarifications on prices or rebates shall not be accepted.

5 <u>OPENING OF TECHNICAL BID AND FINANCIAL BID</u> <u>EVALUATION</u>

The technical bids would be opened on scheduled date and time on eproc website i.e. https://eproc.rajasthan.gov.in. After technical evaluation physical inspection of the laboratories may be carried out by the designated team. Thereafter financial bids would be opened of those bidders who are found



finally responsive on technical criteria. The acceptable rates for analysis will be decided and communicated accordingly.

6 <u>BID SECURITY</u>

The Bid Security Money Deposit shall be Rs. 20,000/- (Rs Twenty Thousand only) The Earnest Money Deposit shall be paid in through separate prescribed challans (format enclosed in Annexure-I) in any branch of the Punjab National Bank Account no. 2246002100024414 throughout country up to 16.02.2023 or through D.D. / bankers cheque in favour of M.D. RMSCL physically in the office of RMSC by 6.00 PM on 16.02.2023 Bid Security Deposit in any other form will not be accepted

The Bids submitted without sufficient Bid Security will be summarily rejected. The Bid Security will be forfeited, if the Bidder withdraws its Bid after last time & date fixed for receiving bids or in the case of a successful Bidder, if the Bidder fails to sign the contract agreement or fails to furnish the security deposit within the stipulated time.

Government undertaking PSU are exempted from Bid Security deposition on producing the certificate issued by the competent authority.

7 GENERAL CONDITIONS

- 1. The details of the Drugs, to be analysed shall be given in **Annexure VII**.
- 2. The Bidder should quote the rates for complete analysis of each product and name of test to be performed, methodology to be used for each test. However wherever rates for individual test are demanded, they should be furnished accordingly in BOQ.
- 3. The rates quoted should be exclusive of taxes, though the applicable taxes are to be mentioned separately.
- 4. The rates quoted and accepted will be binding on the Bidder for the stipulated period and on no account any revision will be entertained till the completion of the rate contract period including extensions, if any given.
- 5. Analytical Laboratory, which also has its manufacturing activity, if empanelled by RMSC, then Samples of its own manufacturing unit shall not be sent to its empanelled laboratory for testing.
- 6. The laboratory will not be permitted to outsource any test to any other laboratory.
- 7. RMSCL shall have the right to cause inspection of the laboratory by the members of its technical committee before opening of price bid and subsequently as and when considered appropriate and based on the finding, the Bidder may be disqualified or de-empanelled, as the case may be.
- 8. Conditional tender will not be accepted and rejected immediately.
- 9. GST at applicable rate should be mentioned by the bidder where evere applicable.



8. ACCEPTANCE OF BID

- 1. The Bid evaluation committee formed by Managing Director, Rajasthan Medical Services Corporation Ltd. will evaluate the Bid with reference to various criteria specified in bid document.
- 2. The Managing Director, Rajasthan Medical Services Corporation Limited reserves the right to accept or reject any BID for any one or more of the items Bided for, without assigning any reason.
- The Managing Director, Rajasthan Medical Services Corporation Limited has the right to accept one or more bids depending on the volume of analytical work.

9. AGREEMENT

- 1. The agreement with empanelled laboratories shall remain valid up to 31.03.2025. If Required period of contract can be extended up to 3 months on same rate, terms and condition without any prior consent of the bidder and shall be binding on approved bidder.
- 2. RMSCL will issue letters of Intent (LOIs) to successful bidders and bidders who are empanelled will have to execute an agreement on a non-judicial stamp paper of value **Rs. 500** /- (Stamp duty to be paid by the Bidder), in favour of Managing Director, Rajasthan Medical Services Corporation Limited Jaipur within 15 days from the date of receipt of the intimation to them informing that their BIDs have been accepted. The format of agreement will be issued by RMSCL. (Annexure IX)
- **3.** The Bidder shall not, at any time, assign, sub-let or make over the contract or the benefit therefore or any part thereof to any other person or persons whatsoever.
- 4. All notices or communication relating to, or arising out of this agreement or any of the terms thereof shall be considered duly served on or given to the Bidder if delivered to him or emailed on its email address or left at the premises, places of business or abode.

10. PERFORMANCE SECURITY

1. The successful Bidders shall be required to pay a Performance Security of **Rs. 50,000/-** (Rs Fifty Thousand only) *in the form of demand draft* at the time of



execution of the agreement. Performance security will be refunded three month after expiry of rate contract subject to successful completion of services.

11. COMPLETE ANALYSIS & REPORTING CONDITIONS

- 1. (a) On empanelment and entrustment of the job, the Analytical Laboratory should furnish the test reports within:
- i. 10 days from the receipt of the sample in case of Tablets, Capsules, Pessaries, Ointments, Powder and Liquid Oral Preparations (non sterile products)
- ii. 21 days from the receipt of the sample in the case of I.V. Fluids and injectables and other items requiring test for sterility.
- b) All the tests mentioned in IP/BP/USP/Drugs & Cosmetics Act. etc. including addendus, (as the case may be) should be carried out for each and every sample. The results obtained in the test should be mentioned in numerical value (wherever possible). However this condition will not apply when only specific testing is called for/desired on any particular sample. If any drug is not included in the pharmacopeia at the time of bid opening and letter on it is including in any pharmacopeia the drug should be tested as per pharmacopeia specification.
- c) Mentioning only "COMPLIES" or "PASSES" in the result column of the report would be treated as incomplete report, if the result has some numerical value.
- d) Every test report must have remarks either as "Standard Quality" or "Not of Standard Quality". Any ambiguity/cutting in reports will not be accepted (clear mention of "standard quality or not of standard quality" should be stated in bold letters and crossing/cutting of one of these will not be accepted).
- e) Reports should be in A4 size (8.27" X 11.69") paper of good quality.
- f) Report should be issued on form 39 A and should have S. no., name of drug sample, code no., batch no., mfg. date, exp. date, description of tests, protocol of test specified & applied, findings & results obtained and should be signed by person-in-charge of testing. In case of Not of Standard Quality Reports the reports shall be release on Pink/Red colored paper for easy identification of NOSQ drugs.
- g) Reports should be attached along with Spectra / Chromatography data



sheets, if applicable and it will be considered incomplete if spectra or chromatograms are not attached.

- 2. All test reports of each batch of sample should be submitted to the RMSC in triplicate. In case of failure of a sample, the result should be communicated immediately to the Executive Director (Q.C.) through phone / e-mail and the report should be sent along with protocol.
- 3. If in any circumstances (like break down of instrument, non-availability of reference standard etc.) the Analytical Laboratory is unable to undertake analysis for a sample, the same should be reported within 24 hours of receipt of such a sample by phone or E-mail and the sample should be returned to the Executive Director (Quality Control), Rajasthan Medical Services Corporation Limited, Jaipur after taking necessary telephonic or mail consent. In case of inability of laboratory to undertake the testing, a penalty of 25% of testing charges applicable for that product / products will be recovered.
- 4. If placebo or standard test procedure of any product is required the same should be demanded within 48 hours with return request. Period lapsed/taken in providing placebo or standard testing procedure will be condoned from prescribed time limit for that sample.
- 5. If any sample is received in a damaged condition by the laboratory, the sample should not be analyzed and the information should sent immediately to the E.D. (Quality Control), Services Rajasthan Medical Corporation Limited Jaipur by Fax or E-mail.
- 6. The Managing Director, Rajasthan Medical Services Corporation Limited or his authorized representative(s) has / have the right to inspect the laboratories of the Bidders who have submitted BIDs, before taking any decision regarding empanelment. Similarly, the Managing Director, Rajasthan Medical Services Corporation Limited or his authorized representatives may also inspect any empanelled laboratory, at any point of time during the continuance of the BID and terminate / cancel its empanelment or any orders issued to the laboratory, not to entrust any further testing job to the laboratory based on facts brought out during such inspections.
- The successful lab shall have to make own arrangement for collection of sample, from RMSC Headquarters.



8. It will be sole discretion of RMSC to allot the samples to any empanelled lab in case when there are more than one lab approved for an item. (One or more Laboratories may be empanelled by this tender.)

12. PAYM ENT PROVISIONS

- 1. No advance payment towards any analysis will be made to the empanelled Bidder.
- 2. No payment will be made for the incomplete analysis or incomplete report. Deliberate omission of any critical test will be viewed seriously and shall invite action against the laboratory as deemed fit by RMSCL.
- 3. Payments towards the analysis of Drugs will be made as per approved rate plus tax on it will be along with Tax at the prevailing rate as applicable at the time of payment.
- 4. GST shall be applicable as per prevailing rates notified by the Government.

13. PENALTIES

- 1. If the successful Bidder fails to execute the agreement and deposit security within the time specified or withdraws the BID intimation of the acceptance of the BID or owing to any other reasons, is unable to undertake the contract, the empanelment will be cancelled and the Earnest Money amount deposited by the Bidder shall stand forfeited in favour of the Rajasthan Medical Services Corporation Limited. Such Bidder(s) will also be liable for all damages sustained by the Rajasthan Medical Services Corporation Limited due to breach of BID conditions. Such damages shall be assessed by the Managing Director, Rajasthan Medical Services Corporation Limited whose decision shall be final and binding.
- After entering into Rate contract, if the laboratory does not as per the terms and conditions, it may be disqualified to participate in the BID for the period as decided by RMSCL.
- 3. To assess the correctness of the test results being given by the Empanelled laboratories, samples at random, would also be sent to the Government Analyst for testing and if any variation is found the result would be informed to empanelled laboratories. If there is any gross variation in the analytical reports furnished by the empanelled laboratories (either pass or fail) with Government



- Lab for 3 times in assay test and 4 times for any other specification, in a year, the empanelled laboratory shall be considered for blacklisting for a period as considered proper after following the due process.
- 4. If it is revealed that the analytical Laboratory is involved in any form of fraud and collusion with the suppliers of Rajasthan Medical Services Corporation Limited, the Analytical Laboratory will be black listed for a period considered suitable. The Bidders shall also be liable for action under criminal law and the matter will be notified to the concerned Director of Drugs Control for suitable action against them under Drugs & Cosmetics Act & Rules.
- 5. The Managing Director, Rajasthan Medical Services Corporation Limited will be at liberty to terminate, the empanelment of any laboratory either wholly or in part at one month's notice without assigning any reasons. The Bidder will not be entitled for any compensation whatsoever in respect of such termination.
- 6. In all matters pertaining to the BID, the decision of the Managing Director, Rajasthan Medical Services Corporation Limited shall be final and binding.
- 7. (i)If the laboratory requires an extension in time for submission of test report, on account of occurrence of any hindrance it shall apply in writing for extension on occurrence of hindrance but not after the stipulated date of *furnishing the test report*.
 - (ii)The Executive Director (QC)/ Drug Controller/ADC (QC) may extend the testing period with or without liquidated damages in case they are satisfied that the delay in the submission of test reports is on account of any hindrances, he shall apply in writing for extension on occurrence of hindrance but not after the stipulated date of submission of report. Reasons shall be recorded.
 - (iii) Extension in testing period:- In case of extension in the testing period with liquidated damages the recovery shall be made on the basis of following percentages of *testing charges* which the Bidder has failed to submit:-
 - (a) Delay upto one fourth period of the prescribed testing period; 2.5%



- (b) Delay exceeding one fourth but not exceeding half of the prescribed testing period; 5%
- (c) Delay exceeding half but not exceeding three fourth of the prescribed testing period; 7.5%
- (d) Delay exceeding three fourth of the prescribed testing period; 10%

Note: Fraction of a day in reckoning period of delay in *furnish the test report* shall be eliminated if it is less than half a day. The maximum amount of liquidated damages shall be 10%.

iv. If, at any time during the continuance of this Agreement, the *laboratory* has, in the opinion of the Purchaser, delayed in submitting any test report, by the reasons of any riots, mutinies, wars, fire, storm, earthquakes, tempest or other exceptional cause, on a specific request made by the *laboratory*, the time for submitting test report may be extended by the *RMSCL* purely at his discretion for such period as may be considered reasonable. No further representation from the *laboratory* will be entertained on this account.

14. CORRECTION OF ARITHMETIC ERRORS:

Provided that a financial bid is substantially responsive, the procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- (i) If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- (ii) If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and.
- (iii) If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to clause (a) and (b) above.



If the Bidder that submitted the lowest evaluated bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed.

15. GRIEVANCE REDRESSAL DURING EMPANELMENT PROCESS:

The Designation and address of the First Appellate Authority is MD, NRHM.

The Designation and address of the Second Appellate Authority is Secretary to Government, Medical & Health and Family Welfare, Govt. of Rajasthan.

i. Filling an appeal

If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring Entity is in contravention to the provisions of the Act or the Rules of the Guidelines issued there under, he may file an appeal to First Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or ground on which he feels aggrieved:

Provided that after the declaration of a Bidder as successful the appeal may be filed only by a Bidder who has participated in procurement proceedings: Provided further that in case a Procuring Entity evaluates the Technical Bids before the opening of the Financial Bids, an appeal related to the matter of Financial Bids may be filed only by a Bidder whose Technical Bid is found to be acceptable.

- ii. The Officer to whom an appeal is filed under Para (1) shall deal with the appeal as expeditiously as possible and shall Endeavour to dispose it of within thirty days from the date of the appeal.
- iii. If the officer designated under Para (1) fails to dispose of the appeal filed within the period specified in Para (2), or if the Bidder or prospective bidder or the Procuring Entity is aggrieved by the order passed by the First Appellate Authority, the Bidder or prospective bidder or the Procuring Entity, as the case may be, may file a second appeal to second Appellate Authority specified in the Bidding Document in this behalf within fifteen days from the expiry of the period specified in Para (2) or of the date of



receipt of the order passed by the First Appellate Authority, as the case may be.

iv. Appeal not to lie in certain cases

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely:-

- (a) Determination of need of empanelment;
- (b) Provision limiting participation of Bidders in the Bid process; (c) The decision of whether or not to enter into negotiations;
- (d) Cancellation of a empanelment process;
- (e) Applicability of the provisions of confidentiality.

v. Form of Appeal

- (a) An appeal under Para (1) or (3) above shall be in the annexed Form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.
- (c) Every appeal may be presented to First Appellate Authority or Second Appellate Authority, as the case may be, in person or through registered post or authorised representative.

vi. Fee for filling appeal

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a Scheduled Bank in India payable in the name of Appellate Authority concerned.

vii. Procedure for disposal of appeal

- (a) The First Appellate Authority or Second Appellate Authority, as the case may be, upon filling of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.
- (b) On the date fixed for hearing, the First Appellate Authority or Second Appellate

Authority, as the case may be, shall,-

(i) Hear all the parties to appeal present before him; and



- (ii) Peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority concerned shall pass an order in writing and provide the copy of order to the parties free of cost.
- (d) The order passed under sub-clause (c) above shall be placed on the State Public procurement Portal.

16. <u>COMPLIANCE WITH THE CODE OF INTEGRITY AND NO CONFLICT OF INTEREST:</u>

Any person participating in a empanelment process shall-

- a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- b) Not misrepresent or omit misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- c) Not indulge in any collusion, Bid rigging or any-competitive behaviour to impair the transparency, fairness and progress of the procurement process;
- d) Not misuse any information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process;
- e) Not indulge in any coercion including impairing or harming or threatening to do
 the same, directly or indirectly, to any part or to its property to influence the
 procurement process;
- f) Not obstruct any investigation or audit of a procurement process;
- g) Disclose conflict of interest, if any; and
- h) Disclose any previous transgressions with any Entity in India or any other country during the last three years or any debarment by any other procuring entity.

17. Conflict of interest:-

The Bidder participating in a bidding process must not have a Conflict of Interest.

A Conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.



- I. A Bidder may be considered to be in Conflict of interest with one or more parties in bidding process if, including but not limited to:
- a. Have controlling partners/shareholders in common; or
- b. Receive or have received any direct or indirect subsidy from any of them; or
- c. Have the same legal representative for purposes of the Bid; or
- d. Have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or
- e. The Bidder participates in more than one Bid in a bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or
- f. The Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specification of the Goods, Works or Services that are the subject of the Bid; or
- g. Bidder or any of its affiliates has been hired (or is proposed to be hired by the Procuring Entity as engineer-in-charge/ consultant for the contract.

18. JURISDICTION

1. In the event of any legal dispute arising out of the BID such dispute would be subject to the jurisdiction of the Civil courts within the city of Jaipur only.+

19. APPLICABILITY OF RULES

Besides above conditions all the provisions of RTPP Act 2012 & RTPP Rules 2013 shall be applicable.

Managing Director
Rajasthan Medical Services Corporation

	Acknowledgement		Acknowledgement
		For Bank use only	
Address for communication	Address for	unication	Address for communication
	Signature		Signature
e Depositor	Name of the Depositor	sitor	Name of the Depositor
words): ₹	Amount (in words): ₹): रा	Amount (in words): ₹
	IOIAI		Total
	Coins *	Total amount ₹	Coins *
	5*	Commission ₹ 0 0 0 0 0 - 0 0	5 *
	* 01		10 *
	20 *		* 00
	50 *		* 05
	* 001	4.	100 *
	500 *		* 000
,	1000 *		1000 *
sit:	Cash Deposit:	Cheque Deposit:	Cash Deposit:
0.	Mobile No.		Mobile No.
Select any one out fees/Others	Type of Deposit	Sclect any one out of - Tender Fees/EMD/SD/Tender Processing fees/Others	Type of Deposit
ef. No.	Tender Ref. No.		Tender Ref. No.
Name	Supplier Name		Supplier Name
DETAILS OF THE SUPPLIER	DETAILS		DETAILS OF THE SUPPLIER
		Date of Deposit DD MM YY	
RM	Institute ID	RMSCJ - A/c No. 2246002100024414	Institute ID
Rajasthar	Institute Name	Rajasthan Medical Services Corporation, Jaipur	Institute Name
1	Branch		Branch
punjab		punjab national bank DIST. NO.	Šes
•		Bank Copy	
		AUTION: USE "FCMBR" MENU OPTION IN FINACLE INSTEAD OF "TM"	AUTION : USE "

Annexure - 1

h	punj	
	punjab national bank	
	DIST, NO.	customer copy

ınch	
titute Name	Rajasthan Medical Services Corporation, Jaipur
titute ID	RMSCJ - A/c No. 2246002100024414
	Date of Deposit
	DD MM YY
ILS OF TI	TAILS OF THE SUPPLIER
upplier Name	

pplier Name ander Ref. No. Select any one out of - Tender Fees/EMD/SD/ Tender Processing pe of Deposit [ces/Others obile No. Cheque Deposit: Chq No Date of Chq Name of Bank Ps					*
pplier Name Inder Ref. No. Select any one out of - Tender Fees/EMD/SD/ Tender Processing pe of Deposit fees/Others Cheque Deposit:	S,I	4		7	omination
pplier Name nder Ref. No. Select any one out of - Tender Fees/EMD/SD/ Tender Processing pe of Deposit fees/Others	,	R	Cheque Deposit:		h Deposit:
pplier Name Inder Ref. No. Select any one out of - Tender Fees/EMD/SD/ Tender Processing fees/Others					obile No.
pplier Name	ng	Processi	ect any one out of - Tender Fees/EMD/SD/ Tender s/Others	sit Se	pe of Depo
pplier Name				ē.	nder Ref. N
				e T	pplier Nam

Cash Deposit:			Cheque Deposit:		
Denomination	Λ¥	Ps	Chq No Date of Chq Name of Bank ₹	Ps	
1000 #					
500 *					
* 001					
50 *					
20 *			Total for parallel 4		
10*			Total tec payable x	0	
5*			4 /	-	
Coins *			Total amount	-	
Total					

For Bank use only

Cashier/Officer



ANNEXURE- II Ref. Clause No. 2 (3), 3(h)

ANNUAL TURN OVER STATEMENT

T	he	Annual		Turnover of		
M/s				for the past three years are		
given bel	ow and certified tha	t the statement	is true ar	nd correct.		
S.No.	Years	1		Turnover in Lacs (Rs)		
1	2018-1	9				
2	2019-2					
3	2020-2	1				
	Total		Rs.	Lacs		
Ave	erage turnover per	annual	Rs.	Lacs		
		Or	•			
S.No. Years				Turnover in Lacs (Rs)		
1	2019-2	0				
2	2020-2	1				
3	2021-2	2				
	Total		Rs.	Lacs		
Ave	Average turnover per annual			Lacs		
Date:				Siganture of Auditor/ Chartered Accountant		
Seal: UDIN No	о.			(Name in Capital)		



ANNEXURE III

Ref. Clause No: 3 (e)

PROFORMA FOR PERFORMANCE STATE MENT (for a period of last 3 years)

Name	of	the	Laboratory
Address:			
Types of Sam	nples Analysed	No. of Samples A	analysed during
	(2018-19	, 2019-20 and 2020	0-21 or 2019-20, 2020-21, 2021-22
01. Tablets /	Capsules / Pessarie	s/Dry Powders	
02. Injectable	es		
03. Liquid Pr	eparations		
04. Ointment	s / Creams / Gels		
05. Others (S	pecify)		
06. Surgicals	(Specify item nam	es)	
07. Sutures (S	Specify types)		
08. Implants			
09. Devices			
			Signature : Date : Name of the Lab : Office Seal :



ANNEXURE – IV (a)

Ref. Clause No: 3 (j) (a)

PERSONNEL IN QC DEPARTM ENT

Name of the Technical Staff approved by State Licensing Authority along with his Designation, Highest Qualification, Experience (Experience relevant to analysis of drugs/surgical/sutures)

Signature:
Date:
Nam e of the Lab
Office Seal :



ANNEXURE – IV (b) Ref. Clause No: 3(j) (b)

LIST OF SOPHISTICATED EQUIPMENT/INSTRUMENT/APPARATUS AVAILABLE IN THE LAB

S.No. Approv	Name of the Equipme wed	nt Make &		Date of	Date of
FF	Instruments / Apparatus	Description	Installation	last Validation	for testing of drugs from
State					Hom
licensii	ng				
Author	ity				
since					
				Signature :	
				Name of the	Lab:
				Date:	

Official Seal:



ANNEXURE – IV (C) Ref. Clause No: 3(j) (c)

FACILITIES IN THE MICROBIOLOGICAL SECTION

II.	LIST	OF	EQUIPME	NT /	APPARA	ATUS	AVA	AILABLE	WITH	DATI	E OF
	INSTA	LLA	TION, mak	e and	approval	from	State	Licensing	Authorit	y to t	ermi

I. LIST OF STOCK CULTURES AVAILABLE

microbiological testing in the Lab.

Signature :

Name of the Lab :

Date :

Official Seal:



ANNEXURE – IV (d) Ref. Clause No: 3(j) (d)

LISTOF REFERENCES SAMPLES ALONG WITH THEIR DATE OF PROCUREMETN AND QUANTITIES

Signature:
Name of the Lab:
Date:
Official Seal:



Affidavit

(on Non Judicial Stamp of Rs.500/-)

ANNEXURE – V Ref. Clause No: 3(k)

DECLARATION FORM

1.	I (Name of the Bidder) S/O, Age, resident of,	am						
	proprietor /Partner/Director having our of	fice						
	at and the approved drug testing laborate	tory						
	atdo hereby declare that I have caref	ully						
	read all the conditions of BID of Rajasthan Medical Services Corporation I	٨d.,						
	Jaipur, for the BIDs floated for empanelment of approved drugs test	ting						
	laboratories for analysis of drugs. (Rate contract for two years ending	on						
	31.03.2025) and shall abide by all the conditions set forth therein.							
2.	I further declare that I possess valid approval for testing of all	the						
	drugs/surgicals & sutures for which Price Bid have been submitted by me/u	s in						
	Cover B and permission on Form 37 have been obtained for testing of the	iese						
	items from State Licensing Authority where ever applicable.							
3.	That the approval to test drugs/surgical & sutures have been obtained on Fe	orm						
	37 bearing Nowhich is valid/renewed up to	_•						
4.	That the Bidder firm is a proprietorship/Partnership/Pvt. Ltd./ltd. firm	and						
	following are the other partners/directors:-							
S.	No. Name of Partner/Director Age Present & Permanent Address							
5.	That our laboratory/Firm/Company does not stand blacklisted /debarred	l or						
	banned on any ground either by Bid Inviting Authority or Govt. of Rajasthan							
	on the date of bid submission.							
	Our laboratory/Firm/Company also does not stand blacklisted, debarred or							
	banned on the ground of wrong reporting of test results or on the ground of							
	submission of fake or forged documents or false information / facts, by	any						
	State or Central Government or by its central drug procurement agencies,	, on						
	the date of bid submission for supply of drugs/medicines in India.							



That I/We have carefully read all the conditions of bid in Ref. No.: F.02(370)/RMSCL/ED (P) EMPANELMENT/DTL/NIB-02/2023/393 Dated :-30.01.2023

6. That we have testing facilities as per testing parameters mentioned in Annexure VII and quoted for products as given below:-

Sr No.	Quoted item Code No. (as per mention in Annexure-VII)
1.	For Example NRD-1
2.	
3.	

- 7. For the empanelment of analytical testing laboratories for the test and analysis of DRUGS (Rate contract for two years ending on 31.03.2025) for Rajasthan medical services corporation and accept all conditions of bid, including amendments if any.
- 8. I/ we hereby declare under Section 7 of Rajasthan Transparency in Public Procurement Act, 2012. that:
 - a. I/we possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entity;
 - b. I/we have fulfilled my/our obligation to pay such of the taxes payable to the Union and the State Government or any local authority as specified in the Bidding Document;
 - c. I/we are not insolvent, in receivership, bankrupt or being wound up. not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
 - d. I/we do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
 - e. I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;
- 9. Our complete address for communication with phone no.:-



10. E mail address :
11. Bank detail for e banking :-
Name of account holder
Full name of Bank with Branch
A/c no. with full digits
IFSC code
(Demonant)
(Deponent)
Signature:
Date:
Name of the Lab:
Office Seal :
<u>Verification</u>
I(Designation)
Affirm on oath that the contents/information from para 1 to 10 as mentioned above,
are true & correct to the best of my knowledge and nothing is hidden. I also declare
on oath, that if any information furnished by me as above is found wrong, false,
forged or fabricated; the Corporation will be at liberty to cancel the Bid and forfeiting
the Bid Security deposit and or performance security, for which I shall be solely
responsible and the laboratory / firm may be Debarred/Banned/ prosecuted for the
same
(Name of Deponent & Signature)

28

ATTESTED BY NOTARY PUBLIC





DETAILS OF LABORATORY

1.	Name of the Laboratory & Full Address	•	
	Phone No (landline)		:
	Fax		:
	E-mail		:
2.	Other Branches & their Address (if any)	:	
3.	Whether the firm has it own manufacturing unit?		:
	If yes give details of address, license number	etc.	
4.	Date of Inception	:	
5.	Approval No. & Date		:
6.	Issued by	:	
7.	Valid up to	:	
8.	Schedule L-1 certificate its no. and date of issue or	(GLP)	:
9.	(i) NABL Accreditation no. & date(ii) Scope of Accreditation(iii) Its validity.		
10.	Name of the authorized signatory	:	
11.	Specimen Signature of the authorized Signatory		:
12.	Names & Specimen Signatures of the Approved technical Staff who are authorized to sign the test reports		:



ANNEXURE –VII Ref: Clause no. 3 (a),7(1)

NOTE:-

- Bidders have to mention quoted item code in annexure V for which have testing facility as per testing parameters.
- Bidders are advised to carefully go through the testing parameters and in case of any suggestion for change in parameters it may be submitted at least one day in advance to pre-bid meeting. No suggestion for change in parameters would be entertained after pre-bid meeting.
- Test parameters to be carried out for analysis of each item are mentioned below:-

	below:-					
S.No	Drug Code	Item Name		Test parameters to be carried out		
1	NRD-53	Hydroquinone Cream USP 2%	1	Description		
		•	2	Identification A (by TLC)		
			3	Minimum Fill		
			4	Contents of Packaged Dosage Forms		
			5	Assay: (by UV)		
2	NRD-58	Neomycin Sulphate 0.5% Cream USP	1	Description		
		7 1	2	Identification A (by TLC)		
			3			
			4	Contents of Packaged Dosage Forms		
			5			
3	NRD-61	Desflurane USP 240 ml bottle	1	Description		
	THE OT	Desirarane est 210 nn bottle	2	Identification (by HPLC)		
			3			
			4			
				Nominal Volume		
			6			
			0	Inorganic Impurities (by AAS)		
				Inorganic Impurities (by HPLC)		
4	NIDD 04	Natarassia Outholasia Guarancian ID 50/	1	Description		
4	NRD-94	Natamycin Opthalmic Suspension IP 5%				
			2	Identification (by UV)		
			3			
			4			
			5	Contents of Packaged Dosage Forms		
			6			
~	NDD 100	C 1 11 10/ E D ID	7	Sterility		
5	NRD-100	Cyclopentolate 1% Eye Drop IP	1	Description		
			2	Identification (by IR)		
			3	рН		
			4	particle size		
			5	Extractable volume		
			6	Nominal Volume		
			7	Related substances (by TLC)		
			8	Contents of Packaged Dosage Forms		
			9	Assay: (by HPLC)		
			10	Sterility		
6	NRD-110	Nepafenac 0.1% Eye Drop	1	Description		
			2	Identification (by HPLC)		
			3			
			4	Extractable volume		
			5			
			6	Contents of Packaged Dosage Forms		
			7	Assay: (by HPLC)		
			8	Sterility		
7	NRD-114	Proparacaine Eye Drop 0.5% W/v	1	Description		
			2	Identification (by chemical)		
			3			
			4	Extractable volume		
			5	Nominal Volume		
			6	Uniformity of dosage units		



S.No	Drug Code	Item Name		Test parameters to be carried out
			7	Assay: (by HPLC)
			8	Sterility
8	NRD-115	Sodium Chloride Eye Drop BP 5 %	1	Description
			2	Identification A (by Chemical)
			3	Identification B (by Chemical)
			4	PH
			5	Nominal Volume
			6	Contents of Packaged Dosage Forms
			7	Assay (by Chemical)
			8	Sterility
9	NRD-127	Sodium Chloride 6% Eye Ointment USP	1	Description
		·	2	Identification A (by Chemical)
			3	Identification B (Chemical)
			4	Particulate matter
			5	foreign matter
			6	Container content
			7	Assay: (by Chemical)
			8	Sterility
10	NRD-155	Progesterone Injection BP 50	1	Description
10	(a)	1 togesterone injection B1 30	•	Bescription
	(4)		2	Identification (by IR)
			3	Related Susbstances (by HPLC)
			4	Uniformity of Weight
				Extractable volume
			5	
			6	Particulate matter
			7	Assay(by HPLC)
			8	Sterility
11	NRD- 155(b)	Progesterone Injection IP 50	1	Description
			2	Identification (by IR)
			3	Extractable volume
			4	Uniformity of content
			5	Particulate matter
			6	Assay(by HPLC)
			7	Sterility
12	NRD-163	Bortezomib Inj. IP 2.5	1	Description
		,	2	Identification (by HPLC)
			3	Extractable volume
			4	Uniformity of content
			5	Appearance of solution
			6	pH
			7	Related substances (by HPLC)
			8	Tertiary Butanol (by GC) if present
			9	Bacterial endotoxins
			10	Clarity of solution test a and b
			11	Particulate matter
			12	Assay: (by HPLC)
			13	Sterility
13	NRD-167	Cabazitaxel Inj.60 Mg	1	Description
13	1112 107	Cacazitator Inj.00 1115	2	Identification (by HPLC)
			3	Average net Content
			4	Uniformity of content
			5	Clarity of solution test a and b
			6	Particulate matter
			7	
			8	Assay: (by HPLC)
1.4	NDD 171	Hanata Dastasti - Tallice I III C - 1	8	Sterility As not STR of firms
14	NRD-171	Hepato Protective Tablet Each Film Coated		As per STP of firm
		Tablet to contain: Matadoxine 500mg,		
		Silymarin 140mg, L-Ornithine L-Aspartate		
		150mg, Pyridoxine Hydrochloride 3mg,		
		Folic Acid 1.5mg		
15	NRD-195	Clindamycin Inj. IP 600mg/4ml	1	Description
			2	Identification A (by TLC)



~	- ~ ·	Tax as		Len
S.No	Drug Code	Item Name		Test parameters to be carried out
ļ	1		3	Identification B (by HPLC)
	1		4	pH
			5	Related substances (by HPLC)
	ļ		6	Bacterial endotoxins
			7	Particulate matter
			8	Extractable volume
			9	carrier, or comment
			10	Assay: (by HPLC)
			11	Sterility
16	NRD-224	Enalaprilat Injection 1.25mg/ml USP	1	Description
			2	Identification (by HPLC)
			3	pH
			4	Average net Content
			5	Uniformity Of weight
			6	Osmolality and Osmolarity
			7	Clarity of solution test a and b
			8	Benzyl alcohol content (if present)(by
			0	HPLC)
			9	Related Substances (by HPLC)
			10	Particulate matter
	+		11	Bacterial endotoxins
	1		12	Assay: (by HPLC)
			_	
17	NDD 225	Enhadring Laineting DD 20 and Jack	13	,
17	NRD-225	Ephedrine Injection BP 30 mg/ml	1	Description (L. III)
			2	Identification A (by IR)
				Identification A (by HPLC)
			3	pH
			4	Related Substances (by HPLC)
			5	Average net content
			6	Extractable volume
			7	Particulate matter
			8	Bacterial endotoxins
			9	Uniformity of Weight
			10	Assay(by HPLC)
			11	Sterility
18	NRD-247	Telmisartan40mg +	1	Description
		Hydroclorothiazide12.5 mg, I.P. Each		
		Tablet contain Telmisartan40mg +		
		Hydroclorithiazide12.5 mg,		
			2	Identification (by HPLC)
				Telmisartan
				Hydroclorothiazide
			3	Related substances(by HPLC)
			4	Average net content
			5	Uniformity of Weight
	1		6	
				Telmisartan
				Hydroclorothiazide
			7	Uniformity of dosage units
			8	Assay: (by HPLC)
19	NRD-251	Haloperidol Inj. IP (Long Acting) 50mg/ml Ampoule	1	Description
	1	J 1	2	Identification A (by IR)
	1		3	Identification B (by UV)
	1		4	pH
			5	Related substances (by TLC)
			6	Bacterial endotoxins
	1		7	Uniformity of content
			8	Particulate matter
	1		9	Extractable volume
			10	Assay: (by UV)
20	NDD 255	Hydrologino In: ID 20/1	11	Sterility
20	NRD-255	Hydralazine Inj. IP 20mg/ml	1	Description A. (L. III)
			2	Identification A (by IR)



	1			
S.No	Drug Code	Item Name		Test parameters to be carried out
			3	Identification B
			4	pH
			5	Appearance of Solution
			6	hydrazine (by TLC)
			7	Extractable volume
			8	Uniformity of content
			9	Bacterial endotoxins
			10	Particulate matter
			11	Clarity of solution test a and b
			12	Assay: (by potentiometry)
			13	Sterility
21	NRD-267	Irinotecan Inj. IP 40mg/2ml	1	Description
21	NKD-207	minotecan mj. m 40mg/2mi	2	Identification A (by HPLC)
			3	Identification B
			4	рН
			5	Appearance of Solution
			6	Related substances (by HPLC)
			7	Bacterial endotoxins
			8	Particulate matter
			9	Extractable volume
			10	Assay: (by HPLC)
			11	Sterility
22	NRD-268	Irinotecan Inj. IP 100 mg/5ml	1	Description
	1112 200	i inotecui inj. ir 100 ing/2iii	2	Identification A (by HPLC)
			3	Identification B
			4	
				pH
			5	Appearance of Solution
			6	Related substances (by HPLC)
			7	Bacterial endotoxins
			8	Particulate matter
			9	Extractable volume
			10	Nominal Volume
			11	Assay: (by HPLC)
			12	Sterility
23	NRD-270	CombiKit of (Tab Fluconazole150mg +		As per STP of firm
		Azithromycin 1gm & Secnidazole1gm)		_
		Each kit contain 1Tab Fluconazole150mg +		
		1 tab.Azithromycin 1gm & 2		
		tab.Secnidazole1gm.		5
24	NRD-273	Levofloxacin Inj. IP 500mg/100 ml	1	Description
			2	Identification (by HPLC)
			3	pH
			4	Appearance of Solution
			5	Light Absorption (by UV)
			6	Related substances (by HPLC)
			7	Bacterial endotoxins
			8	Particulate matter
			9	Extractable volume
			10	Nominal Volume
			11	Assay: (by HPLC)
		+	12	Sterility
25	NDD 270	Lineary Describing HCL 2000/10 1		
25	NRD-279	Liposomal Doxorubicin HCL 20mg/10ml	1	Description
		Inj.		
			2	Identification (by HPLC)
			3	pH
			4	Average net Content
			5	Uniformity Of weight
			6	Extractable volume
			7	Particulate matter
			8	Bacterial endotoxins
			9	Pyrogens
			10	Vesicle Size (by laser diffraction/photon
			10	correlation spectroscopy)
		+	11	Lamellarity (by Freeze fracture
	1	1	11	Lamenanty (by Freeze fracture



G 3.7		T		
S.No	Drug Code	Item Name		Test parameters to be carried out
				microscopy)
			12	Assay: (by HPLC)
			13	Sterility
26	NRD-280	Liposomal Doxorubicin HCL 50mg/25ml Inj.	1	Description
			2	Identification (by HPLC)
			3	рН
			4	Average net Content
			5	Uniformity Of weight
			6	ctable Volume
			7	Particulate matter
			8	Bacterial endotoxins
			9	Pyrogens Pyrogens
			10	Vesicle Size (by laser diffraction/photon
				correlation spectroscopy)
			11	Lamellarity (by Freeze fracture microscopy)
			12	Assay: (by HPLC)
			13	Sterility Sterility
27	NRD-284	Enoxaparin Sodium Injection(Low	1	Description
21	NKD-204	Molecular Wt. Heparin) 40mg/ 0.4mg		
			2	Identification A (Chemical)
			3	Identification B (by UV)
			4	Identification C (Chemical)
			5	PH
			6	Benzyl Alcohol (If Present)
			7	Free Sulphate (Ion Chromatography)
			8	Bacterial endotoxins
			9	Extractable volume
			10	Particulate matter
			11	(Anti Factor Xa activity)
			12	(Anti Factor IIa activity)
			13	Anti factor Xa to Anti Factor Iia ratio
			14	Assay:(By UV)
			15	Sterility
28	NRD-285	Mephentermine 30mg/ml Inj. 10ml Vial IP	1	Description
	11RD 203	Wephenterinine 30mg/m/mg. 10m/ viai m	2	Identification A
				Identification B
				Identification C
			2	
			3	pH Particulate matter
			5	Extractable volume
			6	Nominal Volume
			7	Assay: (by Chemical)
20	NDD 207	Mana Ini 200 /21 /51	8	Sterility
29	NRD-287	Mesna Inj. 200 mg/2ml (Sod. Mercaptoethane Sulphate)	1	Description
			2	Identification (by HPLC)
			3	рН
			4	Average net Content
			5	Uniformity Of weight
			6	
			7	Particulate matter
			8	Bacterial endotoxins
			9	Assay: (by HPLC)
			10	Sterility
30	NRD-291	Methylprednisolon Acetate Inj. IP 40mg	1	Description
	1,12,271		2	Identification A (by IR)
			3	
			4	pH
			5	Particulate matter
			6	Extractable volume
			7	Nominal Volume
			8	
	L		ð	Assay: (by HPLC)



S.No	Drug Code	Item Name		Test parameters to be carried out
			9	Sterility
31	NRD-304	Nandrolone Decanoate Inj. IP 100mg	1	Description
			2	Identification (by TLC)
			3	Particulate matter
			5	Extractable volume Nominal Volume
-			6	Assay: (by HPLC)
			7	Sterility
32	NRD-305	Nandrolone Decanoate Inj. IP 50 mg	1	Description
32	11RD-303	Tvandroione Decanoate mj. n 50 mg	2	Identification (by TLC)
			3	Particulate matter
			4	Extractable volume
			5	Nominal Volume
			6	Assay: (by HPLC)
			7	Sterility
33	NRD-308	Netilmycin 300mg/3ml Inj. IP	1	Description
			2	Identification (by HPLC)
			3	pН
			4	Particulate matter
			5	Extractable volume
			6	Nominal Volume
			7	Bacterial endotoxins
			8	Assay: (by HPLC)
2.4	NIDD 211	N' 1' 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9	Sterility
34	NRD-311	Nimodipine Infusion BP 10mg/50 ml	1	Description (1.4 (1.4 (1.4 (1.4 (1.4 (1.4 (1.4 (1.4
			2	Identification A (by TLC)
			3 4	Identification B: by HPLC
			5	Related substances (by HPLC) Average net content
			6	Uniformity of weight
			7	Acidity and Alkanility
			8	Bacterial endotoxins
			9	Extractable volume
			10	Particulate matter
			11	Assay: by HPLC
			12	Sterility
35	NRD-357	Rocuronium Inj. IP 100mg/10ml	1	Description
			2	Identification (by HPLC)
			3	pН
			4	Related substances (by HPLC)
			5	Nominal Volume
			6	Extractable volume
			7 8	Particulate matter
			9	Assay: (by HPLC) Sterility
36	NRD-388	Dolutegravir 50mg Tab. IP Each film	1	Description
30	NKD-300	coated tablet contain Dolutegravir Sodium 50 mg		Bescription
			2	Identification (by HPLC)
			3	Average weight
			4	Related substances (by HPLC)
			5	Uniformity of weight
			6	Dissolution (by HPLC)
<u> </u>	1		7	Contents of Packaged Dosage Forms
27	NDD 400	I Omithing I Agnostate (150)	8	Assay: (by HPLC)
37	NRD-409	L-Ornithine L-Aspartate (150mg) + Pancreatin (100mg) Capsule / Tablet	4	As per STP of firm
38	NRD-457	Nevirapine 200mg. IP Each tablet contain	1	Description
		Nevirapine 200mg		Identification (b. III)
			3	Identification (by UV) Identification (by HPLC)
 			4	Average weight
<u> </u>			5	Related substances (by HPLC)
L	1			Tieraica bacbianico (Oj 111 LC)



C M-	D. C. I.	TA NI	1	Test managestons to be asserted and
S.No	Drug Code	Item Name		Test parameters to be carried out
			6	Uniformity of weight
			7	Dissolution (by UV)
			8	
	1777		9	Assay: (by HPLC)
39	NRD-470	Atazanavir300mg + Ritonavir100mg, IP Each tablet contain Atazanavir Sulphate 300mg+Ritonavir100mg	1	Description
			2	Identification (by HPLC)
				Atazanavir
				Ritonavir
			3	Average weight
			4	Related substances (by HPLC)
			5	Uniformity of weight
			6	Dissolution (by HPLC)
			7	Contents of Packaged Dosage Forms
			8	Assay: (by HPLC)
				Atazanavir
				Ritonavir
40	NRD-482	Cefixime Oral Suspension IP 50MG	1	Description
		•	2	Identification (by HPLC)
			3	pH
			4	Contents of Packaged Dosage Forms
			5	Water
			6	Assay: (by HPLC)
			7	Stability of Suspension (by HPLC)
			8	Identification of colour
			9	Microbial Examination
				Total aerobic count
				Total fungal count
				E. coli
41	NRD-483	Cefixime Oral Suspension IP 100MG	1	Description
71	11KD-403	Centaine Oral Suspension in Toolvio	2	Identification (by HPLC)
			3	pH
			4	Contents of Packaged Dosage Forms
			5	Water
			6	Stability of Suspension (by HPLC)
			7	
			8	Assay: (by HPLC) Identification of colour
			9	Microbial Examination
			9	Total aerobic count
				Total fungal count
12	NDD 404	Cofee to incompare different in ID	1	E. coli
42	NRD-484	Cefpodoxime Proxetil Oral suspension IP 50MG	1	Description
			2	Identification (by HPLC)
			3	Water
			4	pH
			5	Contents of Packaged Dosage Forms
			6 7	Assay (by HPLC)
				Stability of Suspension (by HPLC) Identification of colour
			8	
			9	Microbial Examination
				Total aerobic count
1				Total fungal count
		T .	1	E. coli
- 10	NDP 407	0.6 1 1 5 3 5 5 5		Б:
43	NRD-485	Cefpodoxime Proxetil Oral suspension IP 100MG	1	Description
43	NRD-485		2	Identification (by HPLC)
43	NRD-485		2 3	Identification (by HPLC) Water
43	NRD-485		2 3 4	Identification (by HPLC) Water pH
43	NRD-485		2 3 4 5	Identification (by HPLC) Water pH Contents of Packaged Dosage Forms
43	NRD-485		2 3 4 5 6	Identification (by HPLC) Water pH Contents of Packaged Dosage Forms Stability of Suspension (by HPLC)
43	NRD-485		2 3 4 5	Identification (by HPLC) Water pH Contents of Packaged Dosage Forms



	T	т	ı	
S.No	Drug Code	Item Name		Test parameters to be carried out
			9	Microbial Examination
				Total aerobic count
				Total fungal count
				E. coli
44	NRD-673	Megestrol Acetate Tab. IP 160 mg	1	Description
			2	Identification (by IR)
				Identification (by HPLC)
			3	Average weight
			4	Uniformity of Weight
			6	() /
			7	
			8	Assay: (by HPLC)
45	NRD-825	Abacavir 300mg IP Each tablet contain Abacavir 300mg	1	Description
			2	Identification (by HPLC)
			3	Average weight
			4	
			5	
			6	
			7	Dissolution (by HPLC)
			8	Contents of Packaged Dosage Forms
	 	+	9	Assay: (by HPLC)
46	NRD-826	Lamiyudina 100mg ID Faab, tablat aantain	1	Description
40	NKD-820	Lamivudine 100mg IP Each tablet contain Lamivudine 100 mg	1	-
			2	Identification (by UV)
			3	Identification (by HPLC)
			4	Average weight
			5	Related substances (by HPLC)
			6	Uniformity of weight
			7	Dissolution (by UV)
			8	Contents of Packaged Dosage Forms
			9	Assay: (by HPLC)
47	NRD-828	Zideovudine 60mg+ Lamivudine 30mg, Each tablet contain Zideovudine 60mg+ Lamivudine 30mg	1	Description
			2	Identification (by HPLC)
				Zideovudine
				Lamivudine
			3	
			4	Dissolution (by HPLC)
				Zideovudine
	†	<u> </u>		Lamivudine
	 	+	5	Uniformity of Weight
	1	+	6	
	†	+	7	Assay (by HPLC)
	†		· '	Zideovudine
	 			Lamivudine
48	NRD-886	Triamcinolone oromucosal paste BP 0.1% w/w	1	Description
	 	<u> </u>	2	Identification (by TLC)
	†	+		Identification (by HPLC)
	 	+	3	Average Weight
	 	+	4	Related substances (by HPLC)
	 	-	5	
	 			
40	NDD 004	Entered in Law Const / Eil 1991	6	Assay (by HPLC)
49	NRD-894	Entecavir 1mg Cap. / Film coated Tab.	1	Description (L. MDL G)
		_	2	Identification (by HPLC)
		_	3	Average Weight
			4	Dissolution (by HPLC)
	ļ		5	Uniformity of Weight
	<u> </u>		6	Related substances (by HPLC)
			7 8	Contents of Packaged Dosage Forms Uniformity of content (by HPLC)



S.No	Drug Code	Item Name		Test parameters to be carried out
50	172	ENOXAPARIN SODIUM INJ. IP 60MG	1	Description
			2	Identification A (Chemical)
			3	Identification B (by UV)
			4	Identification C (Chemical)
			5	PH
			6	Benzyl Alcohol (If Present)
			7	Free Sulphate (Ion Chromatography)
			8	Bacterial endotoxins
			9	Extractable volume
			10	Particulate matter
			11	(Anti Factor Xa activity)
			12	(Anti Factor IIa activity)
			13	Anti factor Xa to Anti Factor Iia ratio
			14 15	Assay:(By UV) Sterility
51	244	Compound Ponzoin	13	Description
31	244	Compound Benzoin Tincture IP	1	Description
		Tincture IP	2	Identification A (less TI C)
			2	Identification A (by TLC) Identification B (by TLC)
				Identification C (by TLC)
				Identification D (by TLC)
			3	Weight per ml
			4	
			5	
			6	Assay: (by Chemical)
52	771	Chloramphenicol 1% w/w Eye ointment IP,	1	Description
32	//1	3gm Size	1	Description
		Jgill Size	2	Identification A (by IR)
			3	Identification B (Chemical)
			4	
			5	Particle size
			6	
			7	Assay: (by HPLC)
			8	Sterility
53	784	Tab Sodium Bicarbonate USP 1 gm (Each Film Coated Tablet contains Sodium	1	Description
		Bicarbonate USP 1 gm)	2	Identification A
				Identification B
			3	Average weight
			4	
			5	
			6	Assay:
54	NE35	Glucose Powder (Dextrose Monohydrate)	1	Description
J.	7.250	Energy 300 Kcal Carbohydrate 75 gm Of which sugar (Sucrose) 0.00gm Fat and all type of fatty acids 0.00gm Protein: 0.00gm [NE35]		
			2	Identification A
				Identification B
			3	Appearance and odour of Solution
		-	4	Acidity and Alkanility
		-	5	Uniformity of weight
			6	Optical Rotation
			7	Arsenic
			8	Heavy metals Chloride
			10	
			10	Sulphates Sulphites
			12	Barium
			13	Foregin sugar, Soluble Starch and Dextrin
			13	Sulphated Ash
	1	+	15	Water
			13	11 atc1



S.No	Drug Code	Item Name		Test parameters to be carried out
55	NE36	Deferasirox Tablet 90 mg (Film Coated)	1	Description
	1.250	IP		
			2	Identification (by HPLC)
			3	Average weight
			4	
			5	
			6	() /
			7	Uniformity of dispersion
			8	Dissolution (by HPLC)
5.0	NECZ	D. C	9	Assay: (by HPLC)
56	NE37	Deferasirox Tablet 180 mg (Film Coated) IP	1	Description
			2	Identification (by HPLC)
			3	Average weight
			5	
			6	
			7	Uniformity of dispersion
			8	
			9	Assay: (by HPLC)
57	NE60	Chlorthalidone 12.5mg Tablet IP [NE60]	1	Description
37	TILOU	emortiandone 12.5mg rablet ir [14200]	2	Identification A (by IR)
	1			Identification B (by UV)
				Identification C
			3	Average weight
			4	
			5	Contents of Packaged Dosage Forms
			6	
			7	Dissolution (by UV)
			8	Assay: (by UV) As per STP of firm
		A. Peritoneal Dialysis Fluid (CAPD) 1.5%, Each 100ml contains Dextrose Hydrous USP - 1.5g Glucose anhydrous - 1.36% W/V Sodium Chloride USP - 538 mg Sodium Lactate - 448 mg Clacium Chloride USP - 25.7 mg Magnesium Chloride USP - 5.08 mg mE g/L Sodium 132 Calcium 3.5 Magnesium 0.5 Chloride 96 Lactate 40 Sterile Non- pyrogenic With accessories (a) PD transfer set/Catheter extension (b) Minicap/Disinfection caps (C) Drain Bag/Drainage set (D) Titanium adopter/catheter adopter leur lock with closure cap B. Peritoneal Dialysis Fluid (CAPD) 2.3% or 2.5% Each 100ml contains Dextrose Hydrous USP - 2.5g Glucose anhydrous - 2.27% W/V Sodium Chloride USP - 538 mg Sodium Lactate - 448 mg Clacium Chloride USP - 5.08 mg Magnesium Chloride USP - 5.08 mg mE g/L Sodium 132 Calcium 3.5 Magnesium 0.5 Chloride 96 Lactate 40 Sterile Non- pyrogenic With accessories (a) PD transfer set/Catheter extension		



S.No	Drug Code	Item Name		Test parameters to be carried out
		(C) Drain Bag/Drainage set		
		(D) Titanium adopter/catheter adopter leur		
		lock with closure cap		
59	NE74	Morphine Sulphate 30 mg SR Tab	1	Description
			2	Identification A
				Identification B
				Identification C
			3	Average weight
			4	Uniformity of weight
			5	Contents of Packaged Dosage Forms
			6	Related Substances (by TLC)
			7	Dissolution (by HPLC)
			8	Assay:

Note:- Tablet /Capsules/Solution/Suspension/Syrup are different dosage forms and Testing Parameters may vary as per their Dosage form.



ANNEXURE -VIII Ref: Clause no. 3 (p)

To fill up the remark column of the enclosed Performa to access the existing facilities of your laboratories

A - General requirements and premises

S.N.	Details of the requirement	Remark
1	For Laboratory management a qualified individual known as quality manager	
	or technical manager is appointment.	
2	The Laboratory is designed, contracted and maintained to prevent entry of	
	insects and rodents besides cross contaminations;	
3	Interior surface (wall, floor, and ceilings) are smooth and free from cracks,	
	and permit easy cleaning and disinfection;	
4	Adequate provision for space and equipment for carrying out necessary test is	
	provided & also unities like water, power and gas;	
5	Air ventilations system is provide to ensure dust free environments	
6	The laboratories provided with adequate lighting and ventilation, air	
	conditioning to maintain satisfactory temperature and relative humidity	
7	The faculties of drainage system and to prevent water logging in the	
	laboratory	
8	Tables tops is made of with acid, alkali and solvent resistant material	
9	Adequate space with proper storage conditions in the laboratory shall be	
	provided for keeping Reference and working standards	
10	The air circulation is maintained in the area where sterility test is carried out	
	as per Schedule M.	

B- Personal & Equipment

S.N.	Details of the requirement	Remark
1	Staff in the laboratory shall possess necessary qualification, proper training	
	and shall have Adequate, experience for the assigned duties.	
2	A training record of all the personal shall be maintained.	
3	Head of the laboratory must be high professional standing with experience in	
	drug analysis and laboratories management	
4	The analytical instrument shall be housed in the dust-free environment and	
	with controlled conditions of temperature and humidity	
5	A progress register for non functional equipments and action for procurement	
	of spares and accessories, monitoring there of, shall be maintained	
6	A standard operating procedure for preventive maintenance of machine or	
	equipment or apparatus shall be prepared by the laboratory	
7	Equipments such as burette, pipettes, volumetric flasks, weight boxes,	
	thermometers etc. shall be thoroughly checked for accuracy for calibration	
	before acceptance of use	
8	Equipments, instruments giving anomalous results or defective must be	
	labeled as out of order	
9	Autoclaves must meet the requirements described for operations, safety and	
	validation procedures	
10	Work involving the evolution of harmful and obnoxious vapors shall be	
	carried out in a fume cupboard	



Chemicals and Reagents, Good housekeeping and safety

S.N.	Details of the requirement	Remark
1	All reagents and solutions in the laboratory shall be property identified with a	
	label.	
2	A standardization register shall be maintained, with its raw date and SOP for	
	preparation and standardization on stock solutions, standard solutions and	
	volumetric solutions.	
3	Containers of stock solutions and of standard solutions shall bear the details.	
4	The storage and handling of chemicals and reagents shall be done in a manner	
	considering the physicochemical properties substances and the hazard	
	involved in their use.	
5	General and specific written down instructions for safety shall be circulated to	
	each staff member.	
6	SOP for safety, house-keeping and loss prevention.	
7	Drinking, eating and smoking shall not be permitted in the laboratories.	
8	Staff must wear laboratory coats or other protective clothing including gloves	
	and face masks and eye protection wherever required	
9	The laboratories shall have adequate firs aid kit and fire fighting equipments.	
10	Operators carrying out sterility tests shall wear sterilized garments including	
	headgear, face masks and shoes.	
11	The staff must be educated in the first aid techniques, emergency care and use	
	of antidotes.	
12	Safety rules in handling cylinders of compressed gases must be observed and	
	staff must be familiar with relevant colors identification codes;	
13	Protective Precautions -	
	1- water showered	
	2- Rubber suction bulbs must be used on manual and siphons;	
	3- Warnings, precautions and written Instructions violent, uncontrollable or	
	reactions.	
	4- Appropriate facilities for the collection, storage and disposal of wasters.	
	5- Safe disposal of corrosive or dangerous products by neutralization or	
	deactivation.	
	6- Safety precautions to be adopted while handling potassium cyanide and	
	bromide;	
	7- SOP for handing, collection, disposal of chemical and biological wastes.	

<u>Maintenance, calibration, and validation of equipment & Reference</u> <u>materials : Microbiological Cultures :</u>

	Details of the requirement	Remark
S.N.		
1	All equipments, instruments and other devices used in the laboratory shall use	
	appropriate methods and procedures for all tests or calibrations and they shall	
	be regularly Calibrated and validated.	
2	For most of the equipments and instruments, SOP for calibration and	
	calibration schedule be the laboratory and a logbook shall also be prepared	
	by each laboratory for proper documentation of calibrations results.	



3	Reference material shall be traceable to agency authorized by Government of	
	India or any other International body.	
4	The laboratory shall prepare working standard by comparing with the	
	reference standards and shall be routinely checked for their purity.	
5	Whenever, any new reference material is received by the laboratory following	
	details are to be written -	
	a- Source of supply;	
	b- Code number of the reference material;	
	c- Date of receipt;	
	d- Batch number or identification number of the supplying agency;	
	e- Details like assay value, water content or information provided;	
	f- Storage condition of the material;	
	g- Date of expiry, if any and date of manufacturing if possible.	
6	SOP for maintenance of microbial culture and sub-culture must be prepared	
	by the laboratories;	

Quality system: & internal quality audits, management review:

Qua	uanty system: & internal quanty addits, management review:			
S.N.	Details of the requirement	Remark		
1	The measurements and calibrations shall fully conform to the compendia			
	requirements and the method demonstrably based on validation protocols are			
	followed.			
2	Remedial action o the observations by internal and external audits are taken			
	appropriately			
3	Documented quality policy for the organization.			
4	Internal audits are done to assure the integrity of the analysis ad such audits			
	shall be conducted periodically			
5	Each activity is audited at least once in a year.			
6	The quality manager shall maintain all the records of the analysis being			
	conducted which includes test system, the type of analysis, date on which			
	analysis is done			
7	Review yearly			
	1- Report or input			
	2- Matter arising from previous reviews;			
	3- Report of external audits, if any;			
	4- Surveillance report, if any;			
	5- Result of proficiency testing;			
	6- Complaints or feedback received from users			
	7- Details of in-house quality control checks;			
	8- Need of amendment of the quality system and documentation;			
	9- Introduction training of new staff.			

Standard operating Procedures

S.N.	Details of the requirement	Remark
1	Shall be written in a chronological order listing different steps leading to an	
	analysis of drugs or calibration of an instruments;	
2	Shall have SOP manuals and have periodic Review.	
3	Standard Operation Procedures for the followings are required	
	(i) Sample handling and accountability;	
	(ii) Receipt identification, storage, mixing and method sampling of the test	



S.N.	Details of the requirement	Remark
	and control articles;	
	(iii) Record keeping, reporting, storage and retrieval of data;	
	(iv) Coding of different studies, handling of data including use of	
	computerized data system :	
	(v) Operation of technical audit personnel in performing and reporting audits,	
	inspections and final report reviews;	
	(vi) Routing inspection of cleaning maintenance, testing, calibration and	
	standardization of instruments;	
	(vii) Action to be taken in respect of equipment failure;	
	(viii) Analytical data methods	
	(ix) Health and safety protection;	
	(x) Date handling and storage retrieval;	
	(xi) Health and safety protection;	
	(xii) Animal room preparations;	
	(xiii) Animal care;	
	(xiv) Storage and maintenance of microbial cultures;	
	(xv) Maintenance of sterility room (i.e. constant maintenance and monitoring	
	of Aseptic condition room);	
	(xvi) Use and storage of reference standards;	
	(xvii) Procurement of stores and equipment;	
	(xviii) Monitoring of testing of samples;	
	(xix) Method of retention of unexpended samples, their location, maintenance	
	and disposal;	
	(xx) Document control;	
	(xxi) Redressal of technical complaints;	
	(xxii) House- keeping	
	(xxiii) Corrective and preventive action;	
	(xxv) Calibration manual.	
	(xxvi) Training manual.	
4	Protocols and specification archive :-	
	List of all the pharmacopeias a file on patent and proprietary medicines (non-	
	Pharmacopeia) test methods to specification prepared and validated by the	
	manufacturer. The test methods shall be submitted to the concerned Drug	
	Control Authority.	
5	Raw data -	
	Date integrity and security shall be maintained Original entry must be saved	
	and the system shall trail for all data.	
6	Storage and archival;	
	The residual sample shall be retained in proper storage condition for a period	
	of one year after the final report.	
7	The laboratory must establish and maintain procedures for the identification	
	collection, indexing, retrieval, storage, maintenance, and Disposal of all	
	quality documents.	
8	All the raw date, documentation, SOP, protocols and final reports are the be	
	retained and there shall be archives of orderly storage and expeditious	
	retrieval of all raw data, documentation, protocols, interim and final report.	
9	The condition under which the original documents are stored must ensure	



S.N.	Details of the requirement	Remark
	their security and confidentiality.	
10	Raw data on thermal paper might fad away with time; therefore, a photocopy	
	of the thermal paper shall be retained in the archive.	

Above mentioned information correct as per our record and if found incorrect, RMSC may take action against our firm and reject our bid.

Signature:

Name of the Lab:

Date:

Official Seal:



is to say.

ANNEXURE –IX Ref: Clause no. 9 (2)

AGREEMENT

This of	Dee	d c	of A	greeme		made 2023				day represented by its
	ietor/	Man	aging	partne	r /Ma	naging	Direc	tor ł	naving	its laboratory Premises at rred to as "Service provider" which
					s, repres	sentative	s, heirs	s, exec	cutors	and administrators unless excluded orporation Ltd, represented by its
Execu (herei	ıtive I nafter	Direct referi	or (P)	having as "The	g is of Purcha	fice at ser" wh	Swastlich ter	hya E m sha	Bhawan Il inclu	Tilak Marg, C-Scheme, Jaipur de its successors, representatives, on the other part.
Whereas the Service provider has agreed to test the Drugs and Medicines for RMSC with specifications mentioned in the Schedule attached here to and mentioned at the prices noted there										
	in a	and in	the ma	anner ar	nd unde	r the tern	ns and	condi	tions he	ere in after mentioned and where as
the Rs	Serv	ice	prov	ider	has	deposit	ed	with	the	Purchaser a sum of (Rupees only) as Performance
Secur the Se	ervice	provi	der fai	iling du	ly and	faithfull	y to p	erforn	ı it. No	ment, to be forfeited in the event of ow these presents witness that for these that for carrying out the said
Agree	ment	in thi	s behal	lf into e	executio	n the Se	ervice 1	provid	er and	the Purchaser do hereby mutually them in the manner following, that

The term "Agreement", wherever used in this connection, shall mean and include the terms and conditions including amendments contained in the invitation to tender floated for the Empanelment of Analytical Testing Laboratories for the test and Analysis of Drugs for Rajasthan Medical Services Corporation Ltd F.02(370)/RMSCL/ED (P) EMPANELMENT/DTL/NIB-02/2023/393 Dated :-30.01.2023 the instruction to Bidders, the conditions of Bid, acceptance of Bid, particulars hereinafter defined and those general and special conditions that may be added from time to time.

- 1. (a) The Agreement is for the test by the Service provider to the Purchaser of the testing of Drug and Medicines specified in the Schedule attached here to at process noted against each therein on the terms and conditions set forth in the Agreement.
 - (b) The Agreement with empanelled laboratories will remain valid up to 31.03.2025. This may be further extended for a further period of three months with mutual consent.

TERMINATION OF CONTRACT ON BREACH OF CONDITION

- (a) In case the Service provider fails or neglects or refuse to faithfully perform any of the Covenants on his part herein contained, it shall be lawful for the Purchaser to forfeit the amount deposited by the Service provider as Performance Security and cancel the Contract.
 - (b) In case the Service provider fails, neglects, or refuse to observe, perform, fulfill and keep, all or any one or more or any part of any one of the Covenants, stipulation and provisions herein contained, it shall be lawful for the Purchaser on any such failure, neglect or refusal, to put an end to this Agreement and thereupon every article, cause and thing herein contained on the part of the Purchaser shall cease and be void, and in case of any damage, loss, expenses, difference in cost or other moneys from out of any moneys for the time being payable to the Service provider under this and/or any other Contract and in case such last mentioned moneys are insufficient to cover all such damages, losses, expenses, difference in cost and other moneys as aforesaid, it shall be lawful for the Purchaser to appropriate the Performance Security made by the Service provider as herein before mentioned to reimburse all such damages, losses, expenses, difference in cost and other money as the Purchaser shall have sustained, incurred or been put to by reason of the Service provider having been guilty of any such failure, negligence or refusal as aforesaid or other breach in the performance of this Contract.



- (c) If at any time during the course of the Contract, it is found that any information furnished by the Service provider to the Purchaser, either in his Tender or otherwise, is false, the Purchaser may put an end to the Contract/Agreement wholly or in part and thereupon the provisions of Clause (a) above shall apply.
- 2. The Purchaser reserves the right to terminate without assigning any reasons therefore the Contract/Agreement either wholly or in part without any notice to the Service provider. The Service provider will not be entitled for any compensation whatsoever in respect of such termination of the Contract/Agreement by the Purchaser.

NOTICE ETC, IN WRITING

3. All Certificates or Notice or orders for time or for extra, varied or altered supplies which are to be the subject of extra or varied charges whether so described in the Agreement or not, shall be in writing, and unless in writing, shall not be valid, binding or be of any effect whatsoever.

SERVICE PROVIDER NOT HAVE ANY INTEREST IN THE OFFICERS CONCERNED AND SUBORDINATES

4. The Service provider shall not be in any way interested in or concerned directly or indirectly with, any of the Officers, Subordinate or Servants of the Purchaser. In any trade, business or transactions nor shall the Service provider give or pay or promise to give or pay any such Officer, Subordinate or Servant directly or indirectly any money or fee or other consideration under designation of "Custom" or otherwise; nor shall the Service provider permit any person or persons whomsoever to interfere in the management or performance hereof under power of attorney or otherwise without the consent in writing the consent in writing of the Purchaser obtained in first hand.

BANKRUPTCY OF THE SERVICE PROVIDER

5. In case the Service provider at any time during the continuance of the Contract becomes bankrupt or insolvent or commits any act of bankruptcy or insolvency under the provisions of any law in that behalf for the time being in force, or should compound with his creditors, it shall be lawful for the Purchaser to put an end to the Agreement, and thereupon every article, clause and thing herein contained to be operative on the part of the Purchaser, shall cease and be void and the Purchaser shall have all the rights and remedies given to him under the preceding clauses.

SERVING OF NOTICE ON SERVICE PROVIDER

- 6. All notice or communication relating to or arising out of this Agreement or any of the terms thereof shall be considered duly served on or given to the Service provider if delivered to him or left at his premises, place of business or abode.
- 7. And it is hereby agreed and declared between the parties hereto that in case any question of dispute arises touching the construction or wording of any of clause herein contained on the rights, duties, liabilities of the parties hereto or any other way, touching or arising out of the presents, the decision of the Managing Director, Rajasthan Medical Services Corporation Ltd in the matter shall be final and binding.
- 8. All disputes arising out of this agreement and all questions relating to the interpretation of this agreement shall be decide by the Govt. and the decision of the Govt. shall be final.

SERVICER PROVIDER (Signature, Name & Full Address)

Executive Director (Procurement), RAJASTHAN MEDICALSERVICES CORPORATION LTD.

Witness (Signature, Name & Full Address)

1.

2.