

SPECIFICATION OF PLASTIC BINS 15 LITRE (RED, BLACK, YELLOW, BLUE, GREEN)

MATERIAL:

Plastic Bins HDPE bins made from virgin polymer material, thickness of bin shall be minimum 2.5 mm (+/- 0.2 mm) with foot operated lid and handles for lifting, also refer IS 3730 : 1988 for details; Lid mechanism shall be of SS material only
CLASS & SIZES: SMALL (15 Lt.)

DIMENSIONS:

HDPE bucket of Circular Top of about 285mm (+/- 10mm) without collar & circular Bottom of about 230mm (+/- 10mm), Height 290mm (+/-10mm), with suitably designed foot operated lid and proper handles for lifting the bin. SS pipe/ wire rod used for cage, handle and for operation of lid shall not be less than 4mm dia SS rod. SS Square (hollow pipe) 2 Nos. of 20x20 mm shall be provided at the bottom for steady placement of the bin.

SS pipe / wire rod shall be not less than 4 mm dia.

WORKMANSHIP & FINISH:

As per IS 3730 : 1988 for HDPE bin

SS parts shall be smooth finished, proper rubber studs shall be provided on the paddle and both ends of 20mm SS square hollow pipe

REQUIREMENTS: Lid of the Bin shall be foot operated and SS bottom rod of foot operated mechanism shall be minimum 8 mm. It shall close to secure infected contents immediately upon releasing pressure. Other requirements as per IS 3730 : 1988

Bin shall be preprinted as per requirements of Bio Medical Waste Management Rules - 1998 (amended till date)

Material used shall preferably match all requirements under relevant IS code

Ready to use

Produced by an ISO 9001-2000 Certified Unit

MARKING:

Each Bin shall be Marked "NHM" Govt. of Rajasthan"

Properly labelled Bin to indicate Product Name, Produced by, Address

Date of Manufacturing, Size

Batch Number

Sanjiv


cy

Also refer IS 3730 : 1988

PACKING & PACKAGING:

Each Bin shall be packed in poly film / bag to reach destination securely

Also refer IS 3730 : 1988



Executive Director (EPM)
Rajasthan Medical Services Corporation Ltd.,
Jaipur

