

Rajasthan Medical Services Corporation Limited, Jaipur

Gandhi Block, Swasthya Bhawan, Tilak Marg, C-Scheme, Jaipur - 302005

Ph. No. 0141-2223887, Fax : 0141-2228065
CIN:U24232RJ2011SGC035067

E-mail : edepmrm-sc-ri@nic.in
Website: www.rm-sc.health.rajasthan.gov.in

No. F-8(206)RMSC/EPM/M-3/16-17/NIB-176/

3509

Date: 22-6-17

Order For Rate Change In Rate Contract Due To GST Provision

S.N.	Item	Detail
1.	Name of Equipment / Item	Bedside Locker
2.	Name & Address of Firm	M/s A.K. Surgical, 25/11, 1st Floor, kaveri Path, New Sauganer Road, Mansarovar, Jaipur-302 020. Email:-aksurgicals@yahoo.co.in
3.	Brand/ Model / Make	AKS3023ND
4.	Packing Unit	Each
5.	R/C No. & Validity	R.C. No. 349 (Valid up to 31.12.18)
6.	Net Rate Per packing Unit (Rs.)	Rs. 1923.00
7.	Taxes Concessional CST @ 0%/VAT (Rs.)	Rs. 0.00
8.	RMSC Surcharges @ 5%	Rs. 96.15
9.	Total Price (Rs.)	Rs. 2019.15
10.	Basic New Rate (HSN Code 9402)	
	(i) Existing Approved Net Rate in Rate Contract (In Rs.)	1923.00
	(ii) Less Excise Duty (In Rs.)	0.00
	(iii) Less any other amount intimated by the firm (In Rs.)	0.00
	(iv) New Basic Rate {(i)-(ii)-(iii)} (In Rs.)	1923.00
11.	Revised Rates for Supply to RMSC from Suppliers	
	(i) New Basic Rate (In Rs.)	1923.00
	(ii) IGST (In Rs.)	0.00
	(iii) CGST @9% (In Rs.)	173.07
	(iv) SGST @9% (In Rs.)	173.07
	(v) Approved Rate For Supplier To RMSC {(i)+(ii)+(iii)+(iv)} (In Rs.)	2269.14



Revised Rate For Supply to Consignee From RMSC

12.		
(i)	New Basic Rate (In Rs.)	1923.00
(ii)	RMSC Surcharge @ 5 % On (i) (In Rs.)	96.15
(iii)	CGST@ 9 % { On (i)+(ii) } (In Rs.)	181.72
(iv)	SGST@ 9 % { On (i)+(ii) } (In Rs.)	181.72
(v)	Approved Rate For Consignee from RMSC {(i)+(ii)+(iii)+(iv)} (In Rs.)	2382.59

Executive Director (EPM)
RMSC, Jaipur

3505

Date: 22-8-17

No. F-8(206)RMSC/EPM/M-3/16-17/NIB-176/

Copy forwarded to the following for information & necessary action:

1. P.S. to Mission Director NHM Jaipur.
2. Director, (PI)/(Aids)/(FW)/(RCH)/(IEC)/(ESI).
3. Principal, Medical College, Ajmer, Bikaner, Jaipur, Jodhpur, Kota, Jhalawar & Udaipur.
4. Superintendent Japuriya Hospital Jaipur (Associated with RUHS College of Medical Sciences, Jaipur).
5. Director, Medical & Health Services (ESI), Mobile Surgical Unit, Raj. Jaipur.
6. All P.M.O.'s.
7. All CM&HO's.
8. Executive Director (Logistics/Finance)
9. AGM (IT), RMSC, Jaipur
10. All DPC's DDW Rajasthan.
11. M/s A.K. Surgical, 25/11, 1st Floor, kaveri Path, New Sanganer Road, Mansarovar, Jaipur-302 020.
12. Guard file.

Executive Director (EPM)
RMSC, Jaipur

Technical Specifications of Bedside Locker

1. Overall Dimension:

Length : 400 mm (+/- 5 mm variation)

Width : 400 mm (+/- 5 mm variation)

Height : 805 mm (+/- 5 mm variation)

(Diagram enclosed)

- 2. Construction:** - The outside diameter of the legs of the locker should be 25 x 25 x 1.20 mm Sq. tube and 1.22 mm thick. Height of the legs from the bottom should be at least 150mm.
- 3.** The cabinet body, shelf and legs should be made from CRC steel sheet in 1.0 mm thick.
- 4.** The Top should be made from 1.2 mm thick Stainless steel sheet and it should have back and side bent upward for acting as a guard sheet (height of the sheet shall be 75mm).

5. Cabinet: -

Dimension: Height - 580mm

Width - 400mm

Depth - 400mm

Tolerance - ± 5mm

Cabinet having two boxes of same sizes (properly welded partition).

- 6. Door:** - Single door, door of the cabinet should be made from CRC Sheet of 1.25 mm thick press bent to required size. Door of the cabinet is offered with 6 ventilation louvers to provide air vents. The door should be press bend in such manner on top of door to facilitate opening/closing.
- 7.** Door is pivoted to the cabinet with help of Stainless steel rod.
- 8.** Pivoted Rod acting as a hinges and allow the door to swing.
- 9.** Shoe made from hard rubber. Nominal height of the shoe should be 30 mm.
- 10. Finishing:** - All Steel sheet components shall be made from CRCA sheet and have to be treated for the removal of free rust on the surface.
- 11.** Pre-treated and epoxy powder coated should be not less than 50 micron.
- 12. Guaranty:** Guaranty of one year against any manufacturing defect from the date of supply / installation.
- 13.** Manufacturer should have ISO 14001 or OHSAS 18001 or BIFMA Certifications (Valid documentation should be submitted in technical bid).
- 14.** Demonstration of item is must for technical approval.