

Rajasthan Medical Services Corporation Limited, Jaipur

Gandhi Block, Swasthya Bhawan, Tilak Marg, C-Scheme, Jaipur - 302005

Ph. No. 0141-2223887, Fax : 0141-2228065

E-mail : edepmrmisc-ri@nic.in

CIN: U24232RJ2011SGC035067

Website: www.rmssc.health.rjasthan.gov.in

No. F-8 (27) RMSC/EPM/M-5/2016-17/NIB-177/5012


Dated: 9/10/17

Order for Rate Changes In Rate Contract Due To GST Provision

S. No.	Item	Detail
1.	Name of Equipment / Item	Bone Cutting, Drilling & Reaming System
2.	Name & Address of Firm	M/s Manman Mfg.Co.Pvt.Ltd., 1157, Sadashiv Peth, Pune-411030 Email: info@manmanindia.com, radhika@manmanindia.com
3.	Brand/ Model / Make	Manman
4.	Packing Unit	One
5.	R/C No. & Validity	R.C. No- 379 & Valid upto 30.04.2019)
6.	Net Rate Per packing Unit (Rs.)	Rs. 1,05,000.00 (In words Rs. One Lakh Five Thousand Only)
7.	Concessional CST @2%	Rs. 2,100.00
8.	RMSC Surcharge @5%	Rs. 5,355.00
9.	Total Approved Rate Including Concessional ; CST And RMSC Surcharge	Rs. 1,12,455.00
10.	Basic New Rate (HSN Code 90189021)	
	(i) Existing Approved Net Rate in Rate Contract (In Rs.)	105000.00
	(ii) Less : Excise Duty (In Rs.)	0.00
	(iii) Less: Input Tax amount intimated by the firm 4% (In Rs.)	0.00
	(iv) New Basic Rate {(i)-(ii)-(iii)} (In Rs.)	105000.00


Revised Rates for Supply to RMSC from Suppliers

11.			105000.00
(i)	New Basic Rate (In Rs.)		12600.00
(ii)	IGST @ 12% (In Rs.)		0.00
(iii)	CGST 0% (In Rs.)		0.00
(iv)	SGST 0% (In Rs.)		117600.00
(v)	Approved Rate for Suppliers To RMSC {(i)+(ii)+(iii)+(iv)} (In Rs.)		
Revised Rate for Supply To Consignee From RMSC			
12.			105000.00
(i)	New Basic Rate (In Rs.)		5250.00
(ii)	RMSC Surcharge @ 5% on (i) (In Rs.)		6615.00
(iii)	CGST @ 6% {On (i)+(ii)} (In Rs.)		6615.00
(iv)	SGST @ 6% {On (i)+(ii)} (In Rs.)		123480.00
(v)	Approved Rate for Consignee From RMSC {(i)+(ii)+(iii)+(iv)} (In Rs.)		


Executive Director (EPM)
Rajasthan Medical Services Corporation Ltd.,
Jaipur
 Dated: 9/10/17

No. F-8 (27) RMSC/EPM/M-5/2016-17/NIB-177/ 5012
 Copy forwarded to the following for information & necessary action:

1. P.S. to Mission Director NHM Jaipur.
2. Director, (PH)/(Aids)/(FW)/(RCH)/(IEC)/(ESI).
3. Principal, Medical College, Ajmer, Bikaner, Jaipur, Jodhpur, Kota, Jhalawar & Udaipur.
4. Superintendent Japuriya Hospital Jaipur (Associated with RUHS College of Medical Sciences, Jaipur).
5. Director, Medical & Health Services (ESI), Mobile Surgical Unit, Raj. Jaipur.
6. All P.M.O.'s.
7. All CM&HO's.
8. Executive Director (Logistics/Finance)
9. AGM (IT), RMSC, Jaipur
10. All DPC's DDW Rajasthan.
11. M/s Manman Mfg.Co.Pvt.Ltd., 1157, Sadashiv Peth, Pune-411030
12. Guard File.


Executive Director (EPM)
Rajasthan Medical Services Corporation Ltd.,

1. Technical Specification of Bone Cutting, Drilling & Reaming System

1. Driving Unit - Completely enclosed Motor with MCB, Supported on a Mobile Folding Stand (Stainless Steel tubes & M.S. square bars, with castors). Includes a Foot Control/ Hand Synchronised, (Stainless Steel Body) with step-less speed control & ON/OFF switch with fuse.

2. Cannulated Drill Pistol Grip Handpiece (Autoclavable)

- Stainless Steel Jacob's (USA) Drill Chuck (0-1/4")
- Light Weight
- Maximum speed 1200 R P M or more
- Cannulation 4 mm or more

3. Cannulated Reaming Pistol Grip Handpiece (Autoclavable)

- Maximum Speed 400 to 800 R P M
- AO type quick coupling
- Cannulation 4 mm or more
- Ideal for Intra Medullary Reaming
- Light Weight

4. Saggital Saw Pistol Grip Handpiece (Autoclavable)

- More than 11000 Oscillation per second.
- Ideal for TKR, THR
- Five types of blades can be set at different directions.
- Light Weight
- Set of 5 blades (hardened & tempered high quality stainless steel)
- 2 Special Blades for Total Knee Replacement (TKR) is provided.

5. Flexible Reamers (Autoclavable)

- Flexible Reamer Shaft 8mm dia. fixed Head – 01 No.
- Flexible Reamer Shaft for detachable heads up to 12mm (dia. 8mm).
- Flexible Reamer Shaft for detachable heads above 12 mm (dia. 10 mm).
- Detachable Reamer Heads from 8.5 to 12mm, steps 0.5mm
- Detachable Reamer Heads from 12.5 to 15mm, steps 0.5mm
- Guide Wires (3 Nos.) standard length 100cm.
- Exchange tube – 01 no.

6. Guarantee: 03 years from the date of successful installation.

7. CMC: CMC will be given @ 4% (of net rate- inclusive of Excise Duty & exclusive of VAT/CST etc.) plus service tax (as applicable) and yearly escalation of 5 % on last year's CMC price. The CMC will be awarded for five years on yearly basis after guarantee period of three years.

8. The equipment should be CE certified and ISO 13485. The bidder should be ISO 9001.

9. Consumable: Saw blades

10. Additional Key (Qty-01) should be provided.