



सुव्यवस्था निःशुल्क जांच योजना

Rajasthan Medical Services Corporation Limited, Jaipur

Gandhi Block, Swasthya Bhawan, Tilak Marg, C-Scheme, Jaipur - 302005

Ph. No. 0141-2223887, Fax : 0141-2228065

CIN:U24232RJ2011SGC035067

E-mail : edepmrmisc-ri@nic.in


Website: www.rmssc.health.rajasthan.gov.in

F-8(214) RMSC/EPM/M-3/16-17/NIB 218/

3460 Dated: 17-8-17

Order For Rate Change In Rate Contract Due To GST Provision

S.N.	Item	Detail
1.	Name of Equipment / Item	Office Almira
2.	Name & Address of Firm	M/s Asian Sales, Khandelwal Mansion, Panch Batti Circle, M.I. Road, Jaipur- 302001 Email:- aajay091@gmail.com
3.	Brand/ Model / Make	ASIAN /VFURNISH ALMIRAH
4.	Packing Unit	Each
5.	R/C No. & Validity	R.C. No. 392 (Valid up to 30.6.2019)
6.	Net Rate Per packing Unit (Rs.)	Rs. 5978.00
7.	Taxes Concessional CST @ 14.5%/VAT (Rs.)	Rs. 866.81
8.	RMSC Surcharges @ 5%	Rs. 342.24
9.	Total Price (Rs.)	Rs. 7187.05
10.	Basic New Rate (HSN Code 9403)	
	(i) Existing Approved Net Rate in Rate Contract (In Rs.)	5978.00
	(ii) Less Excise Duty (In Rs.)	664.22
	(iii) Less any other amount intimated by the firm (In Rs.)	0.00
	(iv) New Basic Rate {(i)-(ii)-(iii)} (In Rs.)	5313.78
11.	Revised Rates for Supply to RMSC from Suppliers	
	(i) New Basic Rate (In Rs.)	5313.78
	(ii) IGST (In Rs.) %	0.00
	(iii) CGST @14 % (In Rs.)	743.93
	(iv) SGST @ 14 % (In Rs.)	743.93



	(v) Approved Rate For Supplier To RMSC {(i)+(ii)+(iii)+(iv)} (In Rs.)	6801.64
	Revised Rate For Supply to Consignee From RMSC	
12.	(i) New Basic Rate (In Rs.)	5313.78
	(ii) RMSC Surcharge @ 5 % On (i) (In Rs.)	265.69
	(iii) CGST@ 14 % { On (i)+(ii)} (In Rs.)	781.13
	(iv) SGST@ 14 % { On (i)+(ii)} (In Rs.)	781.13
	(v) Approved Rate For Consignee from RMSC {(i)+(ii)+(iii)+(iv)} (In Rs.)	7141.73

Executive Director (EPM)
RMSC, Jaipur

F-8(214) RMSC/EPM/M-3/16-17/NIB 218/ 3460 Dated: 17-8-17

Copy forwarded to the following for information & necessary action:

1. P.S. to Mission Director NHM Jaipur.
2. Director, (PH)/(Aids)/(FW)/(RCH)/(IEC)/(ESI).
3. Principal, Medical College, Ajmer, Bikaner, Jaipur, Jodhpur, Kota, Jhwalawar & Udaipur.
4. Superintendent Japuriya Hospital Jaipur (Associated with RUHS College of Medical Sciences, Jaipur).
5. Director, Medical & Health Services (ESI), Mobile Surgical Unit, Raj. Jaipur.
6. All P.M.O.'s.
7. All CM&HO's.
8. Executive Director (Logistics/Finance)
9. AGM (IT), RMSC, Jaipur
10. All DPC's DDW Rajasthan.
11. M/s Asian Sales, Khandelwal Mansion, Panch Batti Circle, M.I. Road, Jaipur- 302001 Email:- aajay091@gmail.com.
12. Guard file.

Executive Director (EPM)
RMSC, Jaipur

Technical Specification for Office Almirah

1. Almirah (large) with adjustable shelves conforming to IS: 3312 manufactured by an ISO – 9001 & ISO-14001/ OHSAS 18001 CERTIFIED or BIFMA certified.

2. Material used: CRCA Sheet & anodized Screws.

3. DIMENSIONS

Height: 1980mm (1855+125) including the height of pedestals.

Width: 910mm

Depth: 480mm

No. of shelves: Four Numbers (adjustable)

Tolerances: ± 5 mm

4. FABRICATION

a. Sides, Back, Top and Bottom: The sides shall be made of Mild steel sheet of minimum 0.8mm thickness.

b. Supports: The adjustable shelves shall be supported on four adjustable brackets, resting on slotted MS Strips, fixed at four inside corners of almirah.

c. Doors: The steel Almirah shall be provided with two doors formed out of mild steel sheet which shall have minimum 1mm thickness.

d. Pedestal: The pedestal shall also be made from mild steel sheet minimum 0.8mm

e. Hinges: The hinges shall be either plain butt type made from mild steel 1.6mm thick or double folded type fabricated from mild steel 1.2mm thick. The number of hinges on each door shall be three numbers.

5. Locking Mechanism: There shall be suitable locking mechanism not be less than six levers brass lock with duplicate keys of non corrosive material and three way bolting device.

6. Almirah should be duly powder coated as per ordered color or as per sample color.

7. FINISH: All Dents, Burns and Sharp edges shall be removed from the various components. The components shall be individually pickled, scrubbed and rinsed to remove grease, rust scale or any other foreign element. Immediately after pickling, all the mild steel parts shall be given phosphate treatment. The finish should be smooth and uniform. The finish shall be free from all visible defects.

Other T&C

1. Minimum 1 year manufacturing defect guaranty i.e. fabric, welding, Screws etc.

2. All tubular ends in table & chair should be covered with good quality rubber stopper.

3. Packing shall be of good quality to avoid damage or scratches during transit.

4. Color of item (frame & Fabric) will be confirmed by ordering authority at the time of supply order or as per sample. Possible color options must be identified by bidder for choice of user/purchaser.

5. The final technical approval of furniture items shall be after inspection of samples by technical committee at the time of technical bid evaluation.

6. The Technical Committee or RMSCL representative may visit manufacturing unit any time during Rate Contract period.

7. The RMSCL may do pre dispatch inspection at supplier store/premises/factory.