



Rajasthan Medical Services Corporation Limited, Jaipur
Gandhi Block, Swasthya Bhawan, Tilak Marg, C-Scheme, Jaipur - 302005

Ph. No. 0141-2223887, Fax : 0141-2228065
 CIN:U24232RJ2011ISGC035067

E-mail : edepmrm-sc-rj@nic.in
 Website: <http://rm-sc.health.rajasthan.gov.in>

No. F-8() RMSC/EPM/M-2/18-19/NIB-301/ 1842

Dated: 24-04-18

Rate Contract and Price Details

S.N.	Item	Detail
1	Name of Equipment / Item	Plastic Sharp Bins 25 Litre (For Disinfection)
2	Name & Address of Firm	M/s Suras Engineers, C-15 Industrial Estate, Bais Godam, Jaipur-302006 E-mail:surasengg@yahoo.com
3	Brand/ Model / Make	--
4	Packing Unit	Each
5	R/C No. & Validity	R.C. No. 465 (Valid Upto 30.04.2020)
6		Rates for supply to RMSC from Suppliers
	(i) New Basic Rate (in Rs.)	1100.00
	(ii) IGST (in Rs.)	0.00
	(iii) CGST @ 9 % (in Rs.)	99.00
	(iv) SGST @ 9 % (in Rs.)	99.00
	(v) Approved Rate From Supplier To RMSC {(i)+(ii)+(iii)+(iv) (in Rs.)	1298.00
7		Rate For Supply to Consignee From RMSC
	(i) New Basic Rate (in Rs.)	1100.00
	(ii) RMSC Surcharge@5% On (i) (in Rs.)	55.00
	(iii) CGST@ 9 % { On (i)+(ii)} (in Rs.)	104.00
	(iv) SGST@ 9 % { On (i)+(ii)} (in Rs.)	104.00
	(v) Approved Rate For Consignee From RMSC {(i)+(ii)+(iii)+(iv) (in Rs.)	1363.00

for



Technical Specifications of Plastic Sharp Bins 25 Litre (For Disinfection)

MATERIAL	HDPE/LLDPE bins made from virgin polymer material, thickness of bin shall be minimum 2.5mm (\pm 0.2 mm) also refer IS 3730: 1988 (amended till date) for details, with foot operated lid and handles for lifting & lid mechanism shall be of SS material only.
CLASS & SIZES	Outer Bin of min. 25Lit. Volume with matching inner bin of about 20 Lit. Volume having perforations in the side all and bottom (holes of about 2-3 mm dia), both having matching top diameters. Outer bin shall be of white colour and inner bin shall also be of white colour.
DIMENSIONS	Sizes as per standard HDPE/LLDPE buckets available in the market, with suitably designed foot operated lid and proper handles for lifting the bin; inner perforated bin shall also have collar holds to pull out/ replace the bin securely. SS pipe/ wire rod used for cage, handle and lid operation shall not be less than 4 mm dia, SS Rod, 2 No. 20 x 20 mm SS Square (hollow pipe) shall be provided at the bottom for steady placement of the bin. As per IS 3730: 1988(amended till date) HDPE / LLDPE bin. SS parts shall be smooth finished, prosper Rubber studs shall be provided on the paddle and both ends of 20mm square hollow pipe.
WORKMANSHIP & FINISH REQUIREMENTS	Lid of the Bin shall be foot operated and SS bottom rod of foot operated mechanism shall be minimum 8mm. It shall close to secure infected contents immediately upon releasing pressure. Other requirements as per IS 3730: 1988(amended till date).
PACKING	Bin shall be preprinted as per requirements of Bio Medical Waste Management Rules 1998 (amended till date). Material used shall preferably match all requirements under relevant IS code Ready to use. Produced by an ISO 9001-2000 certified Unit.
MARKING	Outer Bin shall be Marked 'NHM, Govt. of Rajasthan' Properly labeled Bin to indicate- Product Name, Produced by, Address: Date of Manufacturing, Size Batch No. Also refer IS 3730: 1988(amended till date)
PACKING	Each Bin shall be packed in poly film/bag to reach destination securely. As refer IS 3730: 1988(amended till date)

Executive Director (EPM)
RMSC, Jaipur

No. F-8() RMSC/EPM/M-2/18-19/NIB-301/ 1842

Copy forwarded to the following for information & necessary action:

1. P.S. to Mission Director NHM Jaipur.
2. Director, (PH)/(Aids)/(FW)/(RCH)/(IEC)/(ESI).
3. Principal, Medical College, Ajmer, Bikaner, Jaipur, Jodhpur, Kota, Jhalawar & Udaipur.
4. Superintendent Jaipuria Hospital Jaipur (Associated with RUHS College of Medical Sciences, Jaipur).
5. Director, Medical & Health Services (ESI), Mobile Surgical Unit, Raj. Jaipur.
6. All P.M.O.'s.
7. All CM&HO's.
8. Executive Director (Logistics/Finance)
9. AGM (IT), RMSC, Jaipur
10. All DPC's DDW Rajasthan.
11. BME (R&M), RMSC, Jaipur.
12. M/s Suras Engineers, C-15 Industrial Estate, Bais Godam, Jaipur-302006
13. Guard file.

Dated: 24-4-18

Executive Director (EPM)
RMSC, Jaipur

