

Rajasthan Medical Services Corporation Limited, Jaipur

'D'-block, swasthya Bhawan, Tilak Marg, C-Scheme, Jaipur

Phone no. 0141-2223887, Fax no. 0141-2228065 CIN: U24232RJ2011SGC035067

E-mail:edepmrmsc-rj@nic.in

Website: http://rmsc.health.rajasthan.gov.in

No. F-8() RMSC/EPM/M-4/21-22/NIB-601/ 9282

Dated 06/12/2021

All Principals Medical Colleges,

All the Superintendents of Medical Colleges& Attached Hospitals.

Director (PH/HA/IEC/AIDS/RCH)

Sub:- Approval/Purchase of Item, 'D-Type Big size Medical Oxygen Cylinder (Manganese Steel), for the Rate Contract and supply, ending on 31.10.2023.

Please find enclosed herewith approved firm and D-Type Big size Medical Oxygen Cylinder (Manganese Steel)' for the rate contract and supply ending on 31.12.2023. The rate contract and its terms & conditions are also available on Rajasthan Medical Services Corporation Ltd., Website www. rmsc.health.rajasthan.gov.in

In reference to the above rate contract No. No. F-8() RMSC/EPM/M-4/21-22/NIB-601/..... dated..... the supplier has executed the agreement with RMSC, as enclosed herewith for your information & necessary action. This bears an approval of M.D., RMSCL, Jaipur.

Executive Director (EPM)

Rajasthan Medical Services Corporation Ltd, Jaipur Dated 06 12 2021

No. F-8() RMSC/EPM/M-4/21-22/NIB-601/9282

Copy forwarded to the following for information & necessary action:

- 1. P.S. to Hon'ble Health Minister, Medical & Health Deptt. Govt. of Rajasthan.
- 2. P.S. to ACS/Principal Secy/Secy. Medical Health & FW Deptt. Rajasthan, Jaipur.
- 3. PS to Pr. Secy/Secy, Medical Education Department, Rajasthan, Jaipur
- 4. P.S. to Mission Director NHM Jaipur.
- PA to Managing Director, RMSCL
- 6. Director, (PH)/(Aids)/(FW)/(RCH)/(IEC)/(ESI).
- 7. Principal, Medical College, Ajmer, Bikaner, Jaipur, Jodhpur, Kota, Jhalawar& Udaipur.
- 8. Principal R.U.H.S. College of Dental Science Jaipur.
- 9. Principal, RUHS College of Medical Scinces, Jaipur.
- 10. Superintendent Japuriya Hospital Jaipur (Associated with RUHS College of Medical Scinces, Jaipur).
- 11. Superintendent, SMS Hospital, Zenana Hospital, MahilaChikitsalya, Mental Hospital, J.K. Lon Hospital, T.B & Chest Hospital, Jaipur.
- 12. Superintendent Associated Group of Hospital-Ajmer, M.G. Hospital, Jodhpur, Ummaid Hospital-Jodhpur, PBM Hospital-Bikaner, MBS Hospital-Kota & A.G. Hospital-Udaipur.
- 13. Director, Medical & Health Services (ESI), Mobile Surgical Unit, Raj. Jaipur.
- Addl. Director, Medical & Health Services (PW)/(RH)/(Hospital Admn.)
- 15. Joint Director, Medical & Health Services, (Zone) Jaipur, Ajmer, Udaipur, Jodhpur, Bikaner, Kota & Bharatpur.
- All P.M.O.'s.
- All CM&HO's.
- 18. All Dy. CM&HO's.
- 19. AGM (IT), RMSC, Jaipur
- 20. All Zonal BME are directed to carry out inspection of the supplied equipment as per RMSCL Letter no. 2513 dated 10-07-2018.
- 21.M/s Confidence Petroleum India Ltd., 701 Shivaji Plaza, Premises Chs. Ltd., Email:cs@confidencegroup.co; abhishekparwal@confidencegroup.co

Guard file.

Executive Director (EPM)

Rajasthan Medical Services Corporation Ltd, Jaipur

Rajasthan Medical Services Corporation Limited, Jaipur Gandhi Block, SwasthyaBhawan, TilakMarg, C-Scheme, Jaipur - 302005

Ph. No. 0141-2223887, Fax: 0141-2228065

E-mail: edepmrmsc-ri@nlc.in

CIN:U24232RJ2011SGC035067

Website: http://rmsc.health.rajasthan.gov.in

No. F-8() RMSC/EPM/M-4/21-22/NIB-601/

Dated

Rate Contract and Price Detail

1. Name of Equipment / Item	S.N.	Kate Contract and Price Details			
D-Type Big size Medical Oxygen Cylinder (Manganese Steel)		Item		Dotail	
Name & Address of Firm	1.	Name of Equipment / Item	D-Type Big size Medical Ox	ygen Cylinder (Manganan St. C.	
A. Performance Security		Name & Address of Firm	M/s Confidence Petroleum India Ltd., 701 Shivaji Plaza, Premises Chs. Ltd., Plot No. 79, Maharashtra Email:cs@confidencegroup.co:		
Shandong Yongan Special Equipment Co. Ltd.	3.	Bidder Status			
HSN Code		Performance Security	Through Bank Gurantee No. 1236IPEBG210032 DATED 17-09-2021 Valid		
6. Packing Unit Each 7. R/C No. & Validity R.C. No 725 (Valid Up to 31 Dec 2023) 8. Indicative Quantity 18000 9. Rates for supply to RMSC from Suppliers (i) Basic Rate (in Rs.) 9850.00 (ii) IGST @ 18% (in Rs.) 1773.00 (iii) CGST (in Rs.) 0.00 (iv) SGST(in Rs.) 0.00 (v) Approved Rate From Supplier To RMSC 11623.002 {(i)+(ii)+(iii)+(iv)} (in Rs.) 9850.00 (i) Basic Rate (in Rs.) 9850.00 (ii) RMSC Surcharge@5% On (i) (in Rs.) 9850.00 (iii) CGST@ 9% { On (i)+(ii)} (in Rs.) 930.82 (iv) SGST@ 9% { On (i)+(ii)} (in Rs.) 930.82 (v) Approved Rate for Consignee from RMSC 12204.14 {(i)+(ii)+(iii)+(iii)} (in Rs.) 12204.14 {(i)+(ii)+(iii)+(iii)} (in Rs.) 12204.14 2. Cylinder made from manganese steel. 3. 46.71tr. water capacity (220 CU. FT.). 4. Fitted with bull nose type valve as per IS: 3224, and neck cap. 5. Valve made of brass and chrome plated.	5.	Brand/Model	Shandong Yongan Special Equipment Co. Ltd.		
7. R/C No. & Validity R.C. No 725 (Valid Up to 31 Dec 2023) 8. Indicative Quantity 18000 9. Rates for supply to RMSC from Suppliers (i) Basic Rate (in Rs.) 9850.00 (ii) IGST @ 18% (in Rs.) 1773.00 (iii) CGST (in Rs.) 0.00 (iv) SGST(in Rs.) 0.00 (v) Approved Rate From Supplier To RMSC 11623.002 [(i)+(ii)+(ii)+(iv)} (in Rs.) 9850.00 (i) Basic Rate (in Rs.) 9850.00 (i) Basic Rate (in Rs.) 9850.00 (ii) RMSC Surcharge@5% On (i) (in Rs.) 9850.00 (iii) CGST@ 9% { On (i)+(ii)} (in Rs.) 930.82 (iv) SGST@ 9% { On (i)+(ii)} (in Rs.) 930.82 (v) Approved Rate for Consignee from RMSC 12204.14 [(i)+(ii)+(ii)+(ii)+(iv)} (in Rs.) 12204.14 [(i)+(ii)+(ii)+(ii)+(iv)] (in Rs.) 1204.14 [(i)+(ii)+(ii)+(iv)] (in Rs.) 1204.14 [(i)+(ii)+(iv)+(iv)+(iv)+(iv)+(iv)+(iv)+(HSN Code	73110090		
8. Indicative Quantity 18000 9. Rates for supply to RMSC from Suppliers 9850.00 (ii) Basic Rate (in Rs.) 9850.00 (iii) IGST @ 18% (in Rs.) 0.00 (iv) SGST (in Rs.) 0.00 (v) Approved Rate From Supplier To RMSC 11623.002 {(i)+(ii)+(iii)+(iv)} (in Rs.) 9850.00 (i) Basic Rate (in Rs.) 9850.00 (ii) RMSC Surcharge@5% On (i) (in Rs.) 9850.00 (iii) CGST @ 9% { On (i)+(ii)} (in Rs.) 930.82 (iv) SGST@ 9% { On (i)+(ii)} (in Rs.) 930.82 (v) Approved Rate for Consignee from RMSC 12204.14 {(i)+(ii)+(ii)+(iv)} (in Rs.) 930.82 11. Technical Specifications of D-Type Big size Medical Oxygen Cylinder (Manganese Steel) Technical Specifications of D-Type Big size Medical Oxygen gas, cylinder is ISI marked conforming to IS: 7285 Part 2 certified by the Bureau of Indian Standards (BIS)/IS 9809 Part-1, 2, 3 and approved by the Chief Controller of Explosive (CCOE), Government of India. 2. Cylinder made from manganese steel. 3. 46.71tr. water capacity (220 CU. FT.). 4. Fitted with bull nose type valve as per IS: 3224, and neck cap. 5. Valve made of brass and chrome plated.	6.	Packing Unit	Each		
9. Rates for supply to RMSC from Suppliers (i) Basic Rate (in Rs.) (ii) IGST @ 18% (in Rs.) (iii) CGST (in Rs.) (iv) SGST(in Rs.) (v) Approved Rate From Supplier To RMSC (i) Basic Rate (in Rs.) (ii) RMSC Surcharge@5% On (i) (in Rs.) (ii) CGST @ 9% { On (i)+(ii)} (in Rs.) (iii) CGST @ 9% { On (i)+(ii)} (in Rs.) (iv) SGST@ 9% { On (i)+(ii)} (in Rs.) (iv) SGST@ 9% { On (i)+(ii)} (in Rs.) (v) Approved Rate for Consignee from RMSC (iv) SGST@ 9% { On (i)+(ii)} (in Rs.) (v) Approved Rate for Consignee from RMSC (iv) Approved Rate for Consignee From RMSC (iii) RMSC Surcharge@5% On (i) (in Rs.) 9850.00 (ii) RMSC Surcharge@5% On (i) (in Rs.) 9850.00 (ii) RMSC Surcharge@5% On (i) (in Rs.) 9850.00 (iii) RMSC Surcharge@5% On (i) (in Rs.) 9850.00 (iv) Approved Rate from RMSC (iii) RMSC Surcharge@5% On (i) (in Rs.) 9850.00 (iii) RMSC Surcharge@5% On (ii) (in Rs.) 9850.00 (iii) RMSC Surcharge@5% On		R/C No. & Validity	R.C. No 725 (Valid Up to 3	1 Dec 2023)	
(i) Basic Rate (in Rs.) 9850.00 (ii) IGST @ 18% (in Rs.) 1773.00 (iii) CGST (in Rs.) 0.00 (iv) SGST(in Rs.) 0.00 (v) Approved Rate From Supplier To RMSC 11623.002 (ii) Basic Rate (in Rs.) 9850.00 (ii) Basic Rate (in Rs.) 9850.00 (iii) RMSC Surcharge@5% On (i) (in Rs.) 492.50 (iii) CGST @ 9% { On (i)+(ii)} (in Rs.) 930.82 (iv) SGST @ 9% { On (i)+(ii)} (in Rs.) 930.82 (v) Approved Rate for Consignee from RMSC 12204.14 ((i)+(ii)+(iii)+(iv)) (in Rs.) 12204.14 (ii) D-type high pressure seamless cylinder for medical oxygen gas, cylinder is ISI marked conforming to IS: 7285 Part 2 certified by the Bureau of Indian Standards (BIS)/IS 9809 Part-1, 2, 3 and approved by the Chief Controller of Explosive (CCOE), Government of India. 2. Cylinder made from manganese steel. 3. 46.7tr. water capacity (220 CU. FT.). 4. Fitted with bull nose type valve as per IS: 3224, and neck cap.	8.				
(ii) IGST @ 18% (in Rs.) (iii) CGST (in Rs.) (iv) SGST(in Rs.) (v) Approved Rate From Supplier To RMSC {(i)+(ii)+(iii)+(iv)} (in Rs.) (i) Basic Rate (in Rs.) (ii) RMSC Surcharge@5% On (i) (in Rs.) (iii) CGST@ 9% { On (i)+(ii)} (in Rs.) (iv) SGST@ 9% { On (i)+(ii)} (in Rs.) (iv) Approved Rate for Consignee from RMSC (iv) SGST@ 9% { On (i)+(ii)} (in Rs.) (v) Approved Rate for Consignee from RMSC {(i)+(ii)+(iii)+(iv)} (in Rs.) 11. Technical Specifications of D-Type Big size Medical Oxygen Cylinder (Manganese Steel) 12204.14 (i) Technical Specifications of D-Type Big size Medical Oxygen Cylinder is ISI marked conforming to IS: 7285 Part 2 certified by the Bureau of Indian Standards (BIS)/IS 9809 Part-1, 2, 3 and approved by the Chief Controller of Explosive (CCOE), Government of India. 2. Cylinder made from manganese steel. 3. 46.7ltr. water capacity (220 CU. FT.). 4. Fitted with bull nose type valve as per IS: 3224, and neck cap.	9.				
(iii) CGST (in Rs.) (iv) SGST(in Rs.) (v) Approved Rate From Supplier To RMSC (i)+(ii)+(iii)+(iv)} (in Rs.) 10. Rate For Supply to Consignee From RMSC (i) Basic Rate (in Rs.) (ii) RMSC Surcharge@5% On (i) (in Rs.) (iii) CGST@ 9% { On (i)+(ii)} (in Rs.) (iv) SGST@ 9% { On (i)+(ii)} (in Rs.) (v) Approved Rate for Consignee from RMSC (ii)+(ii)+(iii)+(iv)} (in Rs.) 11. Technical Specifications of D-Type Big size Medical Oxygen Cylinder (Manganese Steel) 1. D-type high pressure seamless cylinder for medical oxygen gas, cylinder is ISI marked conforming to IS: 7285 Part 2 certified by the Bureau of Indian Standards (BIS)/IS 9809 Part-1, 2, 3 and approved by the Chief Controller of Explosive (CCOE), Government of India. 2. Cylinder made from manganese steel. 3. 46.7ltr. water capacity (220 CU. FT.). 4. Fitted with bull nose type valve as per IS: 3224, and neck cap. 5. Valve made of brass and chrome plated.		(ii) IGST @ 18% (in Rs.)		1773.00	
(iv) SGST(in Rs.) (v) Approved Rate From Supplier To RMSC {(i)+(ii)+(iii)+(iv)} (in Rs.) 10. Rate For Supply to Consignee From RMSC (i) Basic Rate (in Rs.) (ii) RMSC Surcharge@5% On (i) (in Rs.) (iii) CGST@ 9% { On (i)+(ii)} (in Rs.) (iv) SGST@ 9% { On (i)+(ii)} (in Rs.) (v) Approved Rate for Consignee from RMSC {(i)+(ii)+(ii)+(iv)} (in Rs.) 11. Technical Specifications of D-Type Big size Medical Oxygen Cylinder (Manganese Steel) 1. D-type high pressure seamless cylinder for medical oxygen gas, cylinder is ISI marked 1. D-type high pressure seamless cylinder for medical oxygen gas, cylinder is ISI marked 2. Cylinder made from manganese steel. 3. 46.7ltr. water capacity (220 CU. FT.). 4. Fitted with bull nose type valve as per IS: 3224, and neck cap. 5. Valve made of brass and chrome plated.					
(v) Approved Rate From Supplier To Russe {(i)+(ii)+(iii)+(iv)} (in Rs.) Rate For Supply to Consignee From RMSC (i) Basic Rate (in Rs.) (ii) RMSC Surcharge@5% On (i) (in Rs.) (iii) CGST@ 9% { On (i)+(ii)} (in Rs.) (iv) SGST@ 9% { On (i)+(ii)} (in Rs.) (v) Approved Rate for Consignee from RMSC {(i)+(ii)+(iii)+(iv)} (in Rs.) 11. Technical Specifications of D-Type Big size Medical Oxygen Cylinder (Manganese Steel) 1. D-type high pressure seamless cylinder for medical oxygen gas, cylinder is ISI marked conforming to IS: 7285 Part 2 certified by the Bureau of Indian Standards (BIS)/IS 9809 Part-1, 2, 3 and approved by the Chief Controller of Explosive (CCOE), Government of India. 2. Cylinder made from manganese steel. 3. 46.7ltr. water capacity (220 CU. FT.). 4. Fitted with bull nose type valve as per IS: 3224, and neck cap.		(iv) SGST(in Rs.)			
State For Supply to Consignee From RMSC		(v) Approved Rate From Supplier To RMSC		11623.002	
(i) Basic Rate (in Rs.) (ii) RMSC Surcharge@5% On (i) (in Rs.) (iii) CGST@ 9% { On (i)+(ii)} (in Rs.) (iv) SGST@ 9% { On (i)+(ii)} (in Rs.) (v) Approved Rate for Consignee from RMSC {(i)+(ii)+(iii)+(iv)} (in Rs.) 11. Technical Specifications of D-Type Big size Medical Oxygen Cylinder (Manganese Steel) 1. D-type high pressure seamless cylinder for medical oxygen gas, cylinder is ISI marked conforming to IS: 7285 Part 2 certified by the Bureau of Indian Standards (BIS)/IS 9809 Part-1, 2, 3 and approved by the Chief Controller of Explosive (CCOE), Government of India. 2. Cylinder made from manganese steel. 3. 46.7ltr. water capacity (220 CU. FT.). 4. Fitted with bull nose type valve as per IS: 3224, and neck cap.		(i)+(ii)+(ii)+(iv) (in Rs.)			
(i) Basic Rate (in Rs.) (ii) RMSC Surcharge@5% On (i) (in Rs.) (iii) CGST@ 9% { On (i)+(ii)} (in Rs.) (iv) SGST@ 9% { On (i)+(ii)} (in Rs.) (v) Approved Rate for Consignee from RMSC {(i)+(ii)+(iii)+(iv)} (in Rs.) 11. Technical Specifications of D-Type Big size Medical Oxygen Cylinder (Manganese Steel) 11. D-type high pressure seamless cylinder for medical oxygen gas, cylinder is ISI marked conforming to IS: 7285 Part 2 certified by the Bureau of Indian Standards (BIS)/IS 9809 Part-1, 2, 3 and approved by the Chief Controller of Explosive (CCOE), Government of India. 2. Cylinder made from manganese steel. 3. 46.7ltr. water capacity (220 CU. FT.). 4. Fitted with bull nose type valve as per IS: 3224, and neck cap.	10.	Rate For Supply to Consignee From Rivisc			
(ii) RMSC Surcharge@5% On (i) (in Rs.) (iii) CGST@ 9% { On (i)+(ii)} (in Rs.) (iv) SGST@ 9% { On (i)+(ii)} (in Rs.) (v) Approved Rate for Consignee from RMSC {(i)+(ii)+(iii)+(iv)} (in Rs.) 11. Technical Specifications of D-Type Big size Medical Oxygen Cylinder (Manganese Steel) 1. D-type high pressure seamless cylinder for medical oxygen gas, cylinder is ISI marked conforming to IS: 7285 Part 2 certified by the Bureau of Indian Standards (BIS)/IS 9809 Part-1, 2, 3 and approved by the Chief Controller of Explosive (CCOE), Government of India. 2. Cylinder made from manganese steel. 3. 46.7ltr. water capacity (220 CU. FT.). 4. Fitted with bull nose type valve as per IS: 3224, and neck cap. 5. Valve made of brass and chrome plated.		(i) Basic Rate (in Rs.)			
(iii) CGST@ 9% { On (i)+(ii)} (in Rs.) (iv) SGST@ 9% { On (i)+(ii)} (in Rs.) (v) Approved Rate for Consignee from RMSC {(i)+(ii)+(iii)+(iv)} (in Rs.) 11. Technical Specifications of D-Type Big size Medical Oxygen Cylinder (Manganese Steel) 12. D-type high pressure seamless cylinder for medical oxygen gas, cylinder is ISI marked conforming to IS: 7285 Part 2 certified by the Bureau of Indian Standards (BIS)/IS 9809 Part-1, 2, 3 and approved by the Chief Controller of Explosive (CCOE), Government of India. 2. Cylinder made from manganese steel. 3. 46.7ltr. water capacity (220 CU. FT.). 4. Fitted with bull nose type valve as per IS: 3224, and neck cap. 5. Valve made of brass and chrome plated.		(ii) RMSC Surcharge@5% On (i) (in Rs.)			
(iv) SGST@ 9% { On (i)+(ii)} (in Rs.) (v) Approved Rate for Consignee from RMSC {(i)+(ii)+(iii)+(iv)} (in Rs.) 11. Technical Specifications of D-Type Big size Medical Oxygen Cylinder (Manganese Steel) 12. D-type high pressure seamless cylinder for medical oxygen gas, cylinder is ISI marked conforming to IS: 7285 Part 2 certified by the Bureau of Indian Standards (BIS)/IS 9809 Part-1, 2, 3 and approved by the Chief Controller of Explosive (CCOE), Government of India. 2. Cylinder made from manganese steel. 3. 46.7ltr. water capacity (220 CU. FT.). 4. Fitted with bull nose type valve as per IS: 3224, and neck cap. 5. Valve made of brass and chrome plated.		(iii) CGST@ 9% { On (i)+(ii)} (in Rs.)			
(v) Approved Rate for Consignee from RMSC {(i)+(ii)+(iii)+(iv)} (in Rs.) 11. Technical Specifications of D-Type Big size Medical Oxygen Cylinder (Manganese Steel) 1. D-type high pressure seamless cylinder for medical oxygen gas, cylinder is ISI marked conforming to IS: 7285 Part 2 certified by the Bureau of Indian Standards (BIS)/IS 9809 Part-1, 2, 3 and approved by the Chief Controller of Explosive (CCOE), Government of India. 2. Cylinder made from manganese steel. 3. 46.7ltr. water capacity (220 CU. FT.). 4. Fitted with bull nose type valve as per IS: 3224, and neck cap. 5. Valve made of brass and chrome plated.		(iv) SGST@ 9% { On (i)+(ii)} (in Rs.)			
 {(i)+(ii)+(iii)+(iv)} (in Rs.) 11. Technical Specifications of D-Type Big size Medical Oxygen Cylinder (Manganese Steel) 1. D-type high pressure seamless cylinder for medical oxygen gas, cylinder is ISI marked conforming to IS: 7285 Part 2 certified by the Bureau of Indian Standards (BIS)/IS 9809 Part-1, 2, 3 and approved by the Chief Controller of Explosive (CCOE), Government of India. 2. Cylinder made from manganese steel. 3. 46.7ltr. water capacity (220 CU. FT.). 4. Fitted with bull nose type valve as per IS: 3224, and neck cap. 5. Valve made of brass and chrome plated. 		(v) Approved Rate for Consignee from RMSC			
 Technical Specifications of D-Type Big Size incurred and standards of the standard of the standards of the stand		7 7			
Government of India. 2. Cylinder made from manganese steel. 3. 46.7ltr. water capacity (220 CU. FT.). 4. Fitted with bull nose type valve as per IS: 3224, and neck cap. 5. Valve made of brass and chrome plated.	11.	Technical Specifications of D-Type Big size inductions of Specifications of Specific			
 Cylinder made from manganese steel. 46.7ltr. water capacity (220 CU. FT.). Fitted with bull nose type valve as per IS: 3224, and neck cap. Valve made of brass and chrome plated. 		Government of India.			
 3. 46.7ltr. water capacity (220 CU. F1.). 4. Fitted with bull nose type valve as per IS: 3224, and neck cap. 5. Valve made of brass and chrome plated. 		2. Cylinder made from manganese steel.			
4. Fitted with bull nose type valve as per 18. 3224, and need sup. 5. Valve made of brass and chrome plated.		La la structura composity (220 CU, F14)			
5 Valve made of brass and chrome plated.		4 Fitted with bull nose type valve as per 15: 5227, and need sap.			
6. Working pressure 150 kgf/cm ² at 15°C.		5 Valve made of brass and C	hrome plated.		
		6. Working pressure 150 kgf	/cm ² at 15°C.		

ROUM



- Hydraulic test pressure 250 kgf/cm².
- 8. Colour code of the cylinder should be as per IS: 3933-1966 with updating till date. 9. Certificate: Manufacturing certificate, ISI/ISO certificate & Department of Explosion,

Government of India to be provided for cylinders.

10. Filled /Empty with medical oxygen gas.

11. Matching key cum spanner to release oxygen for each cylinder separately.

12. Minimum two years guarantee for cylinder.

- 13.In case, if bidder is an importer, it should have PESO approval to import the oxygen cylinder along with third party inspection from recognized agency by CCEO and relevant document should be submitted in technical bid.
- The agreement signed between RMSCL and the firm forms integral part of the rate contract.

Executive Director (EPM) RMSC, Jaipur

No. F-8() RMSC/EPM/M-4/21-22/NIB-601/9283

Dated: 06 12 2021

Copy forwarded to the following for information & necessary action:

- 1. P.S. to Hon'ble Health Minister, Medical & Health Deptt. Govt. of Rajasthan.
- 2. P.S. to ACS/Principal Secy/Secy. Medical Health & FW Deptt. Rajasthan, Jaipur.
- 3. PS to Pr. Secy/Secy, Medical Education Department, Rajasthan, Jaipur
- P.S. to Mission Director NHM Jaipur.

5. PA to Managing Director, RMSCL

Director, (PH)/(Aids)/(FW)/(RCH)/(IEC)/(ESI).

7. Principal, Medical College, Ajmer, Bikaner, Jaipur, Jodhpur, Kota, Jhalawar& Udaipur.

8. Principal R.U.H.S. College of Dental Science Jaipur.

Principal, RUHS College of Medical Scinces, Jaipur.

Superintendent Japuriya Hospital Jaipur (Associated with RUHS College of Medical Scinces, Jaipur).

11. Superintendent, SMS Hospital, Zenana Hospital, MahilaChikitsalya, Mental Hospital, J.K. Lon Hospital, T.B & Chest Hospital, Jaipur.

12. Superintendent Associated Group of Hospital-Ajmer, M.G. Hospital, Jodhpur, Ummaid Hospital- Jodhpur, PBM Hospital-Bikaner, MBS Hospital-Kota & A.G. Hospital-Udaipur.

Director, Medical & Health Services (ESI), Mobile Surgical Unit, Raj. Jaipur.

Addl. Director, Medical & Health Services (PW)/ (RH)/(Hospital Admn.)

15. Joint Director, Medical & Health Services, (Zone) Jaipur, Ajmer, Udaipur, Jodhpur, Bikaner, Kota & Bharatpur.

16. All P.M.O.'s.

- All CM&HO's.
- All Dy. CM&HO's.

AGM (IT), RMSC, Jaipur

20. All Zonal BME are directed to carry out inspection of the supplied equipment as per RMSCL Letter no. 2513 dated

21.M/s Confidence Petroleum India Ltd., 701 Shivaji Plaza, Premises Chs. Ltd., Plot No. 79, Maharashtra Email:cs@confidencegroup.co; abhishekparwal@confidencegroup.co

Guard file.

Executive Director (EPM) RMSC, Jaipur