# राजस्थान चिकित्सा सेवा निगम

स्वास्थ्य भवन,सी-स्कीम, जयपुर

फोन नः 0141-2223887, फैक्स नः 0141-2228065

ई-मेल: rmsc@nic.in

क्रमांक : F-8 ()/RMSC/EPM/M-2/13-14/NIT-30/13/ 639

दिनांकः

23-67-13

# **CORRIGENDUM**

Subject: -

Amended technical Specifications and other conditions of Bid document for the procurement of DDW-Furniture under NIT No. F-8 ()/RMSC/EPM/M-2/13-14/NIT-30/13/259 Dated: 10.06.2013

In Reference to above sited subject and NIT, The Technical Specification of items (Annexure-c) are here by Amended as below.

## **DDW-Office Furniture Specification**

S.No.	Name of item with specification			
1.	Specification for executive high back revolving chair (Office Chair)			
ļ	Executive High back Revolving Chair having following dimensions			
	Seat Width: 50-70 cm			
	Seat depth: 50-60 cm			
	Back Height: 65-85 cm (From Seat level)			
	Seat Height: 45-60 cm			
	(Allowed Dimension Tolerance : ± 5 cm)			
	Foam Density: 40-45 ± 2 kg/m³ For Seat and 30-35 ± 2 kg/m³ For back			
	The chair should have Tilting mechanism & Fitted with gas lift arrangement the base of the chair should			
	be chrome plated & should have 5 nos. double wheels Nylon Casters. Wooden/PU arms will be			
preferred. Seat Fabric should be knitted or Mesh type.				
2.	Specification for Visitor chair (Fixed type)			
	Fixed type visitor chair having following dimensions			
	Seat Width: 50-60 cm			
	Seat depth: 50-60 cm			
	Back Height: 70-80 cm (From ground level)			
	Seat Height: 40-50 cm			
	(Allowed Dimension Tolerance : ± 5 cm)			
	Foam Density: $40-45 \pm 2 \text{ kg/m}^3$ For Seat and $30-35 \pm 2 \text{ kg/m}^3$ for back. The tubular frame should be			
	made from 1" round pipe of 14 and above gauge & duly black powder coated. Wooden/PU arms will be			
3.	preferred. Seat Fabric should be knitted or Mesh type.			
3.	Specification for Office Table (Steel Frame):			
	Office table of size 5'x3'x2½' having table top of 18mm (Minimum) thick Water proof wooden block			
	complying IS: 1659, with Natural wood veneer complying IS: 1328 on the top with melanine polish. The tubular frame shall be of 1"x1"x1.2 mm thick tube It shall be on 1"x1"x1.2 mm thick tube It shall be on 1"x1"x1.2 mm thick tube It shall be on 1"x1"x1.3 mm thick tube It shall be on 1"x1"x1"x1.3 mm thick tube It shall be on 1"x1"x1"x1"x1.3 mm thick tube It shall be on 1"x1"x1"x1"x1"x1 mm thick tube It shall be on 1"x1"x1"x1"x1"x1"x1"x1"x1"x1"x1"x1"x1"x1			
	frame shall be of 1"x1"x1.2 mm thick tube. It shall have one box unit having 3 drawers of CRCA MS Steel. The drawer unit should have a brass lock of 6mm thickness and brass handles. The frame should have a foot rest & duly			
	powder coated.			



Specification for Office Table (Wooden Table) Office table of size 5'x3'x2½' made from 18 mm (Minimum) thick Water proof Wooden Block Board complying IS: 1659 for Legs & Substructure with Natural wood veneer complying IS: 1328 on the top with melamine polish. The top of the table should be made from 25mm (Minimum) thick Water proof wooden block Board complying IS: 1659 with Natural wood veneer complying IS: 1328 on the top with melamine polish. The table should have 3 drawers with brass handles & modesty panel & foot rest. 5. Specification for Open steel Racks Supply & Fixing of open type steel rack of size Height 78"x Width 36"x Depth 18" having 4 adjustable shelves making 5 compartments. The shelf should be made from 18/20 Gauge CRCA MS Sheet & slotted angle of size 37mm x37mm of 14 Gauge duly powder coated. 6. Specification for Office Steel Almirah Office Steel Almirah of size Height 78"xWidth 36"x Depth 19" made form CRCA MS Steel having 4 adjustable shelf making 5 compartment. The shelf ,sides, back, Doors should be made from 18/20 Gauge CRCA MS Steel duly powder coated. The almirah should have suitable locking arrangement should have six lever brass lock with duplicate keys. 7. Specification for Side Steel Racks Supply & Fixing of open type steel rack of size Length 36"x Height 30"x Depth 18" having one adjustable shelf making 2 compartments. The shelf should be made from 18/20 Gauge CRCA MS Sheet & slotted angle of size 37mmx 37mm of 14 Gauge duly powder coated.

# Terms & Condition: For all the products, supplier should provide 2 years of guarantee.

#### Annexure-B

### A. General Terms and Conditions

 Bids are invited from bona-fide/ Indian manufactures/Whole sellers/ Sole distributor/ Authorized dealer/ Dealers/ Sole selling/ Marketing agent/ Channel partner/ Suppliers agent. The direct importer is also allowed to bid. They shall therefore furnish a declaration in as under.

## **Declaration by Bidder**

I/We declare that I am/we are bona-fide/ Indian manufactures/Direct importers/Whole sellers/Sole distributor/ Authorized dealer/ Dealers/Sole selling/Marketing agent in the equipments for which I/We have bidded.

If this declaration is found to be incorrect then without prejudice to any other action that may be taken, my/our security may be forfeited in full and the bid if any to the extent accepted may be cancelled.

Signature of bidder



- 20 (i) Supply Orders: All the supply orders will be placed to the approved bidder by RMSCL or any heads of medical institutions (P.M.O., M.S., C.M.&H.O., etc.) through registered post/ e-mail/ any communication medium .The date of dispatch of letter or communication date will be treated as the date of order for calculating the period of execution of order. The supplying firms will execute all orders within 45 days and 30 days additional will be provided supply period to importers.
  - T&C No. 38 (i) The first appellate authority is secretary to government Medical and Health Department, Rajasthan, Jaipur.
    - (iii) The second appellate authority is principal secretary to government Medical and Health Department, Rajasthan, Jaipur.

## E-tenders are invited as per following time schedule:-

Last Da	ite for Sale of Bid Form	Last Date of Receipt of Bid Form	Date of Opening of Technical Bid
	08.08.2013	08.08.2013	08.08.2013
	11.00 A.M.	Up to 1.00 P.M.	From 3.00 P.M.

Please note that above all Amendments in technical Specifications/bid conditions is the integral part of Annexure-C and tender document. This corrigendum shall be signed and annexed with tender document.

Executive Director (EPM) RMSC, Jaipur

Lal