

Government of Rajasthan Medical & Health Department

Rajasthan Medical Services Corporation, Swasthaya Bhawan, C-Scheme, Jaipur

Phone No: 0141-2228065, Fax No: 0141-2228065

E_mail: <u>rmsc@nic.in</u>

E 00 0 / PMCCH /PP C CHIPTH / EZZOOS

Dated: 22-11-2013

F. 02 () / RMSCL/PROCUREMENT/S&S/NIT-4/2013/ 295

CORRIGENDUM

Subject: - Amendment to Bid for annual rate contract cum supply and empanelment for supply of surgical and Sutures (Drug Items)

Ref: - NIB No. F. 02 () / RMSCL/PROCUREMENT/S&S/NIT-4/2013/249 Dated 04.10.2013

The following amendments are made:

1. The date of bid submission is extended to

03.12.2013 up to 1.00 PM

Accordingly dates are revised as follows:

Last date and time for

Downloading the Bid document

02.12.2013 up to 6.00 PM

Date and Time of opening of online technical bids

03.12.2013 at 2.30 PM

2. Quantity of items given in the bid (Annexure VII) and BOQ are to be read as follows:-

Annexure-XIV Clause-9.3

SUTURES ITEMS LIST with SPECIFICATIONS

S.No.	Code	Name of Item	Pack Size	Unit	Quantity
	No.	advanctor to a			
1.	R-1	Absorbable Surgical Suture (Sterile Catgut), Needled Suture	1/0	12 Foils	40978
		Chromic (3/8 Cir RB Needle 40 mm Length 76 cm)			
2.	R-2	Absorbable Surgical Suture (Sterile Catgut), Needled Suture	3/0	12 Foils	5473
		Chromic (1/2 Cir RB Needle 20 mm Length 76 cm)			
3.	R-3	Absorbable Surgical Suture (Sterile Catgut), Needled Suture	2/0	12 Foils	81876
		Chromic (1/2 Cir RB Needle 30 mm Length 76 cm)			





i Zonali - I				The second second	CORROR
4.	R-4	Absorbable Surgical Suture (Sterile Catgut), Needled Suture	1/0	12 Foils	77612
		Chromic (1/2 Cir RB Needle 30 mm Length 76 cm)			
5 .	R-5	Absorbable Surgical Suture (Sterile Catgut), Needled Suture	1/0	12 Foils	65565
		Chromic (1/2 Cir RB Needle 40 mm Length 7.6 cm)			
6.	R-6	Absorbable Surgical Suture (Sterile Catgut), Needled Suture	2/0	12 Foils	5305
		Chromic (3/8 RB Needle 30 mm Length 76 cm)	la i la mission		
7.	R-7	Absorbable Surgical Suture (Sterile Catgut), Needled Suture	1/0	12 Foils	247376
		Chromic (1/2 Cir RB Needle 45 mm Length 100 cm)			
8.	R-16	Absorbable Surgical Suture (Synthetic) Sterilised	2/0	12 Foils	12714
		Surgical Needled Suture (Braided) Coated Polyglactin /Polyglycolic Acid / Poly(Glycolide-co-		Leasain for	
		L-lactide)(1/2 Cir RB Needle 40mm length 90 cm)			
9.	R-30	NON ABSORBABLE SURGICAL SUTURE USP,	6/0	12 Foils	1007
		STERILISED SURGICAL NEEDLED SUTURE			
		MONOFILAMENT POLYPROPYLENE BLUE	eras la mil		
		(3/8Cir RB Taper Point Double Needle 9.3mm,	the floor	ol ratio	
		Length 60 cm)			
10.	R-31	NON ABSORBABLE SURGICAL SUTURE USP, STERILISED SURGICAL NEEDLED SUTURE	7/0	12 Foils	713
= = = = = = = = = = = = = = = = = = =					
		MONOFILAMENT POLYPROPYLENE BLUE			
		(3/8Cir RB Double 8mm Needle, Length 60 cm)			
11.	R-41	NON ABSORBABLE SURGICAL SUTURE,	6/0	12 Foils	290
		STERILISED SURGICAL NEEDLED SUTURE			
-		MONOFILAMENT POLYPROPYLENE BLUE			
		(3/8 Cir Conventional Cutting PC-3 Needle 15mm, Length-60cm)			
12.	R-43	NON ABSORBABLE SURGICAL SUTURE,	4/0	12 Foils	1735
		STERILISED SURGICAL NEEDLED SUTURE			
		MONOFILAMENT POLYPROPYLENE BLUE			



				FRVI	CES COS
13.	R-47	NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE	8/0	12 Foils	408
•	5	MONOFILAMENT POLYPROPYLENE BLUE			-
		(3/8 Cir RB, 8mm Double needle, Suture Length of 70cm)			
14.	R-49	NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE	5/0	12 Foils	408
=		MONOFILAMENT POLYPROPYLENE BLUE			
		(1/2 Circle CC 13mm Needle, Suture Length of 70cm Double Arm			
15.	R-55	NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE	2/0	5 Foils	408
		Polybutylate / Silicon Coated with Polyster Braided (Green / Blue) 1/2 Circle Tapercut Needle 17mm, Length of 90cm Double Arm with PTFE pledgets Size 6mm x 3mm x 1.5mm			
16	R-56	NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE	2/0	6 Foils	408
		Polybutylate / Silicon Coated Polyster Braided (Green / Blue) 1/2 Circle Tapercut Needle 25mm, Suture Length 90cm double arm with PTFE pledgets Size 6mm x 3mm x 1.5mm			
17	R-63	POLYGLECAPRONE / Polyglyconate, MONOFILAMENT SUTURES	4/0	12 Foils	1539
		(1/2 Circle Cutting 16mm Needle, Suture Length 70cm)			4.

Note: 1. For sutures (with USP size 1,1 /0 and 2/0) variation of +_ 1mm is acceptable in needle size upto 20mm; variation of 100 +_ 2mm is acceptable in needle size above 20mm

- 2. For sutures, length given in the above specification is the minimum length, greater length will be acceptable without any financial implication
- 3. For suture needles, 'Taper Point' is also acceptable in place of 'Round Body (RB).
- 4. Sutures with USP/BP specification will be accepted.

0



General properties of Needle:

- Sharp enough to penetrate the tissues easily
- Resistant to bending
- Resistant to breaking
- Secure seating in needle holder

General properties of Sutures:

- Should resist shrinking in tissue.
- Should hold securely when knotted.
- Should have easy passage through tissue.

SURGICAL ITEMS LIST with SPECIFICATIONS

S.No.	Code	Name of Item	Pack Size	Quantity
	No.			
	S-8	Suction Catheter, Sterile: Specifications:- Soft, kink resistant tubing Rounded open tip with lateral eye Colour coded universal funnel connector for safe connection to standard suction equipment Length 50 cm (min.)		
1.	S-8(i)	Suction Catheter, Sterile. Size: FG 20	Each piece	10000
2.	S-8(j)	Suction Catheter, Sterile, Size: FG 22	Each piece	10000
	S-10	 Infant Feeding Tube – Specifications: Two lateral eyes at distal end Soft, kink resistant non-toxic PVC tubing, non irritant to delicate mucosa With female flexible mount with in-built closure Radio opaque line Sterile Straight, singly packed in a blister 		
3.	S-10(a)	Infant Feeding Tube Size:10FG; length 50 cm (min.)	Each piece	59786
4.	S-10(b)	Infant Feeding Tube Size:8FG, length 50 cm (min.)	Each piece	110227
5.	S-10(c)	Infant Feeding Tube Size:5FG; length 50 cm (min.)	Each piece	51237
6.	S-12	Sterile Disposable Perfusion Set (Infusion set) with Airway and Needle (Paediatric Use) Burette type measured volume chamber of 110 ml Drop size of approx 60 drops per ml Injection port, latex free, for intermittent	Unit	428132



E:\S.C.S. 4\RMSC\LETTER HEAD\Letter head in English.doc

1	JAS	TH,	42	
19			1	Y
K	EL	J.		
			3/	100
1			808	

			medication		TWICEBOO
			Floating auto shut off valve in burette		
			Soft and kink resistant PVC tubing		
			Roller controller for flow control		
9			Tube length 150 cm		6
			• 23 G needle		
	7.	S-15(a)	Sterile Disposable (Single Use) Teflon/ PTFE I.V.	Each piece	588686
			Cannula with integrated 3 Way stop cock. Size 16G		-
			• Should be packed in transparent, single blister pack.		
			Should conform to IS 10555 standard		
	8.	S-15(c)	Sterile Disposable (Single Use) Teflon/ PTFE I.V.	Each piece	1323398
		(-)	Cannula with integrated 3 Way stop cock. Size 20G	Lucii piece	1323330
		1	Should be packed in transparent, single blister		
			pack.		
			 Should conform to IS 10555 standard 	=	
	9.	S-15(d)	Sterile Disposable (Single Use) Teflon/ PTFE I.V.	Each piece	1436042
			Cannula with integrated 3 Way stop cock. Size 22G		
			Should be packed in transparent, single blister		
			pack.Should conform to IS 10555 standard		
-	10.	S-16	Mucus Extractor Sterile Mucus Extractor, Sterile	Unit	333908
	10.	3.10	Clear transparent container	Onit	333300
			Antibacterial filter		-
			Soft, kink resistant PVC tubing		
			• Tube Size 10 FG; Length 40 cm (min.)		
			Capacity 25 ml		
	11.	S-19	Paper Adhesive Plaster 2" X 9.0 mts (with cutter)	Unit	273902
			Non woven adhesive tape		
-		_			
	12.	S-21	Plaster of Paris Bandages BP 15cm X 2.7 mts/Roll	Unit	442341
	13.	S-22	Plaster of Paris Bandages BP 10cm X 2.7 mts/Roll	Unit	159969
	10.	3 22	Traster of Faris Barrages Br Toerr A 2.7 mis/Non	Offic	133303
		S-23 &	Ryle's Tube / Nasogastric Tube Specifications:		
		S-24	 Soft, kink resistant PVC tubing for atraumatic 		
			intubation		
			Closed distal end should be coned with radio		
			opaque material for accurate intubation		
			Four lateral eyes for greater efficiency		
			Radio opaque line		- 4
			Marking at 50, 60, 70 cm from tip		
			Colour coded funnelWith luer connector / closure		
-	14.	S-23(a)	 Length 105 cm Ryle's Tube/Nasogastric Tube(P.V.C.) with radio opaque lining. 	Each piece	15514
	17.	J-23(a)	Size 10	Each piece	13314
		I	3126 10	2.00	



/4	LAS	AST	HA	M	
11	F		70	1)	1
MEDIC	1			2 / NO.	-
A	SER	VICE	CO	308	20100

mes and ma		***************************************		AND THE REAL PROPERTY.	PAVICES CO
	15.	S-23(b)	Ryle's Tube/Nasogastric Tube(P.V.C.) with radio opaque lining. Size 12	Each piece	16905
•	16.	S-24(a)	Ryle's Tube/Nasogastric Tube(P.V.C.) with radio opaque lining. Size 14	Each piece	29199
	17.	S-24(b)	Ryle's Tube/Nasogastric Tube(P.V.C.) with radio opaque lining. Size 16	Each piece	71850
	18.	S-24(c)	Ryle's Tube/Nasogastric Tube(P.V.C.) with radio opaque lining. Size 18	Each piece	40220
	19.	S-41(a)	Double J Stent, Sterile, Both Ends Open, size 4F, length 16 cm Radio opaque Should be of inert material, non-irritant to tissue	Each piece	2347
	20.	S-41(b)	Double J Stent, Sterile, Both Ends Open, size 5F, length 20 cm Radio opaque Should be of inert material, non-irritant to tissue	Each piece	2347
	21.	S-42(a)	Double J Stent, Sterile, One End Closed, size 4F, length 16 cm Radio opaque Should be of inert material, non-irritant to tissue	Each piece	2347
	22.	S-42(b)	Double J Stent, Sterile, One End Closed, size 5F, length 20 cm Radio opaque Should be of inert material, non-irritant to tissue	Each piece	2347
		S-43	 Endotracheal Tube, Plain – Specifications: Transparent Standard 15 mm connector at proximal end Radio-opaque line throughout the length Tip suitable for nasal and oral intubation Single use, sterile 		
	23.	S-43(h)	Endotracheal Tube, Plain with radio-opaque line, Sterile, Single Use - Size 6	Each piece	3596
	24.	S-45	Tracheostomy Tube (PVC), Plain, Sterile, Single Use - All Sizes • Soft flexible flange at for easy fixation • 15 mm connector at terminal end which can be rotated in 360 degree direction • Non-irritant Radio-opaque line	Each piece	2034
	25.	S-46	Tracheostomy Tube (PVC), Cuffed, Sterile, Single Use – All Sizes Tracheostomy Tube (PVC), Cuffed, Sterile, Single Use - All Sizes • Soft flexible flange at for easy fixation	Each piece	5266





	NJA	STH		
1	7		1. 1	
IK	ET	F 3 0		District of the last
18		1	9/8	To the same
		U	802	
	EAVE	65 CO		

				VICES CO.
		15 mm connector at terminal end which can be rotated in 360 degree direction		
		Balloon with non return valve		
		Non-irritant		
		Radio-opaque line		
26.	S-80	Bone Wax Sterilised	2gm/ packet	2132
27.	S-98	Bone Cement	40gm	1779
	1		Pack	

ED (P) 13

De