



**Rajasthan Medical Services Corporation Limited, Jaipur
D-Block, Swasthya Bhawan, C-Scheme, Jaipur - 302005**

Ph. No. 0141-2223887, Fax No. 0141-2228065

E-Mail - rmsc@nic.in

edepmrmisc-rj@nic.in

No. F-8(M1/)RMSC/EPM/R.C. 13-14/NIT No.-19/2013/468

Dated: 12.3.13

Corrigendum/Amendments/Clarifications

(NIB No. 19)

Subject: - Amended technical Specifications and other conditions of Bid document after Pre-Bid dated 19/02/2013, for the tender of Equipment & Instruments, under NIB No. F-8(M1/) RMSC/EPM/R.C. 13-14/NIT No.-19/2013/344 Dated: 08/02/2013

Reference: - Pre Bid Conference held on 19/02/2013

In Reference to above sited subject and NIB, The pre-Bid meeting of NIB no.-19 was held on dated 19.02.2013. The various representations received from the firms and issues raised by the Bidders are examined by the competent Authorities and technical committee. The following Corrigendum/Amendments/Clarifications are issued for inclusion in Bid document & Technical Specification of items (Annexure-c) as below

1. Last Date for Sale of Bid, Date of Receipt of Bid & Date of Opening of Technical Bid is hereby extend as below:-

Existing Dates			Extended Dates		
Last Date for Sale of Bid Form	Last Date of Receipt of Bid Form	Date of Opening of Technical Bid	Last Date for Sale of Bid Form	Last Date of Receipt of Bid Form	Date of Opening of Technical Bid
1	2	3	4	5	6
14/03/2013 upto 6.00 P.M.	15/03/2013 Upto 1.00 P.M.	15/03/2013 From 3.00 P.M.	02/04/2013 upto 6.00 P.M.	03/04/2013 Upto 1.00 P.M.	03/04/2013 From 3.00 P.M.

2. The terms and conditions of Bids and rate contract no. 9 of Annexure-B is amended as below. The Bid form fee, processing fee and bid security shall be submitted through either of the below given options :

(i) Bid security , Bid form fee and processing fee shall be deposited through three separate prescribed challans (format enclosed in annexure-1) in any branch of the **Punjab National Bank, Account no. 2246002100024414 throughout the country.** The bidders shall submit scanned copy of the challans in Technical Bid (Cover-A).

OR

The Tender form fee Rs. 2000.00 (Rs. 1000.00 for SSI Units of Rajasthan) downloaded from the website shall be submitted in the form of D.D./Banker cheque in favor of M.D., RMSCL payable at Jaipur. The bidders are also required to deposit processing fee of Rs. 1000.00 in the form of D.D./Banker cheque in favor of M.D., RISL payable at Jaipur. The Tender fee, processing fee and EMD shall be deposited physically at the office of M.D., RMSCL, Jaipur before the last date and time of bid submission.

3. It is clarified that the average annual turnover for a particular item shall be as per table-1 provided at point no.-5 of general instruction to bidders.

The Average annual turnover shall be as per Table-1 for last three years and minimum 50.00 lacs for SSI units of Rajasthan for last three years. The turn over statement duly certified and signed by Chartered Accountant & Attested by Notary Public shall be submitted along with bid. Failing to specified turnover criteria bid will be rejected. Distributors/Suppliers/Agents/Loan Licensees are not eligible to participate in the tenders.

4. The clause no. 28. of Annexure-B the procuring entity's right to vary quantity is amended as given below:

- (i) The quantity of equipments originally indicated in the bidding document may vary without any change in the unit prices and other terms and conditions of the bid and the conditions of contract.
- (ii) If the RMSCL procures less than the quantity indicated in the bidding documents the bidder shall not be entitled for any claim or compensation except otherwise provided in the conditions of contract.
- (iii) If the Bidder fails to supply the RMSCL shall be free to arrange/procure the items and the extra cost incurred shall be recovered from the Supplier.

5. The security deposition at clause-17 of Annexure-B is amended and clarified as under:

- (i) All firms whose offers are accepted will have to deposit a security of minimum Rs. 5.00 lacs for each item in favor of M.D., Rajasthan Medical Services Corporation Ltd., Jaipur at the time of agreement. The SD shall be deposited in the form of DD/Banker cheque/ BG. However the minimum amount of BG shall be 10.00 lacs with a validity period of 30 months. The security amount shall in no case be less than the earnest money.
 - (ii) The firm may submit Bank Guarantee issued by any nationalized bank. The minimum validity of bank guarantee should be thirty months or up to 6 months after completion of guarantee period of item.
 - (iii) The S.D. shall be 5% of the total value of stores ordered for supply. If the total value of stores supplied by the firm to various consignees as directed by M.D. RMSC Ltd., Jaipur is exceeded 100.00 lacs, the firm shall deposit an additional 5% security of value of supply orders exceeding amount to 100.00 lacs to M.D., Rajasthan Medical Services Corporation Ltd., Jaipur. Before ensuring the security deposit, the Purchase Officer will not release payment until the additional S.D. amount deposited by the suppliers. Additional S.D. shall be estimated/calculated based on the information submitted by firms in statement no. I and II. Supply orders should only be placed after appropriate deposition or adjustment of S.D. by RMSC.
 - (iv) The earnest money (bid security) of successful Bidder will be adjusted toward security deposit. The bidders shall submit scanned copy of the challan/DD/Banker cheque in Technical Bid (Cover-A).
- (iv) The security will be refunded after six months from the date of expiry of the contract on satisfactory completion of contract and after satisfying that there are no dues outstanding against the Bidder subject to CMA provisions.

6. The clause-36 of Annexure-B grievance redressal during procurement process is amended as under:

- (1) The Designation and address of the First Appellate Authority is The Secretary, Department of Medical & Health (MD, NRHM), or as decided by the Govt. of Rajasthan.
- (2) The Designation and address of the Second Appellate Authority is Principal Secretary, Medical, Health & Family Welfare, Govt. of Rajasthan and Chairman, RMSCL, or as decided by the Govt. of Rajasthan.

7. The point three of Annexure-L the offering conditions of the firm are amended and clarified as under :

(g) Firms Offering Conditions:-

- | | |
|---|---|
| • Response time | 48 Hours after first contact |
| • Service hours | Mon-Fri (09:30-18:00) |
| • Preventive Maintenance (PM)** | At least two half yearly or any number |
| • Parts for Preventive maintenance | All, as per requirement free of cost during guaranty period |
| • Up time | 95% (346 Days) |
| • Breakdown | All |
| • Technical & Application Support Session | As required |
| • Demonstrations & Trainings | As & when required |

Note: PM Includes Quality Assurance, Safety checks and calibration**

8. The point no.-8 of Annexure-L the liquidated damages are amended and clarified as under

- (i) The Supplier/service providing firm shall be liable to pay a penalty of Rupees five Hundred per day (**Varies from equipment to equipment**) if the firm didn't response after 48 hours from the time of receiving first complain. The complaint may be sent to firm by way of telephone/fax/letter or e-mail. The amount of L.D. will be directly deducted from the S.D. of the firm at the time of refund or before by way of any adjustment order.
- (ii) During breakdown of equipments/machine firm will depute the engineer for immediate rectification of defect within 48 hours positively otherwise equipment may be got repaired on the risk & cost of firm.

9. The declaration of Annexure-N is amended as- The word 'black listing' is replaced by the word 'debar'

10. A new Annexure P-1 is inserted as given below :

(Shall be submitted on letter head of firm)

Annexure-P -1

Date: _____

NIB No.: _____

Declaration

I/We a legally constituted firm/body _____ and represented by _____ declare that I am/ we are Manufacturers/Direct Importer in the Goods and Related Services for which I/We have Bid.

If this declaration is found to be incorrect then without prejudice to any other action that may be taken, my/our Bid Security may be forfeited in full and the Bid if any to the extent accepted may be cancelled.

Signed.....

Name.....

In the capacity of:

Duly authorized to sign the Authorization for and on behalf of.....

.....

Tel:

Fax:

E-mail:

Date:

11. The Annexure-Q is amended as under

I.....S/o.....Aged.....Yrs.....residing at
Proprietor/Partner/Director of M/s..... verify and confirm that the contents at **Annexure (A) to (P-1)** above are true and correct to the best of my knowledge and nothing has been concealed therein. May, God help me.

Signature of Bidder.....

Name:.....

Address:.....

12. The following amendments/modification are made as suggested by Bidder's during pre-bid meeting in Annexure-D:

Revised-ANNEXURE-D

Rajasthan Medical Services Corporation Limited, Jaipur

FINANCIAL BID FOR QUOTED ITEM NIB NO.-19

Code No.	Name of Item With full Specification	Brand	Approx Qty.	Packing Unit	Net Rate Per packing Unit (In Rs.)	Rate of RST (VAT) or Concessional CST against C- from, if applicable	Rate of Excise duty (It should be included in net Rate) (Col, 6)	Amount of excise duty workout accordingly Col.No. 8
1	2	3	4	5	6	7	8	9
LEA005	SAHLI S HEMOGLOBIN METER		3338	Each				
LEA011	(A) GLUCOMETER* (B) A PACK OF FIFTY STRIPS		1298	Each				
LEA017	HEMOGLOBIN SPECTOPHOTOMETER		1406	Each Pack of 50				
LEA026	VDRL ROTATOR		507	Each				
LEA027	KAHN SHAKER		60	Each				
LEA040	(A) HAEMOGLOBIN SCALE BOOK (HSB) WITH A PACK OF SPECIAL 200 ABSORBENT TEST-STRIPS. (B) A PACK OF 200 SPECIAL ABSORBENT TEST-STRIPS.		20529	Each				
LEA041	NEUBAUR'S CHAMBER (COUNTING CHAMBERS)		6180	Each Pack				
LEA042	(A) DISPOSABLE ESR PIPETTE(WESTERGREEN METHOD)* (B) THE RATE OF ESR CUP/TUBE (C) THE RATE OF ESR STAND (NON DISPOSABLE)		27039	Each Pack of 100				
LEA043	TEST TUBE STAND MADE OF AUTOCLAVABLE PLASTIC (A) TEST TUBE STAND HOLE SIZE 13 MM FOR 48 TUBES (B) TEST TUBE STAND HOLE SIZE 13 MM FOR 96 TUBES (C1) TEST TUBE STAND HOLE SIZE 12 MM FOR 18 TUBES (C2) TEST TUBE STAND HOLE SIZE 15 MM FOR 18 TUBES (C3) TEST TUBE STAND HOLE SIZE 18 MM FOR 18 TUBES (D1) TEST TUBE STAND HOLE SIZE 12 MM FOR 24 TUBES (D2) TEST TUBE STAND HOLE SIZE 15 MM FOR 24 TUBES (E) EDTA VIAL STAND FOR 48 SAMPLES		2806	Each				
LEA044	MICROPIPETTES (WITH TIP EJECTOR) OF FOLLOWING RANGES* 1. MICRO PIPETTE FIXED VOLUME		4112	Each				

	(A) 5µl					Each	
	(B) 10 µl					Each	
	(C) 100 µl					Each	
	(D) 200 µl					Each	
	(E) 500 µl					Each	
	(F) 1000 µl					Each	
	1. MICRO PIPETTE VARIABLE VOLUME						
	(A) 0.5 - 10 µl					Each	
	(B) 10 - 100 µl					Each	
	(C) 100 - 1000 µl					Each	
	(D) 500 - 5000 µl					Each	
	(E) 1000 - 10000 µl					Each	
	2. (i) MICRO PIPETTE VARIABLE VOLUME (EIGHT CHANNEL)						
	(A) 5 - 50 µl					Each	
	(B) 50 - 300 µl					Each	
	(ii) MICRO PIPETTE VARIABLE VOLUME (TWELVE CHANNEL)						
	(A) 5 - 50 µl					Each	
	(B) 50 - 300 µl					Each	
	3. MICRO PIPETTE STAND FOR 6 MICRO PIPETTE						
	4. MICRO PIPETTE TIPS						
	(A) 0.5 - 10 µl Neutral Colour					Packet of 1000 tips	
	(B) 20 - 200 µl Yellow colour					Packet of 1000 tips	
	(C) 200 - 1000 µl Blue Colour					Packet of 1000 tips	
	(D) 1000 - 5000 µl Pink/Natural Colour					Packet of 1000 tips	
LEA045	RBC Pipette				8108	Each Pack of 10 Tubes	
LEA046	WBC pipette				8495	Each Pack of 10 Tubes	
LEA047	DIGITAL STOP WATCH				3355	Each	
LEA048	Sprit Lamp				1828	Each	
LEA050	Hemocytometer (Improved Neubauer chamber, WBC Pipette RBC Pipette, Thin wire)				2238	Each	
LEA051	ESR Stand (Metal)				2520	Each	
LEA052	ESR Stand (Plastic) Eve rite top				2520	Each	

In case of LEA044 the gross total of rates of all the items shall be compared and for non-quoted items lowest quote value for that particular item shall be added. The rate of part-B above shall be added for comparison of rates in LEA011 and the rate of part-A, B & C etc above shall be added for comparison of rates in LEA042

Date

Signature
Name in Capitals
Company / Firm Seal

NOTE: -

1. The concessional est against c- form shall be applicable.
2. The rate quote should be inclusive of excise duty but exclusive of sales tax/vat.
3. Excise component should be separately shown in column no.8 for further reference.(see condition no. 14.(v) etc.
4. Rate should be quoted on separate sheets for each item. (see condition no. 5)
5. Rate should be quoted only for packing units as mentioned in the tender catalogue.
6. No quantity or cash discounts should be offered.
7. Read all the terms & conditions before filling the annexure-d.
8. Please quote rates of maintenance charges after guarantee period, if applicable for the item.
9. Please quote rates in absolute amount only.
10. Please enclose the rate list of reagent, consumables & spares for making supplies to rusc in annexure-1 (point-6)
11. Firm is also required to submit cost analysis details / report of per test with all required documentary evidences
12. T.C. may ask for any technical information from the bidder to evaluate the equipment.

13. APPLICABILITY OF CLAUSES:- All the clauses from 1 to 48 and their annexure, formats & enclosures and their amendments are applicable for the tendered items.

14. THE TECHNICAL SPECIFICATIONS ARE AMENDED/REVISED AS UNDER AS DECIDED BY T.C.

Sr. No.	Code No.	Amended/Revised Technical Specification	Packing Unit	Quoted Item YES/NO
1	2	3	4	5
1.	LEA005	<p>SAHLI S HEMOGLOBIN METER HB meter Shalis Method Haemoglobin meter should be based on shalis method. The haemoglobin meter set should consist of colour comparator, HB Pipette of 20 µm. HB square tube of unbreakable plastic, bottle for HCL N/10, Brush for cleaning the tube. The set should be kept in unbreakable plastic box. Equipments should be CE/ISO 9001 certified. Final Technical approval after demonstration</p>	Each	
2.	LEA011	<p>GLUCOMETER 5 Second test result chemical bio Sensor Technology with Capillary System having No Coding System (Automatic Calibration) with at least 450 test memory. Memory Measuring range Should be 10-500 mg/dl. Should be standard (AAA) alkaline battery/li ion battery operated with LCD size to be at least 50mm (diagonally). With + 5variance Strip should have shelf of minimum 12 month at time of delivery Glucometer should be ISI/USFDA/CE certified/approved product. One step testing strip should be freely available at least at district headquarters. Pack of 50 test strip price should be quoted along with Glucometer as well as in item no. H/12. A free pack of 50 test strip, pricker & 50 lancets for pricker should be supplied along with Glucometer. The price of test strip (Each Pkt. Of 50 strips) shall be taken into account while evaluating the price bid. One strip bottle 1x50 test should be provided with each equipment. Warrantee for two year. Final Technical approval after demonstration</p>	Each	
3.	LEA017	<p>HEMOGLOBIN PHOTOMETER • Colorimeter specially designed for Hb estimation by drab kin's solution at wavelength 540nm • It should give result in gram/dl • Result on digital screen • It should have 3 cuvettes for Hb estimation</p>	Each	

		<ul style="list-style-type: none"> • It should have voltage AC 220C+ 22V 50Hz supply. • It should be CE/ISO certified • Warranty for one year • One pack of Drab kin solution ready to use 5 Liters with high control should be provided at the time of installation • Firm should mention consumable used and their rates in financial bid 		
4.	LEA026	<p>VDRL ROTATOR</p> <ul style="list-style-type: none"> • Platform size 300 mm x 300 „ • It should have fitted with automatic timer • It should be supplied with cord & plug • it should work on 220/330 volts AC • Variable speed. <p>Should have warranty period of two years</p>	Each	
5.	LEA027	<p>KAHN SHAKER</p> <p>It should have facility for racks bottles or conical flask of different sizes that can be shaken by adjusting the compartment.</p> <p>It should have speed of range 140 rpm 250 rpm</p> <p>It should have reciprocal shaking of 1/2" left and 1/2" right.</p> <p>It should have fitted with heavy duty geared motor for continuous rating</p> <p>It should have work on 220/230 volts A/c</p> <p>Platform 500mmx325mmx100mm</p> <p>Warranty period of two years</p>	Each	
6.	LEA040	<p>HAEMOGLOBIN SCALE BOOK (HSB)</p> <ul style="list-style-type: none"> • Simple device for estimating haemoglobin. • The kit should consist of a booklet containing a set of six shades of red and a pack of 200 special absorbent test-strips • The shades represent a range of haemoglobin value from 4 to 14 g/dl. By matching the colour of a drop of blood (fresh capillary blood) on a test-strip with one of the shades of red, you can see if the blood is anaemic and, if so, the severity of anaemia in clinical terms. • Ideally suited for tested in the clinic. • Highly accurate and precise results comparable with the best laboratory methods. • Used by various international agencies for field survey and testing. • It should be CE/ISO9001/NABL approved/WHO recommended. • For comparison of rates the prices per unit of HSB with a pack of 200 special absorbent test-strips and prices per pack of 200 absorbent test-strips shall be added. 	Each	
7.	LEA041	<p>NEUBAUER'S CHAMBER (COUNTING CHAMBERS)</p> <ul style="list-style-type: none"> • Bright line counting chamber should be strictly controlled from raw glass to finished product. METALLIZING the advantages of a counting chamber with a Metallized central platform. • Thickness of the metal film is kept within rigid limits-assuring light transmission of the correct value. 	Each	

		<ul style="list-style-type: none"> • Metalized chamber are ruled through a semi-transparent film of metal. • Protective box for storage & cover slip 10 Nos. should be provided with each item. • Final Technical approval after demonstration 		
8.	LEA042	<p>Disposable ESR pipette with ESR Cup & Stand (Westergreen Method)</p> <p>(a) ESR Pipette</p> <ul style="list-style-type: none"> (i) It should be made of transparent good quality plastic.(Polysterine material) (ii) It should be 240 mm long with jointed pressure cup, outer diameter 4.5 mm and internal 2.25 (iii) It should have marking 0 at top and 200 at bottom. (iv) It should give accurate and reproducible results. <p>(b) ESR Cup</p> <ul style="list-style-type: none"> (i) It should be made of good quality plastic.(Polysterine) (ii) It should have capacity of 2ml. with mark (iii) It should be able to accommodate ESR pipette without spillage and blood column should rise up to mark 0 on ESR pipette. <p>(c) ESR Stand</p> <ul style="list-style-type: none"> (i) It should be made of high quality transparent plastic. (ii) It should have 6 to 10 sockets for keeping ESR cups in vertical position. (iii) Stand must be designed to target (iv) It should be sturdy. <p>NOTE: The item shall be approved after satisfactory ESLR testing during demonstration the same firm should quote all three. Otherwise it will not be considered</p>	Each Pack of 100	
9.	LEA043	<p>TEST TUBE STAND MADE OF AUTOCLAVABLE PLASTIC</p> <ul style="list-style-type: none"> a) Hole size 13mm, 48 tube keeping capacity in two shelves b) Hole size 13mm 96 tube keeping capacity in two shelves c) Hole size 12mm, 15mm, 18mm in two shelves 18 tube keeping capacity d) Hole size 12mm & 15mm 24 tube keeping capacity in two shelves e) Edta vial stand 48 sample keeping capacity in two shelves 	Each	
10.	LEA044	<p>MICROPIPETTES (WITH TIPEJECTOR) OF FOLLOWING RANGES</p> <ol style="list-style-type: none"> 1. Fixed Volume – 5ul, 10ul, 100ul, 200ul, 500ul, & 1000ul 2. Variable Volume – 0.5ul to 10ul, 10ul to 100ul, 100ul to 1000ul 3. Eight & Twelve Channel Variable Volume – 5ul to 50ul, 50ul to 300ul <ul style="list-style-type: none"> • Micropipettes must be fully autoclavable & ISI/CE Certified. It should be light weight and ergonomically designed with large and easy to read digital display. • It should have volume locking button to prevent accidental volume change. 	Each	

		<ul style="list-style-type: none"> • It should have volume range color-coding system. • It should have cone filters to prevent contamination. • A Certificate of calibration by a NABL approved laboratory or CE 98/79 (IVD approved) must be submitted by the bidder in compliance of ISO: 17025 : 2005/TVD Certified. • Tip Cone should be made of PVDF material. • Each Pipette must have it's number engraved on body, as per requirement of ISO : 8655. • Vertical pipette stand (1 Nos.) and 100 pipette tips with their respective boxes should be supplied with each pipette set. 		
11.	LEA045	<p>RBC Pipette Glass pipette having bulb with red ball inside the tube with graduation. Supply with latex tube and mouth piece. Equipments should be CE/ISO 9001 certified. Final Technical approval after demonstration</p>	Each Pack of 10 Tubes	
12.	LEA046	<p>WBC pipette Glass pipette having bulb with white ball inside the tube with graduation. Supply with latex tube mouth piece. Equipments should be CE/ISO 9001 certified. Final Technical approval after demonstration</p>	Each Pack of 10 Tubes	
13.	LEA047	<p>DIGITAL STOP WATCH</p> <ul style="list-style-type: none"> • It should have single button for start, stop and reset. • It should have minute hand and seconds hand only • Second hand revolve in 60 seconds • Minutes hand revolve in 10-15 minutes • Small graduation 0.1 seconds <p>It should have warranty of one year Final Technical approval after demonstration</p>	Each	
14.	LEA048	<p>Sprit Lamp</p> <ol style="list-style-type: none"> (1) It should be made of Aluminium sheet die pressed. (2) It should have woven wick with metal holder. (3) Screw on cap air tight to avoid evaporation of sprit.Capacity 100 ml. <p>Final Technical approval after demonstration</p>	Each	
15.	LEA050	<p>Hemocytometer</p> <ol style="list-style-type: none"> (1) It should consist of a counting chamber (Neubauer chamber), Cover Glass, TLC & TRBC pipette) (2) All the three should be in wooden box. <p>It should be ISO/E-CE Certified.</p>	Each	
16.	LEA051	<p>ESR Stand (Metal)</p> <ol style="list-style-type: none"> 1. It should be made of rust proof iron. 2. It should hold westergreen glass pipette 6 to 10 in number. It should be ISO/CE Certified. 	Each	

17.	LEA052	ESR Stand (Plastic) Eye rite top (i) It should be made of high quality plastic. (ii) It should have 6 to 10 sockets for keeping ESR cups in vertical position. It should be sturdy.	Each
-----	--------	---	------

15. It is clarified that the information required in bidding document should be submitted only in enclosed annexure (A to P-1) without any change or modification in its formats. Bids submitted with changed or modified annexure/ formats may be rejected.

Note:- Please note that above all Amendments/corrigendum in technical Specifications/bid conditions, is the integral part of Annexure-C and tender document. This corrigendum shall be signed and annexed with tender/ bid document.


Managing Director
Rajasthan Medical Services Corporation Ltd.,
Jaipur