



67
**Rajasthan State Industrial Development
& Investment Corporation Ltd.**

(A Rajasthan Government Undertaking)

Udyog Bhawan, Tilak Marg, C-Scheme, Jaipur-302005 INDIA
CIN - U13100RJ1969SGC001263

No.: EM/JodhpurNGT/242

Dated: 15, Sept. 2021

Director cum Joint Secretary,
Environment Department,
Government of Rajasthan,
Secretariat, Jaipur.



Subject: Compliance of the recommendations given in the report submitted by Justice Prakash Chand Tatia in the matter of OA no. 32/2014 OA No. 329/2015 OA No. 34/2014.

Ref: Letter No. F12 (53)/ Env./ 2015 dated 07.09.2021.

Dear Sir,

Your kind attention is invited to subject and reference cited above. As directed vide above referred letter Action Taken Report/ Compliance of RIICO (related to RIICO industrial areas in Jodhpur) on recommendations given in the report submitted by Justice Prakash Chand Tatia is enclosed with this letter.

Thanking you,

Yours faithfully,


(Vijay Gupta)
General Manager (EM)

Encl : As above.

SD (Genl)
11D/2021
20/9/2021

20/9
विधि.

Subject: Compliance of Hon'ble NGT direction dated 23.11.2020 and recommendations of monitoring committee headed by Hon'ble Justice Prakash Tatia in the matter of Gram Panchayat Araba Vs State of Rajasthan (OA No. 329/2015). (RIICO- Jodhpur)

National Green Tribunal, New Delhi, vide orders dated 23.11.2020, has constituted a five-member monitoring Committee headed by Hon'ble Justice Prakash Tatia. Hon'ble NGT directed Committee to prepare a comprehensive time bound plan to remedy the situation (pollution in river Jojari due to industrial and domestic waste of Jodhpur city) at the earliest.

In compliance of Hon'ble NGT direction, Committees Chairperson inspected all crucial and critical spots and a number of spots with selected members of the Committee. Notices were also issued to all the petitioners to submit in brief, their original grievances. The Committee has also examined the facts, reports, sites, plants and convened meetings with different stakeholders like managers and controllers of pollution, namely RSPCB, RIICO, CETP Trusts, industrialists, officials of local bodies and other officials.

Based on the above findings and factual reports submitted by RIICO and Municipal Corporation Jodhpur, Committee observed that **prima facie, domestic sewage of Jodhpur city and industrial effluents from industries of Jodhpur has big role in spreading pollution.**

Committee also observed that **RIICO drain is being used by the Municipal Corporation to discharge huge quantity of sewage. CETP is discharging, about 15 MLD, treated effluents in Jojari River. Treated and untreated sewage, all are discharged in the Jojari River at various place. Because of this, added with other effluents from illegal industries of nearby areas, the effluents, through Jojari River is going as far as about fifty km. and it is the main cause damages to and up to village Araba.**

Committee submitted its report before Hon'ble NGT New Delhi with above facts and also suggest few steps to taken by respective departments (stakeholders).

Recommendations of Committee

In view of the committee following steps is to be taken by respective departments.

S. No.	Recommendation of committee	Respective department	Compliance by RIICO: Jodhpur
1.	Gandhipura, Balotra industries resettlement may be considered by the Hon'ble NGT if Hon'ble NGT finds it appropriate.	GoR after consideration of Hon'ble NGT	RIICO shall follow the directions issue by Hon'ble NGT/ GoR in this matter .
2.	Immediate efforts are to made to use the full utilisation capacity of those CETPs which are underutilised currently	CETP Trust	Efforts made by RIICO: For construction of additional new CETP at Jodhpur of capacity 25 MLD, RIICO already allotted 25 bigha (4 ha land) at village Salawas Tehsil Luni to Jodhpur

			Pollution Control and Research Foundation (JPCRF-SPV created by beneficiary industries of Jodhpur). Possession of land has been handed over to JPCRF on dated 25.01.2018. As per allotment condition JPCRF have to start CETP operation within 3 years date of possession.
3.	Till the existing system continues, effluents at the outlet of factory premises are kept within prescribed limits (in terms of both quantity and quality) through strict checks by the respective Trusts and inspection by the RSPCB. Also, installation of SCADA meters (with auto cut arrangement at consented discharge) in all CETP member units in Jodhpur, Pali & Balotra to be ensured within next three months	CETP Trust, RSPCB	Not related to RIICO
4.	Effluents at the outlet of CETP premises be kept within prescribed limits by strict checking by the respective Trusts and inspection by the RSPCB.	CETP Trust, RSPCB	Not related to RIICO
5.	Treated water at CETP shall not be allowed to mix effluents with any untreated or treated sewage. CETPs shall not be allowed to mix their treated effluents in any stormwater drain of, and municipal drains. Duty is of the respective CETP Trust, authorities and Municipal Bodies.	CETP Trust, RSPCB, Municipal Bodies	Not related to RIICO
6.	Municipal Bodies should have strict supervision of their respective drains and manholes and shall not allow any industrial effluents and sewage in their drains and manholes. If this is violated by the trust or industrialists, a complaint be filed in court U/S 133 Cr.P.C. and before the concerned RSPCB.	Industries, CETP Trust, Municipal bodies, RSPCB	<p>Efforts made by RIICO:</p> <p>To stop the direct flow of industrial effluent into River Jojari, Unit office RIICO Jodhpur has conducted a survey of textile & steel industries working in RIICO I/As during 15.06.2019 to 02.07.2019. During the visit 59 industries was inspected. During the survey manholes of effluent conveyance pipe line was found overflow at 25 locations. Effluent spilling over from manholes reach into RIICO drains (constructed for Rainwater only) and finally disposed off in River Jojari. Further again the committee of RIICO officers conducted survey of textile and steel units on 29-02-2020 to 01-03-2020 and found that the main holes were leaking at 18 locations during the visit. The report was also submitted in the</p>

			Hon'ble NGT through Affidavit (enclosed at flag-A). In this regard unit office RIICO Jodhpur has issued notices to JPNT (trust) and also directed JPNT for taking measures to stop overflow from manholes. Copies of Notices has also forwarded to RO, RSPCB Jodhpur (enclosed at flag -B).
7.	If local body is mixing storm or sewage, as the case may be, in CETP's treated effluents, the CETP Trust shall file a complaint to RSPCB who shall take action against the erring officer.	Local body, CETP Trust RSPCB.	Not related to RIICO
8.	Points No. 1 to 7 shall apply mutatis mutandis to STPs and Municipal Body managing the STPs and in STP plants, where chlorination treatment is not provided to the effluents the Municipal Corporations should install Chlorination plants immediately.	Municipal body	Not related to RIICO
9.	SPCB shall have the responsibility to check all defaults, referred above, irrespective of the initial responsibility of any individual or body.	RSPCB	Not related to RIICO
10.	The Policy of Zero Liquid Discharge (ZLD) is for all. Therefore, all the stakeholders, including municipal bodies should be asked to furnish written undertaking by what time they will fully obey this policy and they be directed not to discharge untreated, chemical or dyes or any effluents mixed water in any river so as to take other and others effluents to hundreds of kilometers	Municipal body, RSPCB	Not related to RIICO
11.	R.O., RSPCB of the area shall furnish details of all end points/check points of their area where, at the end effluents enters public properties. All such critical locations/spots where effluents are being discharged into the river should be identified and the list be submitted on or before May 7, 2021. From these points samples to be taken every month and at any time as surprise check which may substantially prove that the public and aggrieved persons got, or situation is improving. Therefore, the R.O.,	RSPCB	Not related to RIICO


	RSPCB, after identifying the spots, shall take samples every month and shall conduct random surprise check and take samples and shall keep record readily available for inspections of RSPCB's higher authorities. R.O., RSPCB shall produce monthly inspection reports before this or any Committee as per direction of NGT. Also, the respective R.O., RSPCB should develop a mechanism to upload the test results of the samples which are collected at these critical points on regular basis at the RSPCB website without any delay so that they are available to public. The monitoring and sharing of test results shall continue till this direction is modified.		
12.	R.O., RSPCB of the area shall take stern action against industry which found discharging effluents in any public drain, RIICO drain, or in any public place or in river etc.	RSPCB	<p>Efforts made by RIICO:</p> <p>The notices were regularly issued to the industries/trust and copies were given to RO RSPCB. Recently the joint inspection with RSPCB was made in the area and notices were issued to the 4 allottee found discharging in RIICO drain. (enclosed at flag -B).</p>
13.	The municipal bodies, who were directed to submit any better planning for better sewage management, uninfluenced by financial requirements have not come out with any proposal even after three months, may now submit plan if they have any.	Municipal bodies	Not related to RIICO
14.	There are two sets of industrial areas in Rajasthan, one developed by the and another as earmarked in the Master Plan for the city. In our opinion, both are "industrial use confirming area". The state government should take a policy decision to demarcate areas earmarked for "non-polluting industries" and "polluting industries". (we came to know that in non- area, several industries have been given 'Consent to Establish' and 'Consent to Operate' textile and Steel industries and they are running for the last decades). By separate and earmarked areas for polluting industries, the effluents	State Government, RSPCB	<p>Efforts made by RIICO:</p> <p>In compliance of Hon'ble NGT direction dated 01.05.2014, RIICO decided to develop a new industrial area Kakani of total land area 423.17 ha on Jodhpur-Pali road (NH-65) for shifting of industries operating in non-conforming areas.</p> <p>EC of proposed new industrial area has been received on 23.06.2017.</p> <p>The tenders for survey and demarcation, construction of Road and CD work were received and processed for approval.</p> <p>The tender for other development activities like sign boards were also invited as per the NIT published on dated 09.09.2021 .</p>

	management will be better and shall be less expansive for the state, local administration and shall be under better control of RSPCB. It is essential, otherwise, a large number of polluting industries with Consent orders from RSPCB would be under impression that the land holder/owner has Pattas for industrial land, duly issued by the state government or by authorised body of the state.		
15.	Provisions of Sec. 133 Cr. P.C. is not in use for immediate removal of public nuisance from public places when effluents are continuously running. Local administration should use this provision in congested areas also so that polluters (both small and large pollutant sources) can be prevented to cause pollution in public places.	District Administrations	Not related to RIICO
16.	Hon'ble NGT, if thinks appropriate to consider may consider, whether CETP may be considered as extended part of the industry's premises? The industry is taking effluents to the CETP, in conduit pipes, if without exposing the effluents to public, public places like, public drain or river or exposing effluents to environment. Effluents generation is not prohibited. Prohibition is against it's discharge out of industries premises without treatment. Therefore, the processing at CETP is a process which, due to practical purpose cannot be completed within industries premises. Therefore, a place has been taken by the industries and provided by the government or local body is solely used for the only process which cannot be completed within industry premises. Whether, in these circumstances, CETP may be an extended premise of industry. It appears from the judgment of the Hon'ble Supreme Court delivered in the case of Paryavaran Suraksha Samiti this issue was not considered as it was not	Industries, RSPCB	Not related to RIICO

	raised. The issue has other aspects therefore, views of industries and pollution control Board will be relevant.		
17.	All government departments, specifically, Industries department, Revenue department, PHED, Electricity Companies, SPCB, Local Bodies, local administration shall continue to discharge all their legal duties during all times uninfluenced by the monitoring by the Committee as the Committee is to supplement the work to prevent pollution and the Committee's working is not in supersession of anyone's statutory functions.	All stakeholders	RIICO strictly follow the guidelines/directions issued by Hon'ble NGT/committee and make all possible efforts to minimize/ prevent pollution.
Observations made by Committee during the visit in industrial cluster Jodhpur			
1.	Status of solid waste management in Industrial Areas and maintenance of drains.	RIICO, Industries	<p>Details of efforts made by RIICO for Management of solid waste and maintenance of Drains in Industrial areas in last three years are as below: (latest photographs enclosed)</p> <p>1- F.Y. 2018-19 - In the F.Y. 2018-19, an amount of Rs. 76.80 lacs has been incurred by the unit office on the regular maintenance /cleaning of drain, removal of garbage etc. As per detail available in office in this F.Y. 5 Km of drain repairing and maintenance, cleaning of drain in 20 length and 10000 cum removal of garbage/over burden was lifted from the industrial areas including transferred industrial areas, Basni and Sangaria.</p> <p>2- F.Y. 2019-20 - In the F.Y. 2019-20, an amount of Rs. 340.15 lacs has been incurred by the unit office on the regular maintenance /cleaning of drain, removal of garbage etc. As per detail available in office in this F.Y. 13 Km of drain repairing and maintenance, cleaning of drain in 20 Km length and 15000 cum removal of garbage/over burden was lifted from the industrial areas including transferred industrial areas, Basni and Sangaria.</p> <p>3- F.Y. 2020-21 - In the F.Y. 2020-21, an amount of Rs. 102.40 lacs has been incurred by the unit office on the regular maintenance /cleaning of drain, removal of garbage etc. As per detail available in office in this F.Y. 3.38 Km of drain repairing and maintenance, cleaning of drain in 16 Km length and 14100 cum removal of garbage/over burden was lifted from the industrial areas including transferred industrial areas, Basni and Sangaria.</p> <p>4- F.Y. 2021-22 - Presently an expenditure of 23.53 lacs has been incurred on cleaning and maintenance of drain in 15.50 km length.</p>

			In the F.Y. 2021-22, the tenders of Rs. 62.43 lacs has been awarded by the unit office for the regular maintenance /cleaning of drain, removal of garbage etc. In these tenders, an estimated length for cleaning of drain 50 km length, removal of over burden 9500 cum etc has been taken.
2	Leakage of CETP manhole.	CETP Trust, Industries, RSPCB, RIICO	RIICO Unit Office Jodhpur regularly visit the areas and whenever find overflow from manholes necessary notices has been issued to JPNT/ (trust) with copy to RSPCB. (enclosed at flag -B).

Photographs of RIICO industrial areas at Jodhpur showing cleaning of ROW (road area) and cleaning and maintenance of drains .





Jodhpur, Rajasthan, India

62F6+5RH, M.L.A. 1st Phase, Basni, Basni, Jodhpur,
Rajasthan 342005, India

Lat 26.223022°

Long 73.012129°

27/09/21 11:07 AM




Jodhpur, Rajasthan, India

F40, Sarawati Nagar, M.L.A. 1st Phase, Basni,
Medhuban, Jodhpur, Rajasthan 342005, India


Lat 26.230518°

Long 73.015092°


01/09/21 11:55 AM



Jodhpur, Rajasthan, India
 F40, Saraswati Nagar, M.I.A. 1st Phase, Basni,
 Madhuban, Jodhpur, Rajasthan 342005, India
 Lat 26.230493°
 Long 73.014292°
 01/09/21 12:11 PM



Jodhpur, Rajasthan, India
 F40, Saraswati Nagar, M.I.A. 1st Phase, Basni,
 Madhuban, Jodhpur, Rajasthan 342005, India
 Lat 26.230493°
 Long 73.014292°
 01/09/21 12:12 PM



Jodhpur, Rajasthan, India

F-50, M.I.A. 1st Phase, Basni, Basni, Jodhpur, Rajasthan 342005, India

Lat 26.225946°

Long 73.012485°

02/09/21 12:16 PM



Jodhpur, Rajasthan, India

F-50, Sakawati Nagar, M.I.A. 1st Phase, Basni, Madhubans, Jodhpur, Rajasthan 342005, India

Lat 26.230274°

Long 73.013844°

02/09/21 11:39 AM

79



Jodhpur, Rajasthan, India
F-50, M.I.A. 1st Phase, Basni, Basni, Jodhpur, Rajasthan
342005, India
Lat 26.226315°
Long 73.012596°
02/09/21 02:31 PM

Flag-A

23A1

+ 80

Original Application No.329/2015
Gram Panchayat Araba vs. State of Raj & Ors.
Additional Affidavit by respondent RIICO

BEFORE THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH AT NEW DELHI
ORIGINAL APPLICATION No.329/2015

PETITIONER: - Gram Panchayat Araba

Versus

RESPONDENTS: - State of Rajasthan & Ors.

ADDITIONAL AFFIDAVIT ON BEHALF OF
RESPONDENT-RIICO IN PURSUANCE OF ORDER DATED
24.02.2020 PASSED BY THE HON'BLE TRIBUNAL

I, Sanjay Jha son of Shri V.S. Nagar, aged 53 years, at present working as Senior Regional Manager, RIICO Ltd., Jodhpur, hereby take oath in the name of God and state as under :-

1. That I am the Officer In-charge in this case, and am well conversant with the facts and circumstances of the case.
2. That the present original application has been preferred by the applicant Gram Panchayat Araba, highlighting the pollution caused by the textile industries in Jodhpur.
3. That the said original application came up for arguments before the Hon'ble Tribunal on 15.01.2020 and on the said date; the Hon'ble Tribunal has directed CPCB to depute a Senior Scientific/Senior Environmental Engineer for the


Sr. Regional Manager
RIICO LTD., JODHPUR

OATH COMMISSIONER

- identification of the spots on the ground and to take samples of the effluent lying therein and test report be submitted at earliest.
4. That the said original application came up for arguments before the Hon'ble Tribunal on 24.02.2020 and on the said date, the Hon'ble Tribunal has considered the report submitted on 07.02.2020 by the CPCB. On the basis of said report, the Hon'ble Tribunal has directed the RIICO to identify the units from which discharge is found in open at location no. 2,3,4,6,9,12,13 & 14 mentioned in the report of CPCB and also to take necessary steps to prevent the same in future and also directed to take action against each and every unit from which discharge is found to be left in the area.
 5. That with regard to the directions given by the Hon'ble Tribunal in its order dated 24.02.2020, the present additional affidavit is being submitted on behalf of the respondent RIICO Jodhpur to apprise the Hon'ble tribunal about the action taken by the RIICO, Jodhpur in the present matter.
 6. That the Hon'ble Tribunal has expressed the concern with regard to discharge of industrial waste without treatment left in open area.

With regard to the said issue, following steps have been taken by the RIICO Jodhpur;


Sr. Regional Manager
RIICO LTD., JODHPUR

OATH COMMISSIONER
REVENUE CRIMINAL, CIVIL

- That a team of officers of RIICO, Unit Jodhpur including Shri R.K Attri, Regional Manager, Sh. H.N Bunkar, Asst Regional Manager & Sh T.C Sharma, Sr. Draughtsman was constituted vide order dated 26.02.2020 to conduct survey of locations pointed out by the Hon'ble NGT as well as entire Industrial Area Jodhpur to identify the units which are discharging effluents in open area/RIICO drains . The team has conducted the survey on 29.02.2020 and 01.03.2020 of all the Textile and Steel Units established & functional in industrial area Basni I & II, Transferred areas namely Heavy Industrial Area (HIA), Light Industrial Area (LIA), Behind New Power House (BNPH) & New Jodhpur, ~~observing~~ ^{to identify} the discharge from various units through conduit pipe line directly into RIICO drain and spillage from JPNT main holes. Copy of the order dated 26.02.2020 is enclosed herewith and marked as Annexure-A/1. Copy of the survey report are enclosed herewith and marked as Annexure-A/2.
- That the team inspected the locations 2,3,4,6,9,12,13 & 14 shown in the report of the CPCB & found that all the locations are outside the RIICO Industrial Area. With regard to location no. 12 the committee reported discharge of mixed effluents in the Jojari River. In such circumstances a letter

Darsh Singh
Sr. Regional Manager
RIICO LTD., JODHPUR

OATH COMMISSIONER
REVENUE OFFICE, CIVIL
COURT, JODHPUR

2374

Original Application No.329/2015
Gram Panchayat Araba vs. State of Raj & Ors.
Additional Affidavit by respondent RIICO

83

dated 06.03.2020 was immediately being sent to RO, RSPCB to take appropriate action to check and analyse the sample of the said discharge and to take preventive course of action. As the CETP operated by JPNT is monitored by RSPCB (with regard to parameters of effluents being discharged in the drain after treatment) the RSPCB can initiate appropriate action against JPNT. Copy of photograph of the location and letter dated 06.03.2020 are being submitted herewith and marked as Annexure-A/3 collectively.

That the team has also observed spillage of effluents from 18 manholes located at different locations on the closed conduit pipeline laid by JPNT, and submitted the geo-tagged photographs of the same. The Pipeline was laid to carry primary treated effluents from individual units to the CETP for further treatment, but at the said 18 locations the said primary treated effluent was found spilling/over-flowing and entering in RIICO drains which were constructed for the purpose of storm water drainage and in this regard a letter no. 3825 dated 05.03.2020 was issued to President JPNT to rectify the choked close conduit pipeline and repair manholes and to stop overflow of effluent in RIICO Drains. Further RSPCB was also intimated vide letter


Sr. Regional Manager
RIICO LTD., JODHPUR

OATH COMMISSIONER
REVENUE DEPARTMENT, CIVIL
DAI HIGH COURT, JODHPUR

no 3894 dated 06.03.2020 to take cognizance of such default of JPNT and to take appropriate preventive or punitive measures. Copies of the Report of team alongwith geotagged photographs of the locations are enclosed as Annexure-A/4 collectively and letter no. 3825 dated 05.03.2020 to JPNT & letter no 3894 dated 06.03.2020 to RSPCB are enclosed herewith and marked as Annexure-A/5 collectively

It is submitted that prior to the order dated 24.02.2020 issued by the Hon'ble NGT, the RIICO Jodhpur has observed spillage at JPNT manholes and same was intimated to the JPNT along with copy to RSPCB to take preventive measures. RIICO Jodhpur is regularly monitoring the upkeeping of the Industrial areas and in this regard a regular assistance is provided to the various concerned authorities. Copy of the notice dated 10.02.2020 issued to JPNT is enclosed herewith and marked as Annexure-A/6. In this view of matter, It is clear that appropriate actions are being taken by the RIICO in making compliance of the directions given by the Hon'ble Tribunal.

- 7. That the present additional affidavit has been drafted as per my instructions by our counsel. I have gone through the additional affidavit and have understood the same.

[Signature]
Sr. Regional Manager
RIICO LTD., JODHPUR

OATH COMMISSIONER
REVENUE

85

- 8. The facts stated in the present additional affidavit are true and correct to my personal knowledge based on official record available with me and the legal submissions are true to my belief being based on legal advice.
- 9. That the Annexures-A/1 to A/6 appended with the present additional affidavit are the true and correct copy of their originals.

[Signature]
 DEPONENT
 Sr. Regional Manager
 RIICO LTD., JODHPUR

VERIFICATION :-

I, Sanjay Jha, the above-named deponent do hereby verify on oath that the contents of my affidavit are true and correct to my knowledge and nothing has been concealed therein and no part of it is false. SO HELP ME GOD.

[Signature]
 DEPONENT
 Sr. Regional Manager
 RIICO LTD., JODHPUR

[Signature]
IDENTIFIED BY

Date: *20/10/2015*
 Name: *Sanjay Jha*
 R/o: *[Signature]*
 Who is identified by me: *proceeding*

OATH COMMISSIONER
 REVENUE DEPARTMENT
 RAJ. HIGH COURT, JODHPUR
[Signature]

BEFORE THE NATIONAL GREEN TRIBUNAL

PRINCIPAL BENCH AT NEW DELHI

ORIGINAL APPLICATION No.329/2015

PETITIONER: - Gram Panchayat Araba

Versus

RESPONDENTS: - State of Rajasthan & Ors.

AFFIDAVIT IN SUPPORT OF DOCUMENTS

I, Sanjay Jha son of Shri V.S Nagar, aged 53 years, at present working as Senior Regional Manager, RIICO Ltd., Jodhpur, do hereby state on oath as under:

- I. That I am the Officer Incharge in this case and am conversant with the facts of the case on the basis of official record.
- II. That the Annexure-A/1 to A/6 appended with the additional affidavit are the true and correct copy / photocopy of their originals.

[Signature]
 DEPONENT
 Sr. Regional Manager
 RIICO LTD., JODHPUR

[Signature]
 IDENTIFIED BY

VERIFICATION:

I, the abovenamed deponent do hereby verify that my above affidavit is true and correct, nothing has been concealed and no part of it is false. So help me GOD.

No. 329/2015
 Name *[Signature]*
 R/o
 Who is identified by *[Signature]*

[Signature]
 DEPONENT
 Sr. Regional Manager
 RIICO LTD., JODHPUR

OATH COMMISSIONER
 REVENUE DEPARTMENT, CIVIL
 DISTRICT JODHPUR



GM (EM)

1979

3/08/21

Flag-B

87

Rajasthan State Industrial development & Investment Corporation Limited
(A Rajasthan Government Undertaking)
Mini Udyog Bhawan, Industrial Estate,
New Power House Road, Jodhpur-342003

E-mail : jodhpur@riico.co.in

Phone No : 0291 - 2430901

Fax No. : 0291 - 2647092

No. : U.(15)-1/2021-22/1037

Date : 28/7/21

Reg/AD

M/s Roorprani Print,
Plot G-574,
Industrial Area Basni Ph-II
Jodhpur

Subject: - Show cause notice for discharging untreated textile effluent directly into RIICO drain at Industrial area Basni Ph-II, Jodhpur

Dear Sir/Madam,

We are writing to invite attention in light of NGT directions dt 16.11.2018, regarding failure to regulate industrial operation for not having proper treatment and spillages of effluents on the roads as well as RIICO drains for which both the agencies namely Rajasthan State PCB and RIICO shall take action and recover the environmental compensation from the water polluting industries generating effluents and discharging it into pipeline/drain.

During inspection, it was observed that, the SCADA system, was non operative/closed and by-pass system was made and being used for discharge of untreated effluent directly into RIICO drain, by your industrial unit causing polluting the Environment/Surrounding and damage of Roads & Drain. The existing site condition verify the non-flowing of industrial effluent through close conduit system as laid for dedicated purpose. It was observed that your industrial unit disposing industrial effluents directly into RIICO drain and such activity is the violation of terms & condition of allotment letter/ lease deed /CTE/CTO/ NGT directions. It is pertinent to mention here that, this office is also reporting your unit activity to concerned RSPCB office to take harsh action against your unit under Section 33A of the water (Prevention and Control of Pollution) Act, 1974 including cancellation of CTO/CTE.

In view of this it is proposed to:

- (a) Cancel the allotment of plot.
- (b) Terminate the lease deed / agreement and re-enter the demised premises under clause 3(a) of lease-deed agreement.
- (c) Reporting & recommendation to RSPCB for closure of your operation with cancellation of CTO/CTE.

Hence, it is enjoined upon you to take immediate and permanent measures to rectify the defects and to stop disposing effluents into RIICO drain and to submit reply along with undertaking accordingly to this show cause notice properly within 45 days. In case if no response of default or removal of breach of terms & condition is received, the allotment of plot shall be cancelled without any further notice or information.

Thanking you,

Yours faithfully

[Signature]
Sr. Regional Manager

Copy to:

- 1. RO, RSPCB, Plot No. SPL-2, Industrial area Basni Ph-I, for kind information.
- ✓ GM (EM), EM Cell, RIICO Ltd, Jaipur for kind information.
- 3. Managing trustee, JPNT with request to withdraw membership of trust of the above unit.

[Signature]
Sr. Regional Manager

etc

GM (EM)
45
3/08/2021
4/03/2021

[Signature]
3/08/2021
RM (EM)
[Signature]
3/8



Rajasthan State Industrial development
& Investment Corporation Limited
(A Rajasthan Government Undertaking)
Mini Udyog Bhawan, Industrial Estate,
New Power House Road, Jodhpur-342 003
E-mail : jodhpur@riico.co.in
Phone No : 0291 - 2430901
Fax No. : 0291 - 2647092
No. : U.(15)-1/2021-22/1039
Date : 28/7/21

Reg/AD

M/s Hazi yusuf Textile,
Plot E-535 (C),
Industrial Area Basni Ph-II
Jodhpur

Subject: - Show cause notice for discharging untreated textile effluent directly into RIICO drain at Industrial area Basni Ph-II, Jodhpur

Dear Sir/Madam,

We are writing to invite attention in light of NGT directions dt 16.11.2018, regarding failure to regulate industrial operation for not having proper treatment and spillages of effluents on the roads as well as RIICO drains for which both the agencies namely Rajasthan State PCB and RIICO shall take action and recover the environmental compensation from the water polluting industries generating effluents and discharging it into pipeline/drain.

During inspection, it was observed that, the SCADA system, was non operative/closed and by-pass system was made and being used for discharge of untreated effluent directly into RIICO drain, by your industrial unit causing polluting the Environment/Surrounding and damage of Roads & Drain. The existing site condition verify the non-flowing of industrial effluent through close conduit system as laid for dedicated purpose. It was observed that your industrial unit disposing industrial effluents directly into RIICO drain and such activity is the violation of terms & condition of allotment letter/ lease deed /CTE/CTO/ NGT directions. It is pertinent to mention here that, this office is also reporting your unit activity to concerned RSPCB office to take harsh action against your unit under Section 33A of the water (Prevention and Control of Pollution) Act, 1974 including cancellation of CTO/CTE.


In view of this it is proposed to:

- Cancel the allotment of plot.
- Terminate the lease deed / agreement and re-enter the demised premises under clause 3(a) of lease-deed agreement.
- Reporting & recommendation to RSPCB for closure of your operation with cancellation of CTO/CTE.

Hence, it is enjoined upon you to take immediate and permanent measures to rectify the defects and to stop disposing effluents into RIICO drain and to submit reply along with undertaking accordingly to this show cause notice properly within 45 days. In case if no response of default or removal of breach of terms & condition is received, the allotment of plot shall be cancelled without any further notice or information.

Thanking you,

Yours faithfully,


Sr. Regional Manager

Copy to:

- RO, RSPCB, Plot No. SPL-2, Industrial area Basni Ph-I, for kind information.
- GM (EM), EM Cell, RIICO Ltd, Jaipur for kind information.
- Managing trustee, JPNT with request to withdraw membership of trust of the above unit.


Sr. Regional Manager
o/c



89



Rajasthan State Industrial Development & Investment Corporation Limited
 (A Rajasthan Government Undertaking)
 Mini Udyog Bhawan, Industrial Estate,
 New Power House Road, Jodhpur-342003
 E-mail : jodhpur@riico.co.in
 Phone No : 0291 - 2430901
 Fax No. : 0291 - 2647092
 No. : U.(15)-()/2021-22/ 1038
 Date :

Reg/AD

M/s Mohamad Farookh Mohamad Yusuf,
 Plot E-535 (B),
 Industrial Area Basni Ph-II
 Jodhpur

Subject: - Show cause notice for discharging untreated textile effluent directly into RIICO drain at Industrial area Basni Ph-II, Jodhpur

Dear Sir/Madam,

We are writing to invite attention in light of NGT directions dt 16.11.2018, regarding failure to regulate industrial operation for not having proper treatment and spillages of effluents on the roads as well as RIICO drains for which both the agencies namely Rajasthan State PCB and RIICO shall take action and recover the environmental compensation from the water polluting industries generating effluents and discharging it into pipeline/drain.

During inspection, it was observed that, the SCADA system, was non operative/closed and by-pass system was made and being used for discharge of untreated effluent directly into RIICO drain, by your industrial unit causing polluting the Environment/Surrounding and damage of Roads & Drain. The existing site condition verify the non-flowing of industrial effluent through close conduit system as laid for dedicated purpose. It was observed that your industrial unit disposing industrial effluents directly, into RIICO drain and such activity is the violation of terms & condition of allotment letter / lease deed / CTE/CTO/ NGT directions. It is pertinent to mention here that, this office is also reporting your unit activity to concerned RSPCB office to take harsh action against your unit under Section 33A of the water (Prevention and Control of Pollution) Act, 1974 including cancellation of CTO/CTE.

In view of this it is proposed to:

- Cancel the allotment of plot.
- Terminate the lease deed / agreement and re-enter the demised premises under clause 3(a) of lease-deed agreement.
- Reporting & recommendation to RSPCB for closure of your operation with cancellation of CTO/CTE.

Hence, it is enjoined upon you to take immediate and permanent measures to rectify the defects and to stop disposing effluents into RIICO drain and to submit reply along with undertaking accordingly to this show cause notice properly within 45 days. In case if no response of default or removal of breach of terms & condition is received, the allotment of plot shall be cancelled without any further notice or information.


Thanking you,

Yours faithfully


 Sr. Regional Manager

Copy to:

- ✓ SO, RSPCB, Plot No. SPL-2, Industrial area Basni Ph-I, for kind information.
- ✓ GM (EM), EM Cell, RIICO Ltd, Jaipur for kind information.
3. Managing trustee, JPNT with request to withdraw membership of trust of the above unit.


 Sr. Regional Manager
 dic



Rajasthan State Industrial development
& Investment Corporation Limited
(A Rajastinan Government Undertaking)
Mini Udyog Bhawan, Industrial Estate,
New Power House Road, Jodhpur-342003
E-mail : jodhpur@riico.co.in
Phone No : 0291 - 2430901
Fax No. : 0291 - 2647092
No. : U.(15)-I /2021-22/1036
Date : 28/7/21

pReg/AD

M/s Prakash Processing Works,
Plot E-533,
Industrial Area Basni Ph-II
Jodhpur

Subject: - Show cause notice for discharging untreated textile effluent directly into RIICO drain at Industrial area Basni Ph-II, Jodhpur

Dear Sir/Madam,

We are writing to invite attention in light of NGT directions dt 16.11.2018, regarding failure to regulate industrial operation for not having proper treatment and spillages of effluents on the roads as well as RIICO drains for which both the agencies namely Rajasthan State PCB and RIICO shall take action and recover the environmental compensation from the water polluting industries generating effluents and discharging it into pipeline/drain. During inspection, it was observed that, the SCADA system, was non operative/closed and by-pass system was made and being used for discharge of untreated effluent directly into RIICO drain, by your industrial unit causing polluting the Environment/Surrounding and damage of Roads & Drain. The existing site condition verify the non-flowing of industrial effluent through close conduit system as laid for dedicated purpose. It was observed that your industrial unit disposing industrial effluents directly into RIICO drain and such activity is the violation of terms & condition of allotment letter/ lease deed /CTE/CTO/ NGT directions. It is pertinent to mention here that, this office is also reporting your unit activity to concerned RSPCB office to take harsh action against your unit under Section 33A of the water (Prevention and Control of Pollution) Act,1974 including cancellation of CTO/CTE. In view of this it is proposed to:

- Cancel the allotment of plot.
- Terminate the lease deed / agreement and re-enter the demised premises under clause 3(a) of lease-deed agreement.
- Reporting & recommendation to RSPCB for closure of your operation with cancellation of CTO/CTE.

Hence, it is enjoined upon you to take immediate and permanent measures to rectify the defects and to stop disposing effluents into RIICO drain and to submit reply along with undertaking accordingly to this show cause notice properly within 45 days. In case if no response of default or removal of breach of terms & condition is received, the allotment of plot shall be cancelled without any further notice or information.


Thanking you,

Yours faithfully


Sr. Regional Manager

Copy to:

- RO, RSPCB, Plot No. SPL-2, Industrial area Basni Ph-I, for kind information.
- GM (EM), EM Cell, RIICO Ltd, Jaipur for kind information.
- Managing trustee, JPNT with request to withdraw membership of trust of the above unit.


Sr. Regional Manager
D/C

91
2411
A-5

Regional Officer,
Rajasthan State Pollution Control Board (RSPCB)
Plot no. SPL-2, Industrial Area Basni Phase Ist
Jodhpur.

Subject: - To initiate action under Air and Water Pollution Act for over flow/spill over of manholes of conduit pipe line laid by JPNT.

Dear Sir,

The Hon'ble NGT Principal Bench New Delhi, has issued direction on dated 24-02-20 in the matter of Gram Panchayat Araba V/s State of Rajasthan & Ors to "immediately take action so as to identify units from which discharges are left in open area and also take necessary steps to prevent from which the same in future. It was also directed that every unit from which the discharge is following directly into the river or where discharges are found to left in the area, the authorities should close down such units and further such units need to be imposed exemplary compensation/penalty for discharging industrial waste without treatment".

As per the direction, the unit office inspected the units on 29-02-20 & 01-03-20, and it is observed that, existing manhole in-front of industrial units at various locations are continuously overflowing and damaging Roads & Drain and thereby polluting the Environment/Surroundings. The list of locations with Photo-graphs where manholes were found over flowing/spilling over is already sent to your office vide letter dated 05-03-2020 (copy enclosed).

It is therefore requested that pollution control board may take cognizance under Water Act (prevention & control of pollution) 1974 against JPNT and defaulter industries connected to the manholes through which discharge is spilling over and over flowing in RIICO drains, so that action can be initiated by the RIICO for cancellation of allotment of plots of defaulter allottees on withdrawal of Consent to Operate.

Thanking you,

Yours faithfully

[Signature]
S/c
Sr. Regional Manager

Copy to:

1. President, JPNT, CETP Sangaria Industrial area Jodhpur.
2. GM (EM), EM Cell, RIICO Ltd, Jaipur for kind information

[Signature]
S/c
Sr. Regional Manager

[Signature]
Sr. Regional Manager
RIICO LTD., JODHPUR

OATH COMPLETION
REVENUE
RAJ. HIGH CO.

92
2874

Reg/AD

Sh. G.K. Garg,
Jodhpur Pradushan Niwaran Trust,
Managing Trustee, JPNT (CETP Trust),
CETP Sangaria Industrial Area, Jodhpur.

Subject: - Show cause notice for discharging spilled over effluent directly into RIICO drain in industrial areas of Jodhpur.

Dear Sir,

Please refer to directions of Hon'ble NGT dated 24-02-20 in the matter of Gram Panchayat Araba V/s State of Rajasthan & Ors to immediately take action so as to identify units from which discharges are left in open area and also take necessary steps to prevent from which the same in future. It was also directed that every unit from which the discharge is following directly into the river or where discharges are found to left in the area, the authorities should close down such units and further such units need to be imposed exemplary compensation/penalty for discharging industrial waste without treatment.

The constituted committee of unit office inspected the units on 29-02-20 & 01-03-20, and it is observed that, existing manhole in-front of industrial units at various locations are continuously overflowing causing polluting the Environment/Surrounding and damaging Roads & Drain. Such activity is the violation of terms & condition of allotment letter/ lease deed/CTE/CTO/ NGT directions. The list of locations with Photo-graphs where menholes are over flowing/spilling over is enclosed.

As per the Conditions of lease deed, the operation & maintenance of CETP infrastructure including close conduit pipe line/chambers is the responsibility of SPV/trust created by beneficiary industries. In view of above it is your prime responsibility to repair/ rectify the choked pipe lines and repair over-flowing menholes and to immediately stop overflow/spillage in RIICO drains.

Hence, it is enjoined upon you to take immediate action and permanent measures to rectify the choked close conduit pipe line and repair menholes, ensuring not to over-flow/spilling over of JPNT menholes in RIICO drains, failing which the RSPCB shall be recommended to take action under Section 33A of the water (Prevention and Control of Pollution) Act, 1974.

Thanking you,

Yours faithfully

[Signature]
Sr. Regional Manager

Copy to:

1. RO, RSPCB, for kind information and request to direct JPNT to immediately repair over-flowing manholes, choked pipe lines and to stop any spillage into RIIC drains.
2. GM (EM), EM Cell, RIICO Ltd, Jaipur for kind information

[Signature]
Sr. Regional Manager

[Signature]
Sr. Regional Manager
RIICO LTD., JODHPUR

OATH COMMISSIONER
REVENUE
RAJ. HIGH COURT



Rajasthan State Industrial development
& Investment Corporation Limited
(A Rajasthan Government Undertaking)
Mini Udyog Bhawan, Industrial Estate,
New Power House Road, Jodhpur-342003
Phone No:0291 - 2430901
Fax No. : 0291 - 2647092
E-mail: jodhpur@riico.co.in
No. : U(15)/2019-20/ 3521
Dated: 10-2-2020

DOM... A/V
93
2413
A-8

Reg/AD

Sh. Jaaraj Bothara,
Jodhpur Pradushan Niwaran Trust,
Managing Trustee, JPNT (CETP Trust),
CETP-Sangaria Industrial Area, Jodhpur.

Subject: - Show cause notice for discharging spilled over effluent directly into RIICO drain at TIA, Jodhpur.

Dear Sir,

We are writing to invite your attention in light of NGT directions dt 16.11.2018, regarding failure to regulate industrial operation for not having proper treatment and spillages of effluents on the roads as well as RIICO drains for which both the agencies namely Rajasthan State PCB and RIICO shall take action and recover the environmental compensation from the water polluting industries generating effluents and discharging it into pipeline/drain.

During inspection, it is observed that, existing manhole in-front of industrial units at various locations are continuously overflowing causing polluting the Environment/Surrounding and damaging Roads & Drain. The list of locations with Photo-graphs are enclosed.

The existing site condition verify the over-flow/spill over of industrial effluent through man-holes of close conduit system, due to which the over-flow/spill over is directly flowing into RIICO drain. Such activity is the violation of terms & condition of allotment letter/ lease deed/CTE/CTO/ NGT directions.

This is your prime responsibility to repair/ rectify the choked pipe lines and repair over-flowing manholes at your level and to ensure us that, any overflow/spilling over of manholes on roads/ discharging into RIICO drains shall not occur in future.

Hence, it is enjoined upon you to take immediate and permanent measures to rectify the choked close conduit pipe line and repair manholes, ensuring not to over-flow/spilling over of JPNT manholes & not to dispose effluents directly into RIICO drains, otherwise action shall be initiated for breach of condition of allotment letter/lease deed and to report concerned RSPCB office to take action under Section 33A of the water (Prevention and Control of Pollution) Act, 1974.

Thanking you,

Yours
faithfully

[Signature]
o/c Sr. Regional Manager

Copy to:

1. RO, RSPCB, for kind information and request to direct JPNT to immediately repair over-flowing manholes, choked pipe lines and to stop any spillage into RIICO drains.
2. GM (EM), EM Cell, RIICO Ltd, Jaipur for kind information

[Signature]
o/c Sr. Regional Manager

E:/RIICO/Dungar-2015/English Letter-with Letterhead(2015)

[Signature]
Sr. Regional Manager
RIICO LTD., JODHPUR

OATH COPY
RIICO LTD., JODHPUR



इस्तानान्तरित ऑ. सेंज (T.S/A) जोधपुर में JPNT द्वारा स्थापित Textiles Conduite Pipe Line के मेन ड्रॉव लाइए-जगह पर Over flow होकर सड़क को तोड़ रहा है, तथा सीनो की बरखातीपानी सेनाली में डाला जा रहा है जो निम्नाखिलित location पर over flow हो रहा है:-

क्र.स.	ऑ. सेंज का नाम	स्थान जहां ओवरफ्लो हो रहा है	विवरण
1	H.I.A.	P.No. 18 के कोरनर पर	
2	—	P.No. 21(4) के सामने	
3	—	P.No. 21(5) के सामने	
4	—	P.No. 23(4) के कोरनर पर	
5	—	P.No. 28/6(B) के सामने	
6	—	P.No. 23/1 के पास	
7	—	जोधपुर रोड के सामने	
8	—	P.No. 5-6/7 डाय ड्रॉ के पानी जमा	
9	B.Z.P.H.	P.No. 43 के सामने	
10	—	P.No. 42(B) के सामने	
11	—	P.No. 41-42 के सामने	
12	—	P.No. 56(A) के पास	
13	—	P.No. 44 के सामने	
14	—	P.No. E-72 के पास	
15	New Jodhpur	P.No. G-113 के सामने	
16	—	G.S.T. OFFICE के सामने	

10

D. G. Jodhpur
 Sr. Regional Manager
 RIICO LTD., JODHPUR

JATH...
 REVENUE...
 DAL...
 ...

अहायक सेंट्रल प्रबन्धक से साथ भेजा
निरीक्षण किया गया। कौड़ी अलग उद्घुत है
Rm

we can
make notice
to JPMT

[Signature]
7/2/2020

0113
07-2-2020

WH

[Signature]
Sr. Regional Manager
RIICO LTD., JODHPUR

OATH CO
REVENUE
RAJ HIGH

श्री जसराज बोधरा,
 लोडिंग ट्रस्टी, जेपीएनटी,
 तागरिया औद्योगिक क्षेत्र,
 जोधपुर।

विषय :- बासनी औद्योगिक क्षेत्र में रोड नं 8 से रोड नं 7 व 8 से होती हुई टेक्सटाईल उद्योगों से अपशिष्ट को ले जाने हेतु डाली गयी पाईप लाईन जगह जगह से मेनहॉल/चेम्बर अंधरबली होने के कारण सड़क पर फील पड़े प्रदूषित पानी तथा रीको ड्रेन में जा रहे इस प्रदूषित एक्सप्लेंट को रोकने हेतु समाधान मागत।


महोदय,

उपरोक्त विषयान्तर्गत लेख है कि उपरोक्त वर्णित लोकेशन पर आप के ट्रस्ट द्वारा डाली गयी पाईप लाईन के मेनहॉल/चेम्बर से टेक्सटाईल उद्योगों का अपशिष्ट प्रदूषित पानी जगह जगह से अंधर बली होकर सड़क पर बह रहा है तथा रीको नाले में प्रवाहित हो रहा है जो कि पूर्णतया माननीय एनजीटी के द्वारा दिये गये निर्देशों की अवहेलना दर्शाता है। इस से जुड़ी टेक्सटाईल औद्योगिक इकाईयों द्वारा यह बार बार कहा जाता है कि हमारी कोई गलती नहीं है ट्रस्ट द्वारा डाली गयी पाईप लाईन ही छोटी व जगह जगह से जटिल होने के कारण उक्त परेशानी उत्पन्न हो रही है जिसका समाधान उक्त पाईप लाईन को हटा कर नयी बड़ी साइज की पाईप लाईन डालने पर ही समय हो सकता है।

अतः उपरोक्त संदर्भ में आपको निर्देशित किया जाता है कि तुरन्त इस समस्या का समाधान कर 7 दिवस के अन्दर रिपोर्ट प्रस्तुत करें अन्यथा इस पाईप लाईन से जुड़ी समस्त औद्योगिक इकाईयों पर नियमानुसार अग्रिम कार्यवाही की जायेगी तथा इसके कारण जगह जगह से टूट गयी सड़क व नाली की मरम्मत अपने स्तर से करवाकर सूचित करें।

धन्यवाद,

भवदीय,


 वरिष्ठ क्षेत्रीय प्रबन्धक

प्रतिलिपि :-

1. जिला कलेक्टर जोधपुर को सूचनाार्थ।
2. क्षेत्रीय अधिकारी, प्रदूषण विभाग बासनी प्रथम घरण को आवश्यक कार्यवाही हेतु प्रेषित।
3. क्षेत्रीय प्रबन्धक, रीको लिमिटेड जोधपुर को नियमित रूप से सर्वे कर रिपोर्ट प्रस्तुत करने बावत्।


 वरिष्ठ क्षेत्रीय प्रबन्धक



Rajasthan State Industrial Development
& Investment Corporation Limited
(A Rajasthan Government Undertaking)
Mini Udyog Bhawan, Industrial Estate
New Power House Road, Jodhpur-342003

E-mail : jodhpur@riico.ss.in

Phone No : 0291 - 2430901

Fax No : 0291 - 2447892

No. U.15)4 /2019-20/411

Date : 07/05/2019

Regional officer (RO),
Rajasthan State Pollution Control Board (RSPCB),
Plot No. SPL-2, Industrial area Basni Ph-I, Jodhpur

Subject : information regarding industrial units directly discharging trade effluent into RIICO drain.
Reference : In light of the direction of NGT and M.D. RIICO.

Sir,

During inspection of Industrial areas on dt 07.05.2019, it is observed that the following industrial units discharging industrial trade effluent in RIICO drain in addition to connected disposal to PNT pipe-line, the name & location of industrial units are as under :

Sl. No.	Name of Industrial Units	Industrial Area	Type of trade effluent
1	Over flow of JPNT Manhole in-front of Plot No S1 (A), BNPH (Nos of Industrial units connected with it)	Transferred Industrial Area	Textile
2	M/s Suncity Metal (P) Ltd., E-422	Basni Ph-II	Steel
3	M/s Vijay Super processor, E-634	Basni Ph-II	Textile
4	M/s D.C.M. Prints, E-335	Basni Ph-II	Textile
5	Over flow of JPNT Manhole in-front of Plot No E-334, Rd No.8 (Nos of Industrial units connected with it)	Basni Ph-II	Textile
6	Over flow of JPNT Manhole in-front of Plot No E-331(A) & (B), Rd No.8 (Nos of Industrial units connected with it)	Basni Ph-II	Textile
7	Over flow of JPNT Manhole in-front of Plot No F-323, Rd No.8 (Nos of Industrial units connected with it)	Basni Ph-II	Textile
8	Over flow of JPNT Manhole in-front of Plot No G-601 at Rd No.8 (Nos of Industrial units connected with it)	Basni Ph-II	Textile

You are therefore requested to, please verify the above locations also from your end and take action against defaulter's industrial units unauthorisedly discharging trade effluent into RIICO drain.

Thanking you,

Your's faithfully,


(Vineet Gupta)
Sr. Regional Manager

Regional officer (RO),
Rajasthan State Pollution Control Board (RSPCB),
Plot No. SPL-2, Industrial area Basni Ph-I, Jodhpur

Subject : Information regarding Industrial units directly discharging T Effluent into RIICO drain
Reference : In light of the direction of NGT and M.D. RIICO

Sir,


During inspection of Industrial areas on dt 06.05.2019, it is observed that the following industrial units discharging industrial effluent in RIICO drain in addition to connected/ disposal to JPNT pipe line, the name & location of industrial units are as under :

Sl. No.	Name of Industrial Units	Industrial Area	Type of trade effluent
1	Over flow of JPNT Manhole in-front of Plot No E-196 (Nos of Industrial units connected with it)	Basni Ph-II	Textile
2	Over flow of JPNT Manhole in-front of Plot No F-311/312 (Nos of Industrial units connected with it)	Basni Ph-II	Textile
3	M/s Sakena Textile, F-266	Basni Ph-II	Textile
4	M/s Rajat Industries, F-265	Basni Ph-II	Textile
5	M/s Mahaveer Udyog, F-305	Basni Ph-II	Color - Effluent
6	M/s M.R Industries, F-249	Basni Ph-II	Textile
7	Over flow of JPNT Manhole in-front of Plot No F-331 & M/s Rainbow Industries at Rd No.7 (Nos of Industrial units connected with it)	Basni Ph-II	Textile
8	Over flow of JPNT Manhole in-front of Plot No F-295 at Rd No.7 (Nos of Industrial units connected with it)	Basni Ph-II	Textile

You are therefore requested to, please verify the above locations also from your end and take action against defaulter's industrial units unauthorisedly discharging trade effluent into RIICO drains.

Thanking you,


Your's faithfully,


(Vineet Gupta)
Sr. Regional Manager

Copy to :

1/ Member Secretary, RSPCB, Jaipur for kind information and needful action at your end.
GM (EM), EM Cell, RIICO Ltd, Jaipur for kind information with request to apprise the matter to M.S., RSPCB from H.O. Level.

Also copy to: P.S. to MD, RIICO Ltd, Jaipur for kind information.


Sr. Regional Manager

E-mail : jodhpur@riico.co.in

Phone No : 0291 - 2430801

Fax No. : 0291 - 2647002

No. : U.184/2019-20/376k

Date : 5/5/19

Regional officer (RO),
Rajasthan State Pollution Control Board (RSPCB),
Plot No. SPL-2, Industrial area Basni Ph-I

Subject : Information regarding Industrial units directly discharging Effluent into RIICO drain

Reference : In light of the direction of NGT and our H.O. (E.M. cell)

Sir,


During inspection of Industrial areas on dt 05.05.2019, it is observed that the following Industrial units discharging Industrial effluent in RIICO drain in addition to connected/disposal to JPNT pipe line, the name & location of industrial units are as under :

Sl. No.	Name of Industrial Units	Industrial Area
1	M/s ISCON Surgical, Plot No. 22/4	Heavy Ind. Area Jodhpur
2	Over flow of JPNT Manhole in-front of plot no 23/3 to 23/4 (Nos of Industrial units connected with it)	Heavy Ind. Area Jodhpur
3	M/s S.K. Textile , E-226	Ind. area Basni Ph-II
4	Over flow of JPNT Manhole in-front of Plot No E-228 at Rd No.6 (Nos of Industrial units connected with it)	Ind. area Basni Ph-II
5	Over flow of JPNT Manhole in-front of Plot No E-221 at Rd No.6 (Nos of Industrial units connected with it)	Ind. area Basni Ph-II

You are therefore requested to, please verify the above locations also from your end and take action against defaulter's industrial units unauthorisedly discharging trade effluent into RIICO drains.

Thanking you,


Your's faithfully,


(Vinnet Gupta)

Sr. Regional Manager

Copy to :

- 1 Member Secretary, RSPCB , Jaipur for kind information and needful action at your end.
- 2 GM (EM), EM Cell, RIICO Ltd, Jaipur for kind information with request to apprise the matter to M.S., RSPCB from H.O. Level.





GROW WITH RAJASTHAN

100
3
Rajasthan State Industrial Development
& Investment Corporation Limited
(A Rajasthan Government Undertaking)
Mini Udyog Bhawan, Industrial Estate,
New Power House Road, Jodhpur-342003

E-mail : jodhpur@riico.co.in

Phone No : 0291 - 2430 01

Fax No. : 0291 - 2647 02

No. : U.15)4 /201-20/373

Date : 4/5/19

Regional officer (RO),
Rajasthan State Pollution Control Board (RSPCB),
Plot No. SPL-2, Industrial area Basni Ph-I

Subject : Information regarding Industrial units directly discharging Effluent into RIICO drain

Reference : In light of the direction of NGT and our H.O. (E.M. cell)

Sir,


During inspection of Industrial areas on dt.04.05.2019, it is observed that the following Industrial units discharging Industrial effluent in RIICO drain in addition to connected/disposal to JPNT pipe line, the name & location of industrial units are as under

Sl. No.	Name of Industrial Units	Industrial Area
1	M/s Sarda International, Plot No. 21/5.	Heavy Ind. Area Jodhpur
2	M/s Ashok fabrics, Plot No. 21/4	Heavy Ind. Area Jodhpur
3	Over flow of JPNT Manhole in-front of plot no 21/5 & 21/4 (Nos of Industrial units connected with it)	Heavy Ind. Area Jodhpur
4	M/s Heena Arts & Exports, Plot No. F-15(C-1)	Ind. area Basni Ph-I
5	M/s Vinod textile , E-14	Ind. area Basni Ph-I
6	M/s M.R. Prints, Plot No G-202	Ind. area Basni Ph-I
7	M/s A.S. Enterprises, Plot No. J1-185	Ind. area Basni Ph-I
8	Over flow of JPNT Manhole near Prakash Dhaba at Rd No.6 (Nos of Industrial units connected with it)	Ind. area Basni Ph-I

You are therefore requested to, please verify the above locations also from your end and take action against defaulter's industrial units unauthorisedly discharging trade effluent into RIICO drains.

Thanking you.

Your's faithfully,


(Vineet Gupta)
Sr. Regional Manager

Regional Officer,
Rajasthan Pollution Control Board,
Industrial Area Basni-I, Jodhpur.

Subj:- Regarding Over flow of JPNT Manhole in front of Plot no. E-347 (A&B)
Industrial area Basni-II Jodhpur.

In light of direction of Secretary (environmental) during monitoring committee meeting regarding compliance of NGT direction, during regular inspection of industrial area Basni-II it is observed today that JPNT Manole in front of Plot no. E-347 (A&B), Road no. 6, Industrial area Basni-II Jodhpur is over flowing on road, spillage of industrial waste water diverted into near by RICO drain through Kachha Drain(video clip attached). It is observed that this manhole overflow of textile pipe line laid down by JPNT is carrying the combined effluent waste of the textile industries of the private Nakoda industrial area with other industrial units found with this.

In this regard, you are requested to inspect the said location at your level also and take stringent action against JPNT and defaulter units against JPNT.

Thanking you
Your's faithfully,

WL
Sr. REGIONAL MANAGER

Copy to :-

1. Member Secretary, RSPCB, Jhalana Dungri Road, Jaipur.
2. GM (EM Cell) for kind information and necessary action at their end.
3. Managing Trustee, JPNT (CETP Trust), CETP Sangaria Industrial Area, Jodhpur for repairing the pipe line and stopping the overflow at the earliest.

ARM (J)
10/2/17

WL
Sr. REGIONAL MANAGER



102 2871

**Rajasthan State Industrial development
& Investment Corporation Limited**
(A Rajasthan Government Undertaking)
Mini Udyog Bhawan, Industrial Estate,
New Power House Road, Jodhpur-342003
E-mail : jodhpur@riico.co.in
Phone No : 0291 - 2430901
Fax No. : 0291 - 2647092
No. : U.(15)-(1)/2015/3827
Date : 5/2/2020

Reg/AD

Sh. G.K. Garg,
Jodhpur Pradushan Niwaran Trust,
Managing Trustee, JPNT (CETP Trust),
CETP Sangaria Industrial Area, Jodhpur.

Subject: - Show cause notice for discharging spilled over effluent directly into RIICO drain in industrial areas of Jodhpur.

Dear Sir,

Please refer to directions of Hon'ble NGT dated 24-02-20 in the matter of Gram Panchayat Araba V/s State of Rajasthan & Ors to immediately take action so as to identify units from which discharges are left in open area and also take necessary steps to prevent from which the same in future. It was also directed that every unit from which the discharge is following directly into the river or where discharges are found to left in the area, the authorities should close down such units and further such units need to be imposed exemplary compensation/penalty for discharging industrial waste without treatment.

The constituted committee of unit office inspected the units on 29-02-20 & 01-03-20, and it is observed that, existing manhole in-front of industrial units at various locations are continuously overflowing causing polluting the Environment/Surrounding and damaging Roads & Drain. Such activity is the violation of terms & condition of allotment letter/ lease deed/CTE/CTO/ NGT directions. The list of locations with Photo-graphs where menholes are over flowing/spilling over is enclosed.

As per the Conditions of lease deed, the operation & maintenance of CETP infrastructure including close conduit pipe line/chambers is the responsibility of SPV/trust created by beneficiary industries. In view of above it is your prime responsibility to repair/ rectify the choked pipe lines and repair over-flowing menholes and to immediately stop overflow/spillage in RIICO drains.

Hence, it is enjoined upon you to take immediate action and permanent measures to rectify the choked close conduit pipe line and repair menholes, ensuring not to over-flow/spilling over of JPNT menholes in RIICO drains, failing which the RSPCB shall be recommended to take action under Section 33A of the water (Prevention and Control of Pollution) Act,1974.

Thanking you,

Yours faithfully

RM(VG) 2/3/2020

Sr. Regional Manager

Copy to:

1. RO, RSPCB, for kind information and request to direct JPNT to immediately repair over-flowing manholes, choked pipe lines and to stop any spillage into RIIC drains.
- ✓ 2. GM (EM), EM Cell, RIICO Ltd, Jaipur for kind information

Sr. Regional Manager



ऑथोरिजिड इन्ड्र प्रग्रम, चरग, द्वितीय चरग एवं
 हस्तान्तरित ऑ. इन्ड्र (H-1A, L1A, B-NPM, New Jodhpur)
 में JP-NIT द्वारा संचालित Textile Conduite Pipeline
 व Alcaulic Conduite Pipeline के मेन हल जगह
 जगह पर over flow होकर सड़को को लोड रहा है,
 तथा सड़को को बर्बाद करती बानी को नष्ट में जा रहा है
 पिनकी फोटोग्राफस सहित सलजंन कर अग्रिम कार्रवाई
 हेतु उचित है।
 निम्नलिखित location पर over flow हो रहा है।

क्र.सं.	ऑ. इन्ड्र का नाम	ग्रुप/संख्या की सामने	ओवर फ्लो की स्थान		
			Latitude	Longitude	
1	वासनी प्रग्रम-चरग	F-71	26.225722	73.013784	JPNT Pipeline लिफ्टिंग
2	वासनी द्वितीय चरग	E-222	26.235453	73.003814	Alcaulic-चेन्नर
		E-252	26.235767	73.005256	Textile Pipeline
		G-561	26.232297	72.998996	Textile-चेन्नर over
		G-572	26.233636	72.997831	—do—
		G-615	26.237569	72.998482	—do—
		G-563-564	26.235304	72.99958	—do—
		E-506	26.230826	72.996227	—do—
		G-615	26.240289	72.998229	—do—
		E-337	26.232297	72.998996	—do—
		F-542	26.232297	72.998996	—do—
		E-324	26.239042	72.00056	—do—
		E-325	26.234371	73.001233	—do—
		F-251	26.234303	73.001162	—do—

0011

क्र.सं.	संस्था/प्राधिकरण	संस्था संख्या	अक्षांश (Latitude)	देश	देश संख्या	देश अक्षांश (Longitude)
	संस्था/प्राधिकरण	संस्था संख्या	26.228851			73.001148
		E-371	26.229192			72.999386
		E-197	26.235453			73.003814
	H.I.A.	21/4	26.250728			73.000561

संस्था/प्राधिकरण हेतु प्रकृत हे

APM

RAY

04/03/2020

4/3/2020

we can accordingly

specie notice

SAM

04/3/2020

E-mail : jodhpur@riico.co.in
Phone No : 0291 - 2430801
Fax No. : 0291 - 2047092
No. : U.(18)H 1/2018-19 2374
Date : 14/11/18

Regional officer (RO),
Rajasthan State Pollution Control Board (RSPCB),
Plot No. 5Pl-2, Industrial area Basni Ph-I

Subject : Information regarding overflowing of JPNT Manholes of Close conduit system of
textile effluent at RIICO Industrial areas, Jodhpur

Reference : In light of NGT direction dt 16.11.2018.

Sr

During inspection of Industrial areas, it is observed that the existing Close conduit system for textile effluent as laid by JPNT along Road No. 5, 7, 8 & its link roads at Ind. area Basni Ph-II, some pocket of Ind. area Basni Ph-I & Transferred industrial area are either choked or non-flowing causing continuously overflowing of existing manholes resulting polluting the Environment/Surrounding, damage of Roads & Drain and overflowing industrial waste water either spread/spillage over road surface or by-passed into the RIICO drain in huge quantity. The existing site condition confirm the faulty close conduit system as laid for dedicated purpose, even after numbers of reminders via letters, e-mail & verbal intimation to JPNT authority, till date no any concrete remedial action has been taken so far. Also, it is pertinent to mention here that, such activity of JPNT is the violation of terms & condition of allotment letter/ lease deed of land for establishment of CETP at Sangaria. The details of locations at which manholes are overflow are as under:

(A) Industries in-front of which JPNT manholes are overflowing :

1. Heavy Ind. Area :

- Along ITI- Jodhpur Dairy Road : Plot No.18, Plot No. - 19- M/s Ravindra textiles,
- Behind akobax Road : Plot No. 23/3, Plot No. 21/5, Plot No. 31(B)- M/s Rama Steels Pvt. Ltd.
- Road No. 5 (Haddi Mill road) : Plot No. 28/6- M/s Jain Electricals industries, Plot No. 72-C- M/s Umed Textiles, Plot No. 59- M/s C.A. Moulabux.

2. New Jodhpur Ind. Area : Plot No. 137,

P.T.O.



Rajasthan State Industrial Development
& Investment Corporation Limited
(A Rajasthan Government Undertaking)
Mini Udyog Bhawan, Industrial Estate,
New Power House Road, Jodhpur-342003

E-mail : jodhpur@riico.co.in

Phone No : 0291 - 2430901

Fax No. : 0291 - 2647092

No. : U.(15)-()/2018-19/

Date :

3. Ind. area Basni Ph-II :

Road No. 6 :

Plot No. E-130, Plot No. E-132, Plot No. E-133, Plot No. E-211, Plot No. E-214, Plot No. E-219, Plot No. E-221.

Road No. 7 :

F-257/258, Plot No. F-266, Plot No. E-297/298, Plot No. F-300, Plot No. F-301, Plot No. F-304, Plot No. F-314/315, Plot No. F-316/317

Road No.8 & its link road :

Plot No. E-325, Plot No. E-326, Plot No. E-328, Plot No. E-330, Plot No. E-334, Plot No. E-336, Plot No. F-541, Plot No. F-542, Plot No. F-543, Plot No. F-544, Plot No. F-543, Plot No. F-546, Plot No. F-550, Plot No. G-560, Plot No. G-561/562, Plot No. E-636.

(B) Industries not having JPNT pipe line (Individual PVC pipe is either choked or damaged) directly discharging textile effluent into RIICO drains


Ind. area Basni Ph-I : Plot No. F-72-73 , C-63, F-58, E-17


This office already issued show cause Notice to JPNT vide No 2369 dt 05.12.2018 in the above matter.

You are therefore requested to, please verify the above locations also from your end and take harsh action JPNT and defaulters industrial units mentioned as above.

Thanking you,

Your's faithfully,


(Vineet Gupta)
Sr. Regional Manager





E-mail : jodhpur@riico.co.in

Phone No : 0291 - 2430901

Fax No. : 0291 - 2847092

No. : U.118/H 32018-19/ 2385

Date : 3/12/18

Chairman / Managing Trustees/Executive Trustees,
JPNT, Sangaria,
Jodhpur

Subject : Disposal of Industrial waste into RIICO Drain from JPNT tanker (Sewer Cum suction Machine)

Reference: As reported by Prominent Industrialist Sh. Nirmal Singhvi
Sir

In reference to subject and above referred intimation, it is to inform you that the today Shri Nirmal Singhvi found in-front of plot No E-650 (B) at Industrial Area Basni Ph-II, Jodhpur JPNT Sewer Cum suction Machine is discharging the toxic industrial effluent as collected from other location into RIICO main disposal drain (Photographs are attached). Earlier, in this regard already no's of times reminded to JPNT authorities but they were not accepting such type of activity. This time sending the proof of illegal activity with proof to JPNT. It is also pertinent to mention here that, even after advice of Nirmal Singhvi not to dispose into RIICO drain, they are not taken seriously and disposed into RIICO drain with ignorance. Such Activity of JPNT is completely ignorance of NGT order and direction of concerned authorities and committed to enhance of pollution into Jojari river instead of control as well as damaging the RIICO drain.

You are therefore, advised to take immediate action against the concerned & ensure such activity will not repeat in future otherwise RIICO will take harsh action against Jodhpur Pradushan Niwaran trust (JPNT), which includes cancellation of allotment of land for JPNT resulting to the closure of CETP plant "be noted".

Thanking you,

Your's faithfully,

—sd—

(Vineet Gupta)
Sr. Regional Manager
Encl. Photographs

Copy to :

- 1. Regional officer (RO), Rajasthan State Pollution Control Board (RSPCB), Plot No. SPL-2, Industrial area Basni Ph-II, Jodhpur for kind information and take harsh action against JPNT in reference to violation of condition of CTO.

Copy also to :

- 1. Member Secretary, RSPCB, Jaipur for kind information.
- 2. GM (EM), RIICO Ltd, Jaipur for kind information and matter may apprised to M.S., RSPCB from H.O. Level.

Sr. Regional Manager



Rajasthan State Industrial development & Investment Corporation Limited
(A Rajasthan Government Undertaking)
Mini Udyog Bhawan, Industrial Estate,
New Power House Road, Jodhpur-342003

108

E-mail : jodhpur@riico.co.in
Phone No : 0291 - 2438801
Fax No. : 0291 - 2847092
No. : U.115H Y2018-19/ 584-37
Date : 30-10-18

Chairman / Managing Trustees/Executive Trustees,
JPNT, Sangaria,
Jodhpur

Subject : Overflowing of Alkaline industrial waste water from JPNT Manholes over road surface and damaging RIICO Road at Ind. Area Basni Ph-II, Jodhpur

Sir

In continuation to earlier reminder letters / mail regarding Overflowing of Alkaline Industrial waste water from JPNT Manholes over road surface creating nuisance, unhygienic condition of surroundings and damaging the RIICO road due to continuation accumulation of industrial waste water. Recently, overflow waste water flowing through RIICO drain & discharging into Jojan river, Specially, being observed at Road No.5 and Road No.8 at Ind. area Basni Ph-II, condition is very critical. It is pertinent to mentioned here that, as per NGT direction industrial effluent must be flow through close conveyance system but JPNT is not taking effective measures to control the overflow of Manholes.

You are therefore, requested to take immediate remedial action to control the over flow of manholes otherwise RIICO will take harsh action against Jodhpur Pradushan Niwaran trust (JPNT), which includes cancellation of allotment of land for JPNT resulting to the closure of CETP plant "be noted".


Thanking you,

Your's faithfully,


(Vineet Gupta)
Sr. Regional Manager

Copy to :

1. Regional officer (RO), Rajasthan State Pollution Control Board (RSPCB), Plot No. SPL-2, Industrial area Basni Ph-I, for kind information and take action against JPNT in reference to violation of condition of CTO.


Sr. Regional Manager





Rajasthan State Industrial development
& Investment Corporation Limited
(A Rajasthan Government Undertaking)
Mini Udyog Bhawan, Industrial Estate,
New Power House Road, Jodhpur-342003

E-mail : Jodhpur@riico.co.in

Phone No : 0291 - 2430901

Fax No. : 0291 - 2647092

No. : U.18)4 12018-19/363-365

Date : 21/5/18

109

Managing Trustees,
JPNT, Sangaria,
Jodhpur

Subject : Disposal of Industrial waste water into RIICO drains from Textile units.

Sir

In continuation to no's of earlier letters of this office in reference to News published in Newspaper and complain lodged on Rajasthan Sampark portal regarding illegal Disposal of Industrial waste water into RIICO drains from Textile units, it is to inform that, the industrial units located in the private pocket as well as industrial units in RIICO area near the tail end of Road No.8, Basni Ph-II, Jodhpur (Behind RIICO dumping Yard) are regularly discharging industrial effluents directly into RIICO drains, causing overflowing and damaged the RIICO constructed Road as well as creating unhygienic condition in the surrounding. It is pertinent to mentioned here that, as per NGT direction No industrial units should be allowed to discharge their industrial effluent directly into drain and these units are "JPNT member".

You are therefore, requested to Please inspect these industrial units located at said location and take strict action against these units "Cancellation of membership", looking to the utmost priority of this matter.

Thanking you,

Your's faithfully,

(Vineet Gupta)
Sr. Regional Manager

Copy to :

1. Regional officer (RO), Rajasthan State Pollution Control Board (RSPCB), Plot No. SPL-2, Industrial area Basni Ph-I, for kind information and immediate action against these defaulting Industrial units, under Air & Water pollution Act.
2. CGM(EM), RIICO Ltd. Jaipur with request to apprise the matter to Member, Secretary, RSPCB Jaipur for taking immediate action against the defaulting Industrial Units.


Sr. Regional Manager



Rajasthan State Industrial Development & Investment Corporation Limited
 (A Rajasthan Government Undertaking)
 Mini Ldyug Bhawan, Industrial Estate,
 New Power House Road, Jodhpur-342003
 E-mail : jodhpur@riico.co
 Phone No : 0291 - 243891
 Fax No : 0291 - 264791
 CIN No : U12100R190455C06
 No : 4/135-11/2016-17/
 Date : 3/20/17

110

Regional Officer,
 Rajasthan State Pollution Control Board,
 Plot-2, Industrial Area Basni-Ist
 Jodhpur

Re:- Regarding illegal disposal of hazardous waste water by the textile units situated at Junawao ki Dhani area into RIICO drain.
 Re:- Representation of Jodhpur Handicrafts exporters Association dated 16-01-2018
 Dear Sir,

3204/17/3
 23/1/17
 18

Kindly find enclosed herewith the representation of Jodhpur Handicrafts exporters association wherein it has been sought to draw attention about the illegal disposal of waste water in the RIICO Drain system by the textile industrial units situated in the area of Junawao ki Dhani area adjoining to RIICO industrial area Basni IInd Phase. It has been pointed out that there is illegal discharge of this hazardous chemical waste water into RIICO drains which sometimes Over flow/comes on the road and also enters factory premises resulting damaging of road as well as polluting the whole environment in RIICO industrial area Basni IInd Phase.

Looking to the above facts it has been requested you to please look into the matter personally and do the needful action against the illegal textile units at the earliest under the water and air pollution act.

An immediate action will be highly appreciated to avoid negative effect on the part of our working and also requested to send the action taken report so that same can be conveyed to the higher authority.

Thanking you,

Yours faithfully,

(Signature)
 VINEET GUPTA
 Sr. REGIONAL MANAGER

- Enclosed - As above.
 Copy to : 1- Jodhpur Handicrafts exporters association Plot no. SPL1, Basni Ist Phase.
 2- Textile Industry association Jodhpur.
 3- Managing Trustee, JPNT, CETP I/A Jodhpur.

(Signature)
 Sr. REGIONAL MANAGER

(Signature)

E-mail : jodhpur@ilico.co.in
Phone No : 0291 - 2430991
Fax No. : 0291 - 2847092
No. : U.1814 /2017-18/ 594
Date : 17/5/2017

जोधपुर इस्टी
जोधपुर प्रदूषण निवारण ट्रस्ट,
औद्योगिक क्षेत्र सागरिया, द्वितीय चरण,
जोधपुर।

वस्य - औद्योगिक क्षेत्र बाराही एवं हरतानागरीत औद्योगिक क्षेत्र में जे.पी.एन.टी द्वारा डाली गयी पाईप लाईन के
मेंन होल ओवरफ्लो होकर रीको नालियां एवं सड़कों पर औद्योगिक उत्खिष्ट के फैलने कास्य।
वस्य - राजस्थान प्रदूषण नियंत्रण बोर्ड के पत्र क्रमांक 2415 दिनांक 09.02.2017 एवं इस कार्यालय के पत्र
क्रमांक 4873 दिनांक 18.12.2016

क.सं.२२५

उपरोक्त विषयानुसार लेख है कि जोधपुर प्रदूषण निवारण से जुडे टेक्सटाईल एवं स्टील औद्योगिक
इकाईयों द्वारा उत्खिष्ट ट्रस्ट द्वारा डाली गई पाईप लाईन के जरिये सागरिया स्थित उपचार संयंत्र तक पहुंचाने हेतु
तुनिष्कृत किया गया है, परन्तु दिनांक 08.02.2017 को समुक्त निरीक्षण एत औद्योगिक क्षेत्रों में किये गये निरीक्षण
के दौरान यह पाया गया कि औद्योगिक क्षेत्रों में कई स्थानों पर आप द्वारा डाली गयी पाईप लाईन के मेंन होल से
औद्योगिक उत्खिष्ट ओवरफ्लो होकर सड़कों पर फैल कर रीको निर्मित नाली के जरिये बह रही है एवं कई
औद्योगिक इकाईयों द्वारा पाईप लाईन के अतिरिक्त रीको नालियां में भी सीधे ही औद्योगिक उत्खिष्ट के
साथ-साथ धरंतु उत्खिष्ट डाली जा रही है। रीको निर्मित नालियों में किसी भी प्रकार का उत्खिष्ट डालना पूरी
तथा अवैध एवं एन.जी.टी. द्वारा दिये गये निर्देशों के अवहेलना है। इस सदर्भ में आपको सूचित किया जाता है कि
आप जे.पी.एन.टी. से जुडे सभी सदस्यों को सूचित करें कि औद्योगिक इकाईया से निस्तारित की जाने वाली
औद्योगिक उत्खिष्ट केवल जे.पी.एन.टी. द्वारा डाली गई पाईप लाईन में ही डाले ज-वना सम्बंधित औद्योगिक
इकाईयों के विरुद्ध सख्त कार्यवाही की जायेगी जिसमें मूखण्ड का लीजटीड निरस्तकरण, विमुक्त कनेक्शन विच्छेद
करवाना एवं जस कनेक्शन विच्छेद करवाकर पी.पी. एल्ट के तहत रीको द्वारा मूखण्ड का कच्चा लेना भी शामिल
है। यह सूचित रहे कि भविष्य में रीको द्वारा की जाने वाली कार्यवाही के लिये स्वयं सम्बंधित उपवी/औद्योगिक
इकाईया जिम्मेदार होगी एवं जे.पी.एन.टी. को सदरघटा भी नद करनी होगी तथा इसकी अतिरिक्त राजस्थान प्रदूषण
नियंत्रण बोर्ड भी उनके स्तर से कार्यवाही करने हेतु लिखा जायेगा। इस संबंध दिनांक 09.02.2017 को प्रेषित विदेशक
लेख संदर्भ की अग्रगता में हुई गौटींग के दौरान भी मौखिक रूप में निर्देश दिये गये है।

यहां यह उल्लेख करना महावपूर्ण होगा कि जोधपुर प्रदूषण निवारण ट्रस्ट को तुरन्त प्रभाव से उनके द्वारा
डाली गयी पाईप लाईनों के रखरखाव एवं आवश्यक तस्मत हेतु कार्ययोजना तैयार कर उसकी किणधित
तुनिष्कृत करनी होगी ताकि मेंन होल ओवरफ्लो न हो। औद्योगिक उत्खिष्ट के सड़कों पर फैलने से सड़कें दूद
रहे है एवं आस-पास का वातावरण दुषित हो रहा है जो कि अधिक मुकसान के साथ-साथ स्वास्थ्य के लिए भी
कारणक है।



Rajasthan State Industrial Development
& Investment Corporation Limited
(A Rajasthan Government Undertaking)
Mini Udyog Bhawan, Industrial Estate,
New Power House Road, Jodhpur-342003

E-mail : jodhpur@nico.co.in

Phone No : 0291 - 2430901

Fax No. : 0291 - 2847092

No. : U.(18)-1/2017-18J


Date :

प्रमाणिका द्वारा भी इस सम्बन्ध में बार-बार रीको से इस समस्या के बारे में सूचित किया जाता है तथा ट्रस्ट
को इस सम्बन्ध में कार्रवाई करने का निर्देश दिया जाता है।

उक्त निर्देशन है कि उक्त सड़क में ट्रस्ट स्तर से पाईप लाईनों के रखरखाव हेतु जोस उपकरण करने के
साथ-साथ सभी सड़कों को आवश्यक रूप से उनके द्वारा निस्तारित की जाने वाली उथिष्ठ को जेबीएनटी द्वारा
इस नयी पाईप लाईन में ही डालना सुनिश्चित करने हेतु निर्देशित कराये।

सधन्यायाय।


परटीप



का क्षेत्रीय प्रबन्धक

प्रतिनिधि

1. क्षेत्रीय अधिकारी, राजस्थान राज्य प्रदूषण नियंत्रण मंडल, औद्योगिक क्षेत्र प्रथम घरण जोधपुर।



का क्षेत्रीय प्रबन्धक

%



एच आईएमएट वीरवारन लिमिटेड
 (राजस्थान सरकार का प्रतिष्ठान)
 तपु उद्योग भवन, औद्योगिक सम्पदा,
 न्यु मीन स्टास रोड जोधपुर - 342002
 दूरभाष नं. 02912430001
 फैक्स नं. 02912547002
 ई-मेल - johhpur@riico.co.in
 संचालक - यु०()/2017-18/415
 दिनांक - 14/05/2017

113

राजस्थान राज्य प्रदूषण कंट्रोल बोर्ड,
 राज्य सचिव - एकापीएस-2,
 1/के सानी जयन बस्स, जोधपुर ।

विषय- सीईटीपी सागरिया द्वारा औद्योगिक उद्योग के समुचित उपचार के बाबत।
 दिनांक- दिनांक 05.05.2017 को दैनिक भास्कर के डीबी स्टार जोधपुर संस्करण में प्रकाशित समाचार के क्रम में।

उपरोक्त विषयसंबंधी लेख है कि दिनांक 05.05.2017 को दैनिक भास्कर के डीबी स्टार जोधपुर संस्करण में प्रकाशित समाचार "सागरिया ट्रीटमेंट प्लांट में उपचारित पानी का कोई खरीदार नहीं" के तथ्य में सीईटीपी सागरिया द्वारा औद्योगिक उद्योग को बिना उपचारित किये ही सीको निर्मित नाले में छोड़ी जा रही है प्रकाशित किया है। उपचारित/अनउपचारित पानी अंतिम रूप से जोड़ने नदी में निर्यातित होती है। सीईटीपी सागरिया का 1888543 एच संभालन जोधपुर प्रदूषण नियंत्रण ट्रस्ट (जेपीएनटी) द्वारा किये जाते हैं एच राजस्थान राज्य प्रदूषण कंट्रोल बोर्ड द्वारा बसाने हेतु सहमति/स्वीकृति जारी की जाती है। सीईटीपी की कार्यकारणी एवं निरीक्षण पर निगरानी हेतु जिला कलेक्टर जोधपुर के अध्यक्षता में प्रबोधन समिति गठित है जिसकी समय-समय पर बैठकें आयोजित की जाती है।

प्रकाशित समाचार की कोटीप्रती संलग्न कर आपको निवेदनी जा रही है ताकि उचित तथ्यों का जांच कर निवेदानुसार कार्यवाही की जा सके। यह यह उल्लेख करना महत्वपूर्ण है कि एनजीटी में जोड़ने से संबंधित बातें प्रकट होने से यह निर्दिष्ट किया गया है कि औद्योगिक उद्योग का निर्यात जोड़ने नदी में नहीं किया जा सकता है जिसमें राज्य सरकार, राजस्थान राज्य प्रदूषण कंट्रोल बोर्ड एवं जेपीएनटी भी शामिल हैं।

उपरोक्त के अतिरिक्त निम्न महत्वपूर्ण बिन्दुओं का भी अवगत कर समुचित कार्यवाही करना सुनिश्चित कराएँ -

- जेपीएनटी द्वारा औद्योगिक उद्योग के संयोजन हेतु जारी गयी फाईम लार्डिन को समुचित देखभाल के अभाव में कई स्थानों पर गैस हिल के जरिये औद्योगिक उद्योग ओवरफ्लो होकर औद्योगिक क्षेत्र की सड़कों को क्षतिग्रस्त करने के साथ साथ वनावन को प्रदूषित करता है। ओवरफ्लो से निकलने वाले औद्योगिक उद्योग पुनः सीको नाले में प्रवाहित होती है जिससे एनजीटी के आदेश "केवल 500 लीटर/घंटा के अतिरिक्त औद्योगिक उद्योग का परिवहन होनी चाहिए" की अवहेलना होती है।
- जेपीएनटी सागरिया ने नए औद्योगिक इकाई को सदायता/संकषता जेपीएनटी के कार्यकारणी को दखल हेतु गठित "प्रबोधन समिति" का अनुमोदन के अभाव ही की जानी चाहिए जिससे औद्योगिक क्षेत्र में अन्य औद्योगिक इकाई की स्थापना एवं अन्य कार्यसंचालन को प्रभावित तरीके से देखा जा सकेगा। अतः आपसे निवेदन है कि उपरोक्त संदर्भित प्रकटित समाचार में उचित बिन्दुओं एवं सुझावों का अवगत कर आवश्यक कार्यवाही करना सुनिश्चित की।

धन्यवाद
 मधुवीर
 (निमित्त पुमा)
 80 डीपी उद्योग
 भवन - जयपुर/जोधपुर।

M/C

Reg. A.D.

Managing Trustee
Jodhpur Pradushan Niwaran Trust (JPNT)
Plot No SP-1, Ind. Area Sangaria Ph-II
Jodhpur

Subject : Regarding directly discharging Alkaline effluent into RIICO drain near CETP at Sangaria.

Sr.

In reference to the above subject a complaint has been received to this office and same is verified at site, it is observed that JPNT directly discharging the alkaline effluent into RIICO drain which leads to Jojari River. In these days JPNT is not taking alkaline effluents inside the treatment plant through its close conduit system. As per telephonic discussion with Shri Tatia J., GM, JPNT regarding this matter on dt 22.03.2017, as per him the work of cleaning collection tank is under progress since 20.03.2017 due to which JPNT has not taking the alkaline effluents.

In this regard, you are advised to intimate your member units not to discharge alkaline effluents into close conduit pipe during the closure period of JPNT. It is pertinent to mention here that Hon'ble NGT already directed to all the respondent (JPNT is also one of the respondents) to ensure not to discharge industrial effluent into Jojri River, such activity of JPNT is violation of Hon'ble NGT direction.

Looking to gravity of this matter, please take action on immediate basis and intimate to undersigned also.


Thanking You.

Yours faithfully


SR. REGIONAL MANAGER

Copy to :

1. RO, RPCB, Ind. Area Basni Phase-I, Jodhpur for kind information.


Sr. REGIONAL MANAGER

OK (H)



राजस्थान स्टेट इन्फ्रस्ट्रक्चर डेवलपमेंट
एन्ड इन्वेस्टमेंट कॉर्पोरेशन लिमिटेड
(राजस्थान सरकार का अधिशासित)
न्यू स्टेशन प्लस, औद्योगिक क्षेत्र,
न्यू जेठपुर रोड, जयपुर - 302002
दूरभाष नं. 0141-263260
फैक्स नं. 0141-264730
ई-मेल - jodhpur@nicoltd.co.in
वेबसाइट - www.nico.in
दिनांक - 11/04/2017

116

प्रतिष्ठान द्वारा की इस सम्बन्ध में बात-बात करके से इस सम्बन्ध की बात में सुनिश्चित किया जाय है तथा ट्रस्ट में
सर्विस में सम्बन्धन कालांतरे बाधित नियंत्रण किया जाय है।

इस निवेदन में कि उक्त मसल में ट्रस्ट सार से जॉइंट लाई-व क संवर्धन हेतु जीत उपाय करने की सार-सार
को संदर्भ में आशयक रूप से उनके द्वारा निस्तारित की जाने वाली प्रक्रिया को जेपीएनटी द्वारा जारी जारी जॉइंट
कार्य में ही बाल्य सुनिश्चित करने हेतु निर्दिष्ट कराये।

सम्बन्धित।

भारतीय

का क्षेत्रीय प्रबन्धक

प्रतिष्ठान -

1. जिला कमिश्नर एवं निदेशक सीपीईटी मॉनटरिंग कमेटी जयपुर।
2. सीपीईटी सीमा भाव्या एडीएम (सिटी) जयपुर को सूचनाएं।
3. एसडीएम जयपुर को सूचनाएं एवं आशयक कार्यवाही हेतु प्रेषित।
4. एसडीएम लुणी को सूचनाएं एवं आशयक कार्यवाही हेतु प्रेषित।
5. क्षेत्रीय अधिकारी, राजस्थान राज्य प्रदूषण नियंत्रण मंडल, औद्योगिक क्षेत्र जयपुर को सूचनाएं जयपुर।

का क्षेत्रीय प्रबन्धक
एलएन



राजस्थान स्टेट इन्वेंटुरियल इन्सुरेन्स एण्ड इन्वेस्टमेंट कॉर्पोरेशन लिमिटेड
(राजस्थान सरकार का प्राधिकरण)
एनए उद्योग परम औद्योगिक मण्डल
शु. पी.सी. हाउस रोड जोधपुर - 342001
दूरभाष नं. 029-2630001
फैक्स नं. 029-2634002
ई-मेल - jodhpureit@nic.in
कम्प्यूटर - 029-2634001/2634002/4673
दिनांक - 16-12-16

Shri G. Lalwani

to Mr. / Mrs. / Miss

117

जोधपुर
राजस्थान प्रदूषण नियंत्रण एंड प्रोटेक्शन विभाग
राजस्थान सरकार, द्वितीय चरण,
जोधपुर।

सब - औद्योगिक क्षेत्र शासनी एवं हस्तान्तरित औद्योगिक क्षेत्र में जे.पी.एन.टी. की सदस्यों द्वारा जारी हुई पाईप लाईन के अतिरिक्त टीको नालियों में औद्योगिक उच्छिद्य डालने वाले।

हदर
उपरोक्त विषयान्वयित लेख है कि जोधपुर प्रदूषण नियंत्रण एवं प्रोटेक्शन विभाग द्वारा जारी हुई पाईप लाईन के अतिरिक्त टीको नालियों में औद्योगिक उच्छिद्य डालने वाले हैं। परन्तु औद्योगिक क्षेत्र शासनी एवं हस्तान्तरित औद्योगिक क्षेत्र में निरीक्षण के दौरान यह स्पष्ट पता चला है कि अनेक औद्योगिक इकाईयां द्वारा पाईप लाईन के अतिरिक्त टीको नालियों में भी टीको वी औद्योगिक उच्छिद्य डालने का प्रयत्न है। टीको नालियों में औद्योगिक उच्छिद्य डालना पूरी तरह अशुद्ध एवं एन.जी.टी. द्वारा विद्ये गये निर्देशों के अन्तर्गत है। इस सम्बन्ध में आपको सूचित किया जाता है कि आज जे.पी.एन.टी. में जुड़े सभी सदस्यों को सूचित करने के औद्योगिक इकाईयां से निस्तारित की जाने वाली औद्योगिक उच्छिद्य को जे.पी.एन.टी. द्वारा जारी हुई पाईप लाईन में ही डालने अथवा सम्बन्धित औद्योगिक इकाईयां के विद्ये गये निर्देशों की अवधि जिसमें मुख्यतः को जे.पी.एन.टी. निस्तारित विद्युत कनेक्शन विच्छेद करवाना एवं जल कनेक्शन विच्छेद करवाकर पी.टी. एन.टी. के तहत टीको द्वारा भूखण्ड का कवचा लेना भी शामिल है। यह सूचित रहे कि टीको द्वारा की जाने वाली कार्यवाही के लिए सब सम्बन्धित उधमी/औद्योगिक इकाईयां जिनका नाम नीचे एवं जे.पी.एन.टी. की सदस्यता भी रद्द करने योग्य है।

इसके अतिरिक्त राजस्थान प्रदूषण विभाग को भी उनके स्तर से कार्यवाही करने को सिद्धांत जावेगा। इस संबंध में सूचित करने के लिए राजस्थान सरकार जोधपुर की अख्यतता में हुई बैठक के दौरान के अधिसूचना में निर्देश दिए गये हैं।

यहां पर उल्लेख करना महत्वपूर्ण होगा कि राजस्थान प्रदूषण नियंत्रण मण्डल द्वारा औद्योगिक इकाईयां के निरीक्षण हेतु अधिकारियों (राजस्थान प्रदूषण मण्डल, टीको एवं जिला उद्योग केंद्र) को एक समुचित टीम भेजने का निर्देश दिया गया है जिसके द्वारा औद्योगिक इकाईयां की निरीक्षण करने की कार्यवाही शीघ्र शुरू की जानी है।

अतः निवेदन है कि उक्त सम्बन्ध में ट्रस्ट स्तर से सभी सदस्यों को आवश्यक रूप से सूचित एवं कार्यवाही करने हेतु निर्देशित करने का कष्ट कराये ताकि औद्योगिक इकाईयां का निरीक्षण एवं निवेद्ये के अन्तर्गत पर कार्रवाही का प्रयत्न वेग पर एन.जी.टी. के समस्त प्रगति रिपोर्ट प्रस्तुत की जा सके।

सहायकाय।
भाटीया
[Signature]
[Signature]



राजस्थान सरकार
कृषि आयुक्तालय, राजस्थान, जयपुर।



क्रमांक- प.4()/एनजीटी/आ.कृ./2019-20/4188-89

दिनांक : 28/9/2021

निदेशक एवं संयुक्त शासन सचिव,
पर्यावरण विभाग,
शासन सचिवालय, जयपुर।

विषय- Compliance of the recommendations given in the report submitted by Justice Prakash Chand Tatiya in the matter of OA No. 32/2014, OA No. 329/2015, OA No. 34/2014.

संदर्भ- आपके पत्रांक F-12(53)ENV/2015 दिनांक 09.09.2021 के क्रम में।

उपरोक्त विषयान्तर्गत एवं संदर्भित पत्र द्वारा प्रकरण संख्या OA No. 32/2014, OA No. 329/2015, OA No. 34/2014 के सम्बन्ध में NGT द्वारा माननीय न्यायाधीश प्रकाश चन्द टाटिया की अध्यक्षता में गठित कमेटी द्वारा प्रस्तुत अन्तरिम रिपोर्ट में दिये गये निर्देशों की पालना में विभाग से सम्बन्धित बिन्दुओं की पालना रिपोर्ट प्रस्तुत करने हेतु लिखा गया था।

माननीय न्यायाधीश द्वारा प्रस्तुत अन्तरिम रिपोर्ट में कृषि विभाग से सम्बन्धित कोई बिन्दु नहीं है जिसकी अनुपालना के संदर्भ में विभाग द्वारा कोई कार्यवाही किया जाना अपेक्षित नहीं है।

सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है।

(सहायक महासचिव)

अतिरिक्त निदेशक, कृषि (आदान)

दिनांक :

क्रमांक- प.4()/आ.कृ./कृ.यं/2021-22/

प्रतिलिपि सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है:-

1. संयुक्त शासन सचिव, कृषि (ग्रुप-1) विभाग, शासन सचिवालय, जयपुर को आपके पत्र क्रमांक प.12(1)कृषि-1/इनपुट/2019 दिनांक 20.09.2021 के क्रम में।

उप निदेशक, कृषि (अभि०)

पंत कृषि भवन, जनपथ, सी-स्कीम, जयपुर - 302006, दूरभाष - 0141-2227763
विभागीय पोर्टल : www.agriculture.rajasthan.gov.in, E-Mail - ddagr_imp@rediffmail.com

D:\D Drive\Implement\MS Word\Agr Imp\2019-20.docx

**GOVERNMENT OF RAJASTHAN
DEPARTMENT OF ENVIRONMENT**

Subject: - Reminder for compliance of the recommendations given in the report submitted by Justice Prakash Chand Tatia in the matter of OA No: 32/2014, OA No 329/2015, OA No 34/2014.

The Committee under the Chairmanship of Justice Prakash Chand Tatia has submitted a report in the matter of OA No: 32/2014, OA No 329/2015, OA No 34/2014. The report was forwarded to you on 7.09.2021 for compliance of the recommendations made by the committee by e-mail. The report was discussed in Chief Secretary's review meeting dated 12.07.2021 and also in the Video Conferencing with District Collectors on 03.08.2021. It was directed by the Chief Secretary to comply with the directions and submit a compliance report to the Department of Environment. The desired report has not been received as yet.

As directed, you are requested to submit an action taken report with respect to directions given for your department to this office within 07 days for perusal of the Chief Secretary.

Principal Secretary
Revenue Department
Jaipur, Rajasthan

Secretary
Industries
Department,
Jaipur, Rajasthan

Secretary
Local Self Government
Jaipur, Rajasthan

Dhr
5/10/2021
(V.K. Pradhan, IFS)
Director cum Joint Secretary,

%
जरी कि
REKHA
18/10/21

U.O.Note No.: F 12 (53)/ Env/2015
Jaipur, Date: *06/10/2021*



120

**GOVERNMENT OF RAJASTHAN
DEPARTMENT OF ENVIRONMENT**

F 12 (53)/ Env/2015

Jaipur, Date: 06/09.2021

Member Secretary
Rajasthan State Pollution Control Board
Jaipur

District Collector
Jodhpur, Pali and Barmer

Subject: Reminder for Compliance of the recommendations given in the report submitted by Justice Prakash Chand Tatia in the matter of OA No: 32/2014, OA No 329/2015, OA No 34/2014.

Sir,

The Committee under the Chairmanship of Justice Prakash Chand Tatia has submitted a report in the matter of OA No: 32/2014, OA No 329/2015, OA No 34/2014. The report was forwarded to you on 7.09.2021 for compliance of the recommendations made by the committee by e-mail. The report was discussed in Chief Secretary's review meeting dated 12.07.2021 and also in the Video Conferencing with District Collectors on 03.08.2021. It was directed by the Chief Secretary to comply with the directions and submit a compliance report to the Department of Environment. The desired report has not been received as yet.

As directed, you are requested to submit an action taken report with respect to directions given for your department to this office within 07 days for perusal of the Chief Secretary.

(Handwritten signature)
5/10/21

(V.K. Pradhan, IFS)
Director cum Joint Secretary

(Handwritten signature)
०८ जॉरी ऑ
REKHA
18/10/21



121

**GOVERNMENT OF RAJASTHAN
DEPARTMENT OF ENVIRONMENT**

F 12 (53)/ Env/2015
Member Secretary
Rajasthan State Pollution Control Board
Jaipur

Jaipur, Date: 2 NOV 2021

District Collector
Jodhpur, Pali and Barmer

2 NOV 2021

Subject: Compliance of the recommendations given in the report submitted by Justice Prakash Chand Tatia in the matter of OA No: 32/2014, OA No 329/2015, OA No 34/2014.

Reference: -This office letter dated 07/09/2010 and 06/10/2021.

Sir,

The Committee under the Chairmanship of Justice Prakash Chand Tatia has submitted a report in the matter of OA No: 32/2014, OA No 329/2015, OA No 34/2014. The report was forwarded to you on 7.09.2021 for compliance of the recommendations made by the committee by e-mail. The report was discussed in Chief Secretary's review meeting dated 12.07.2021 and also in the Video Conferencing with District Collectors on 03.08.2021. It was directed by the Chief Secretary to comply with the directions and submit a compliance report to the Department of Environment. The desired report has not been received as yet.

As directed, you are requested to submit an action taken report with respect to directions given for your department to this office within 07 days for perusal of the Chief Secretary.


(V.K. Pradhan, IFS)
Director cum Joint Secretary

JK

JK

01-11-21

JK
REKNA

2/11/21



122


**GOVERNMENT OF RAJASTHAN
DEPARTMENT OF ENVIRONMENT**

Subject: - Compliance of the recommendations given in the report submitted by Justice Prakash Chand Tatia in the matter of OA No: 32/2014, OA No 329/2015, OA No 34/2014.

Reference: - This office letter dated 07/09/2010 and 06/10/2021.

The Committee under the Chairmanship of Justice Prakash Chand Tatia has submitted a report in the matter of OA No: 32/2014, OA No 329/2015, OA No 34/2014. The report was forwarded to you on 7.09.2021 for compliance of the recommendations made by the committee by e-mail. The report was discussed in Chief Secretary's review meeting dated 12.07.2021 and also in the Video Conferencing with District Collectors on 03.08.2021. It was directed by the Chief Secretary to comply with the directions and submit a compliance report to the Department of Environment. The desired report has not been received as yet.


As directed, you are requested to submit an action taken report with respect to directions given for your department to this office within 07 days for perusal of the Chief Secretary.


(V.K. Pradhan IFS)
Director cum Joint Secretary,

Principal Secretary
Revenue Department
Jaipur, Rajasthan

Secretary
Industries Department,
Jaipur, Rajasthan

Secretary
Local Self Government
Jaipur, Rajasthan


Rekha
2/11/21

U.O.Note No.: F 12 (53)/ Env/2015
Jaipur, Date:

2 NOV 2021

2 NOV 2021

राजस्थान सरकार
कार्यालय जिला कलक्टर, बाड़मेर

क्रमांक:प.40()1)सामान्य/2021/8413

दिनांक :- 19/11/2021

प्रेषित :-

निदेशक एवं संयुक्त शासन सचिव,
पर्यावरण विभाग
राजस्थान जयपुर



विषय:-मा. न्यायमूर्ति श्री प्रकाश चन्द टाटिया द्वारा OA No. 32/2014, OA No. 329/2015, OA No. 34/2014 के संबंध में प्रस्तुत रिपोर्ट की अनुपालना रिपोर्ट भिजवाने बाबत।

प्रसंग:-आपका पत्र क्रमांक-F.12(53)/Env/2015 दिनांक 9.9.2021

महोदय,

विषयान्तर्गत प्रासांगिक पत्र के संदर्भ में निवेदन है कि एनजीटी प्रकरण सं० OA No. 32/2014, OA No. 329/2015, OA No. 34/2014 में पारित आदेश द्वारा गाननीय न्यायाधीश, श्री प्रकाश चंद टाटिया व अन्य सदस्यों की गठित कमेटी की रिपोर्ट अनुसार प्रदूषण के प्रभावी नियंत्रण हेतु सुरक्षात्मक उपाय व बरती जाने वाली सावधानियों के क्रम में उपखण्ड अधिकारी बालोतरा के पत्रांक 8235 दिनांक 19.11.2021 के संलग्न प्राप्त तहसीलदार पंचपदरा की रिपोर्ट अनुसार ग्रामीण एवं शहरी क्षेत्र में अवैध रूप से संचालित होने वाली फैक्ट्रियों का राजस्थान राज्य प्रदूषण नियंत्रण मण्डल बालोतरा के अधिकारियों के साथ सर्वे किया गया। जिसमें ग्रामीण क्षेत्र में एक व नगरीय क्षेत्र में 07 प्रकरण कुल 8 प्रकरण तैयार किये जाकर अन्तर्गत धारा 177 खातेदारी खारिज हेतु न्यायालय सहायक कलक्टर (एसडीओ) बालोतरा में पेश किया जा चुका है। जिसमें न्यायालय द्वारा स्थगन जारी किया गया है, उस स्थगन की पालना हेतु संबंधित नू-अभिलेख निरीक्षक व हल्का पटवारी को पाबन्द किया जा चुका है।

आयुक्त नगर परिषद बालोतरा के द्वारा नगर परिषद क्षेत्र में अवैध रूप से कपडे की बुलाई और रंग रोगन हेतु संचालित फैक्ट्रियों व कारखानों द्वारा अपना रासायनिक अपशिष्ट/रंगीन पानी नाले में प्रवाहित किये जाने के संबंध में शिकायत पर टीम गठित कर 16 फैक्ट्रियों में से 2 के विद्युत के कनेक्शन काटे गये व 14 फैक्ट्रियों को सीज किया गया एवं उनके विरुद्ध प्रथम सूचना रिपोर्ट सं० 568/2021 संबंधित थाने में दायर की गई साथ ही उक्त प्रकार की अवैध औद्योगिक इकाईयों के संबंध में जोधपुर विद्युत वितरण निगम लिमिटेड बालोतरा तथा पुलिस की टीम को शामिल करते हुए संयुक्त रूप से निरीक्षण की कार्यवाही जा रही है।

क्षेत्रीय अधिकारी, राजस्थान राज्य प्रदूषण नियंत्रण मण्डल बालोतरा के पत्रांक 1185 दिनांक 18.11.2021 के द्वारा अवगत कराया कि एनजीटी प्रकरण सं० OA No. 32/2014, OA No. 329/2015, OA No. 34/2014 में कमेटी की रिपोर्ट के क्रम एक्शन प्लान तैयार कर अनुमोदन एवं क्रियान्वयन के संबंध में मार्गदर्शन हेतु राज्य प्रदूषण नियंत्रण मण्डल जयपुर को प्रेषित किया गया है। सक्षम स्तर से प्राप्त निर्देशानुसार एवं माननीय एनजीटी द्वारा उक्त अनवान

Dr

Dhorey

DD (Env)
11/12/21

के प्रकरण में कमेटी द्वारा प्रस्तुत की गई रिपोर्ट के संबंध आगामी सुनवाई पर दिये जाने वाले निर्देशों के अनुसार अग्रिम कार्यवाही की जायेगी।

उपखण्ड अधिकारी बालोतरा के पत्रांक 8235 दिनांक 19.11.2021 मय संलग्नक अनुपालना रिपोर्ट एवं राजस्थान राज्य प्रदूषण नियंत्रण मण्डल बालोतरा के पत्रांक 1185 दिनांक 18.11.2021 की प्रतियां अग्रिम आवश्यक कार्यवाही हेतु संलग्न प्रेषित है।

संलग्न :- उपरोक्तानुसार

भवदीय

कृते जिला कलेक्टर, बाड़मेर

दिनांक :- 19/11/2021

क्रमांक: प.40() (1) सामान्य / 2021 / 8414

प्रति :- शासन उप सचिव, राजस्व (ग्रुप-7) विभाग जयपुर को उनके पत्र दिनांक 9.11.2021 के क्रम में अनुपालना रिपोर्ट की प्रति सहित अग्रिम आवश्यक कार्यवाही हेतु प्रेषित है।

कृते जिला कलेक्टर, बाड़मेर

राजस्थान सरकार

कार्यालय उप खण्ड अधिकारी, बालोतरा

क्रमांक/पीए/2021/8235

दिनांक-19.11.21

प्रेषित-

श्रीमान् जिला कलक्टर,
बाड़मेर

विषय:- मा.न्यायमूर्ति श्री प्रकाश चंद टाटिया के द्वारा OA No. 32/2014, OA No. 329/2015, OA No. 34/2014 के संबंध में प्रस्तुत रिपोर्ट की अनुपालना रिपोर्ट भिजवाने बाबत ।

प्रसंग:- आपका पत्र क्रमांक 440(1)सामान्य/2021/7857-68 दिनांक 25.10.2021, 8386-93 दिनांक 18.11.2021

महोदय,

आपके उक्त प्रसांगिक पत्रों के संदर्भ में निवेदन है कि मा.न्यायमूर्ति श्री प्रकाश चंद टाटिया द्वारा के OA No. 32/2014, OA No. 329/2015, OA No. 34/2014 के संबंध में प्रस्तुत रिपोर्ट के संबंध में तहसीलदार, पंचपदरा, क्षेत्रीय अधिकारी, राजस्थान राज्य प्रदूषण नियंत्रण मण्डल बालोतरा व आयुक्त, नगर परिषद बालोतरा से अनुपालना रिपोर्ट प्राप्त की गयी । संबंधित अधिकारियों से प्राप्त अनुपालना रिपोर्ट निम्न प्रकार से अग्रिम आवश्यक कार्यवाही हेतु सादर प्रेषित है :-

1. क्षेत्रीय अधिकारी, राजस्थान राज्य प्रदूषण नियंत्रण मण्डल बालोतरा द्वारा अवगत कराया गया है कि उक्त प्रकरणों में अनुपालना रिपोर्ट उनके द्वारा श्रीमान् को उपलब्ध करवा दी गयी है ।
2. तहसीलदार, पंचपदरा द्वारा अवगत कराया गया है कि ग्रामीण एवं शहरी क्षेत्र में अवैध रूप से संचालित होने वाली फैक्ट्रियों का राजस्थान राज्य प्रदूषण नियंत्रण मण्डल बालोतरा के अधिकारियों के साथ सर्वे किया गया । जिसमें ग्रामीण क्षेत्र में एक व नगरीय क्षेत्र में 07 प्रकरण कुल 8 प्रकरण तैयार किये जाकर अन्तर्गत धारा 177 खातेदारी खारिज हेतु न्यायालय सहायक कलक्टर (एसडीओ) बालोतरा में पेश किया जा चुका है । जिसमें न्यायालय द्वारा स्थगन जारी किया गया है, उस स्थगन की पास्तना हेतु संबंधित मू-अभिलेख निरीक्षक व हल्का पटवारी को पाबन्द किया जा चुका है ।
3. आयुक्त, नगर परिषद बालोतरा द्वारा अवगत कराया गया है कि नगर परिषद क्षेत्र में जेरला रोड़ स्थित नाले के आस-पास अवैध रूप से कपड़े की धुपाई एवं रंग-रोगन हेतु संचालित फैक्ट्रियों व कारखानों द्वारा अपना रासायनिक अपशिष्ट/रंगीन पानी उक्त नाले में प्रवाहित किये जाने के संबंध में प्राप्त शिकायत पर निकाय की ओर से अब तक की गई कार्यवाही निम्न हैं :-

निकाय की ओर से उक्त अवैध रूप से संचालित फैक्ट्रियों एवं औद्योगिक इकाईयों के बिद्युत कनेक्शन विच्छेद किये जाने एवं उन्हें सीज करने की कार्यवाही सम्युक्त रूप से

की जाकर निम्नांकित इकाईयों को सीज एवं उनके विद्युत कनेक्शन विच्छेद किये जाने की कार्यवाही की गई है :-

क्र.सं.	फैक्ट्री मालिक का नाम	पता	कार्यवाही
1	श्री जाकीर भाई	जेरला रोड, बालोतरा	सीज
2	श्री पवन कुमार/राजेन्द्र	जेरला रोड, बालोतरा	सीज
3	श्री कासम तेली	जेरला रोड, बालोतरा	सीज
4	श्री चांद खा तेली	जेरला रोड, बालोतरा	कनेक्शन काटा गया
5	श्री विपुल	जेरला रोड, बालोतरा	सीज
6	श्री सरीफ	जेरला रोड, बालोतरा	सीज
7	श्री पुराराम जाट	जेरला रोड, बालोतरा	कनेक्शन काटा गया
8	श्री सुभान खा	जेरला रोड, बालोतरा	सीज
9	श्री अनवर भाई	जेरला रोड, बालोतरा	सीज
10	श्री सुमेरसिंह	जेरला रोड, बालोतरा	सीज
11	श्री हाजीब खा तेली /पन्ने खा	गोगाजी मंदिर के पास	सीज
12	श्री साजीद/इकबाल	जेरला रोड, बालोतरा	सीज
13	श्री समीर	नेहरू कॉलानी, बालोतरा	सीज
14	श्री मजिस्ट भाई /मोहम्मद खान	नेहरू कॉलानी, बालोतरा	सीज
15	श्री अल्लादीन/मोलाबक्स	नेहरू कॉलानी, बालोतरा	सीज
16	श्री छनगदान चारण	नेहरू कॉलानी, बालोतरा	सीज

निकाय की ओर से पुलिस थाना, बालोतरा में उपरोक्त अवैध रूप से संचालित फैक्ट्रियों एवं औद्योगिक इकाईयों के विरुद्ध प्रथम सूचना विवरण संख्या 568/2021 दायर करायी जा चुकी है।


निकाय की ओर से उपरोक्त कार्यवाही गठित टीम तथा जोधपुर विद्युत वितरण निगम लिमिटेड, बालोतरा एवं पुलिस की टीम को सूचित करते हुए संयुक्त रूप से की जाती है।

निकाय की ओर से उक्त अवैध इकाईयों को सीज करने तथा उनके विद्युत कनेक्शन विच्छेद करने के लिए गठित टीम की ओर से निरन्तर निरीक्षण किया जा रहा है तथा सीज इकाईयों की देखरेख के लिए संविदा पर कार्यरत कर्मचारियों को पाबंद कर रखा है। निकाय की ओर से उक्त कार्यवाही गठित टीम के द्वारा प्रतिदिन की जा रही है।

तहसीलदार,पंचपदरा व आयुक्त,नगर परिषद बालोतरा से प्राप्त अनुपालना रिपोर्ट की प्रतियां संलग्न अग्रिम आवश्यक कार्यवाही हेतु सादर प्रेषित है।

संलग्न:- उपरोक्तानुसार।

भवदीय,

()
 उप सचिव अधिकारी,
 बालोतरा

कार्यालय तहसीलदार पचपदरा, जिला बाडमेर

क्रमांक/राजस्व/2021/

दिनांक

प्रेषित:- श्रीमान उपखण्ड अधिकारी महोदय

बालोतरा


विषय:- ग्रामीण एवं नगरीय क्षेत्र में अवैध चल रही फैक्ट्रीयों के संचालन बाबत ।

महोदय जी,


विषयान्तर्गत निवेदन है कि ग्रामीण एवं शहरी क्षेत्र में अवैध रूप से संचालित होने वाली फैक्ट्रीयों का राजस्थान राज्य प्रदूषण नियंत्रण मण्डल बालोतरा के अधिकारियों के साथ सर्वे किया गया । जिसमें ग्रामीण क्षेत्र में ग्राम कलाबानाडा, ग्राम पंचायत बलाउजाटी में एक कपड़ा फैक्ट्री का अवैध रूप से संचालन होना पाया गया जिसमें अन्तर्गत धारा 177 खातेदारी खारिज हेतु प्रकरण तैयार किया जाकर न्यायालय सहायक कलक्टर (एसडीओ) बालोतरा में पेश किया जा चुका है । साथ ही नगरीय क्षेत्र में ग्राम जैरला में कुल 07 प्रकरण तैयार किये जाकर अन्तर्गत धारा 177 खातेदारी खारिज हेतु न्यायालय सहायक कलक्टर (एसडीओ) बालोतरा में पेश किया जा चुका है । जिसमें न्यायालय द्वारा स्थगन जारी किया गया है, उस स्थगन की पालना हेतु संबंधित भू-अभिलेख निरीक्षक व हल्का पटवारी को प्राबन्ध किया जा चुका है ।

रिपोर्ट श्रीमान्जी की सेवामें नियमानुसार आवश्यक कार्यवाही हेतु प्रेषित है ।

भवदीय



प्रवीण रतन
तहसीलदार पचपदरा

	<p align="center">(क्षेत्रीय कार्यालय) राजस्थान राज्य प्रदूषण नियंत्रण मंडल, बालोतरा Rajasthan State Pollution Control Board, Balotra (Regional Office)</p>
---	--

REG A.D

RO/RPCB/BLT/Gen-17/1185

dated: 18/11/2021

**District Collector,
Barmer (Raj.)**

Subject: या न्यायवृत्ति को प्रकाश टाटिया द्वारा OA. No.32/2014, OA No.329/2015 and OA. No.34/2014 के सम्बन्ध में प्रस्तुत रिपोर्ट की अनुपालना रिपोर्ट भिजवाने बाबत

Reference: Letter no.40 () General/2021/7857-68 dated 25/10/2021.

Sir,


With reference to above, the Hon'ble National Green Tribunal has constituted a monitoring committee which has submitted its report on 21/07/2021 to the Hon'ble Tribunal and to the different stakeholders with it's findings, observations and recommendations along with action to be taken by the different stakeholders in the matter of OA No.34/2014.

The date of hearing in the said matter of OA no.34/2014 is on 23/11/2021. This office has forwarded it's comment on said report to RSPCB, Head Office, Jaipur and RSPCB Head Office would further take the action accordingly and yet to direct this office.

Moreover, the necessary action is also required to be taken by the different stakeholders in the said matter.

Submitted for information and necessary action please.

Yours Sincerely,



(Rajkumar Seltra)
Regional Officer,
RSPCB, Balotra

18/11/21

कार्यालय नगर परिषद् बालोतरा जिला - बाड़मेर (राज.)

128-A

क्रमांक : नपवा/प.-औ.ई.जांच/निजी/2021/SP-L

दिनांक : 18 नवम्बर 2021

प्रेषित :-

श्रीमान् उपखण्ड अधिकारी महोदय,
बालोतरा।

विषय :- नगर परिषद् क्षेत्र में जेरला रोड़ स्थित नाले में रासायनिक अपशिष्ट/रंगीन पानी प्रवाहित करने वाली अवैध फैक्ट्रियों व कारखानों को सीज करने की कार्यवाही के संबंध में।

प्रसंग :- इस कार्यालय के पूर्व पत्र क्रमांक नपवा/सफाई/2021/9827-9828 दिनांक 02.11.2021 के क्रम में।

महोदय,

उपरोक्त विषयान्तर्गत प्रासंगिक पत्र के संदर्भ में निवेदन है कि नगर परिषद् क्षेत्र में जेरला रोड़ स्थित नाले के आस-पास अवैध रूप से कपड़े की धुपाई एवं रंग-रोगन हेतु संचालित फैक्ट्रियों व कारखानों द्वारा अपना रासायनिक अपशिष्ट/रंगीन पानी उक्त नाले में प्रवाहित किये जाने के संबंध में प्राप्त शिकायत पर निकाय की ओर से अब तक की गई कार्यवाही निम्न है :-

01. यह कि निकाय की ओर से उक्त अवैध रूप से संचालित फैक्ट्रियों एवं औद्योगिक इकाईयों के विद्युत कनेक्शन विच्छेद किये जाने एवं उन्हें सीज करने की कार्यवाही की गई है, जिस हेतु निकाय के सफाई निरीक्षक श्री अनिरुद्ध सिंह एवं श्री ओमप्रकाश हंस, सहायक राजस्व अधिकारी श्री लक्ष्मण, संबंधित सफाई जमादार एवं सफाई कर्मचारियों की संयुक्त टीम का गठन किया गया। उक्त टीम की ओर से कार्यवाही करते हुए निम्नांकित इकाईयों को सीज एवं उनके विद्युत कनेक्शन विच्छेद किये जाने की कार्यवाही की गई है :-

क्र.सं.	फैक्ट्री मालिक का नाम	मोबाईल नं.	पता	कार्यवाही
1	श्री जाकीर भाई	---	जेरला रोड़, बालोतरा	सीज
2	श्री पवन कुमार/राजेन्द्र	8690958103	जेरला रोड़, बालोतरा	सीज
3	श्री कासम तेली	---	जेरला रोड़, बालोतरा	सीज
4	श्री चांद खां तेली	---	जेरला रोड़, बालोतरा	कनेक्शन काटा गया
5	श्री विपुल	---	जेरला रोड़, बालोतरा	सीज
6	श्री सर्रीफ	---	जेरला रोड़, बालोतरा	सीज
7	श्री पुराराम जाट	---	जेरला रोड़, बालोतरा	कनेक्शन काटा गया
8	श्री सुभान खां	---	जेरला रोड़, बालोतरा	सीज
9	श्री अनवर भाई	789123222	जेरला रोड़, बालोतरा	सीज
10	श्री सुमेरसिंह	---	जेरला रोड़, बालोतरा	सीज
11	श्री हाजीब खां तेली /पन्ने खां	---	गोगाजी मंदिर के पास	सीज
12	श्री साजीद/इकबाल	9214408030	जेरला रोड़, बालोतरा	सीज
13	श्री समीर	---	नेहरू कॉलानी, बालोतरा	सीज
14	श्री मजिस्द भाई /मोहम्मद खान	9413879301	नेहरू कॉलानी, बालोतरा	सीज
15	श्री अल्लादीन/मौलाबक्स	8764380015	नेहरू कॉलानी, बालोतरा	सीज
16	श्री छनगदान चारण	7976320146	नेहरू कॉलानी, बालोतरा	सीज


निकाय की ओर से पुलिस धाना, बालोतरा में उपरोक्त अवैध रूप से संचालित फैक्ट्रियों एवं औद्योगिक इकाईयों के विरुद्ध प्रथम सूचना विवरण संख्या 568/2021 दायर करायी जा चुकी है।

कार्यालय नगर परिषद बालोतरा जिला - बाड़मेर (राज.)

129

02. यह कि निकाय की ओर से उपरोक्त कार्यवाही किये जाने के दौरान गठित टीम तथा कार्यालय जोधपुर विद्युत वितरण निगम लिमिटेड, बालोतरा एवं पुलिस की टीम को सूचित करते हुए संयुक्त रूप से की जाती हैं।
03. यह कि निकाय की ओर से उक्त अवैध इकाईयों को सीज करने तथा उनके विद्युत कनेक्शन विच्छेद करने के लिए गठित टीम की ओर से निरन्तर निरीक्षण किया जा रहा है तथा सीज इकाईयों की देखरेख के लिए संविदा पर कार्यरत कर्मचारियों को पाबंद कर रखा है। निकाय की ओर से उक्त कार्यवाही गठित टीम के द्वारा प्रतिदिन की जा रही है तथा आगामी सप्ताह में उक्त के विरुद्ध सघन कार्यवाही की जायेगी।

पालना रिपोर्ट श्रीमान्जी के समक्ष आगामी कार्यवाही हेतु सादर प्रेषित हैं।

भवदीय

(शिवपालसिंह)
आयुक्त
नगरपरिषद बालोतरा