



# Noise Quality Bulletin of Rajasthan State in May-2024



In order to assess the impact of predominating noise level in Rajasthan State under the provisions of Noise Pollution (Regulation & Control) Rules, 2000, Rajasthan State Pollution Control Board conducts study on Noise level Monitoring in state throughout the year. This monthly bulletin is a compilation of results of May-2024 of the State.

The noise level Monitoring was conducted day time (6.00 a.m. to 10.00 p.m.) and night time (10.00 p.m. to 6.00 a.m.) for half hour interval at each location with sampling frequency of one second.

In order to maintain uniformity in monitoring Residential, Commercial, and Industrial and Silence zone were selected in respect of Noise Standards prescribed under the provisions of Noise Pollution (Regulation & Control) Rules, 2000. The monitoring network consisted of a total 178 different locations in 36 cities in Rajasthan.

S.No	Name of city	Name / Point of locations	Zone	Leq (dB)	
				Day time	Night time
1	Ajmer	Near Union Bank of India, Shrinagar Road	Commercial	72.3	69
2		In Front of Mr. Tara Chand Solonki, Anand Puri, Dhola Bhata	Residential	68.2	61.9
3		Govt. Satellite Hospital, Adarsh Nagar	Silence	62.3	62.9
4		In Front of M/s Shree Balaji Machine Tool, RIICO Industrial Area, Parbatpura-Makhupura, Dist Ajmer	Industrial	67.4	61.2
5	Alwar	Assistant Regional Office, RIICO Ltd., Matsya Industrial Area, Tehsil & Distt Alwar	Industrial	63.1	55.9
6		Regional Office RSPCB, D-Block Ambedkar Nagar, Tehsil & Distt Alwar	Residential	52.9	45.6
7		Hope Circus, Tehsil & Distt Alwar	Commercial	63.4	60.2
8		General Hospital (Rajiv Gandhi Hospital),	Silence	62.6	54.8

Signature valid

RajKaj Ref  
7967547



Digitally signed by Prema Lal Raigar  
Designation: Chief Environmental  
Engineer  
Date: 2024.06.12 17:38:42 IST  
Reason: Approved



# Noise Quality Bulletin of Rajasthan State in May-2024



9	Balotra	Jeetmal Harish Kumar Upper Primary School No.02, KhedRoad,Balotra.	Silence	63.1	53
10		RO RSPCB Office Jasol Fanta,Balotra.	Residential	49.6	48.7
11		Ghanta Ghar (well tower) Railway Station Road,Balotra.	Commercial	75.4	73.1
12		CETP Balotra, Khed Road, Balotra.	Industrial	70.9	54.7
13		S. N. Vohra High School, Nakoda Road Jasol, Balotra.	Commercial	54.6	58.9
14	Banswara	Thikariya Industrial Area, Nr. Mayur Flooring Pvt. Ltd. Banswara	Industrial	63.7	61.3
15		Kushalbagh Maidan, Near Police Thana,	Commercial	65	62.1
16		Housing Board Colony Near Hotel RARA Avis Hotel, Pratap Circle, Banswara	Residential	63.1	54.2
17		Nr. Main Gate Mahatma Gandhi Hospital	Silence	59.7	53.7
18		Nootan High Secondry School, Banswara	Silence	54.5	52.8
19	Baran	RIICO Office, Baran	Industrial	69.8	67.5
20		Circuit House	Residential	54.3	50.2
21		Government Hospital	Silence	71.1	66.9
22		PWD Office	Commercial	75.8	70.5
23		Fire Station,Baran-Kota Road,Baran	Commercial	75.2	69
24	Barmer	Govt. Hospital, Barmer	Silence	57.8	56.4
25		Sabha Bhawan, Mahaveer Nagar Ward No. 4, Barmer	Residential	63.7	53.2
26		Near Railway Station Road Market, Barmer	Commercial	65.3	59.9
27		Near RSMM Office, RIICO Industrial Area, Barmer	Industrial	62.1	54
28		Mahatma Gandhi Sr. Sec. School, Station Road , Barmer	Residential	57.1	58.1

RajKaj Ref  
7967547

Signature valid

Digitally signed by Preena Lal Raigar  
Designation: Chief Environmental  
Engineer  
Date: 2024.06.12 17:38:42 IST  
Reason: Approved



# Noise Quality Bulletin of Rajasthan State in May-2024



29	Bharatpur	Regional office RSPCB, SPM Nagar, Behind Jindal Hospital, Tehsil & Distt.-Bharatpur	Residential	60.4	41.2
30		Khadi Grammoday Samiti Office, Tehsil & Distt.-Bharatpur	Commercial	73.8	47.1
31		RIICO Regional Office, Brij Industrial Area, Tehsil & Distt.-Bharatpur	Industrial	71.1	45.4
32		Govt. Hospital (Raj Bahadur Hospital), Tehsil & Distt.-Bharatpur	Silence	71.4	43.8
33		Master Adityendra Govt. Sr. Sec. School, Tehsil & Distt.-Bharatpur	Silence	67.2	39.9
34	Bhilwara	RIICO Industrial Area, Pur Road, Bhilwara	Industrial	68.2	61.1
35		Azad Nagar, Sector - C, Bhilwara	Residential	58.1	53.7
36		Suchana Kendra, Bhilwara	Commercial	69.5	66.5
37		Mahatma Gandhi Hospital, Bhilwara	Silence	62.8	59.4
38		Kumbha Circle, Bhilwara	Commercial	71.3	68.8
39	Bhiwadi	Ashiana Garden Society, Alwar Bye-Pass Road, Bhiwadi, Distt-Khairthal/Tijara	Residential	64.3	42.8
40		Star Hospital, Bhiwadi, Tehsil-Tijara & Distt-Khairthal/Tijara	Silence	69.3	41.4
41		Central Market, Bhiwadi, Tehsil-Tijara & Distt-Alwar	Commercial	71.8	64.2
42		Central Park, UIT Sector-06, Gaurav Path, Bhiwadi, Tehsil-Tijara & Distt-Alwar	Residential	69.7	42.3
43		Harish Bakery, Bhagat Singh Colony, Alwar By Pass Road, Bhiwadi, Distt-Alwar	Commercial	72.6	44.5
44	Bikaner	Regional office, RSPCB	Industrial	60.6	58.4
45		Junagarh Circle	Commercial	69.2	56.9
46		IGNP Colony, Ganganagar Road	Residential	55.3	51.2
47		P.B.M. Hospital	Silence	58.6	53.7
48		Kanta Kathuriya Colony	Residential	58.3	56.7

RajKaj Ref  
7967547

## Signature valid

Digitally signed by Prema Lal Raigar  
Designation: Chief Environmental  
Engineer  
Date: 2024.06.12 17:38:42 IST  
Reason: Approved



# Noise Quality Bulletin of Rajasthan State in May-2024



49	Bundi	Civil lines	Residential	60.6	55.1
50		DIC Office	Industrial	60	54.7
51		Government Hospital	Silence	58.7	55.8
52		Nagar Parishad	Commercial	68	66.8
53		Power House, BCR Industrial Area	Industrial	69.1	65.1
54	Chittorgarh	RIICO Area Chanderiya Chittorgarh	Industrial	70.0	62.5
55		Gol PyauChauraha Chittorgarh	Commercial	73.6	63.8
56		Kumbha Nagar, near Home Guard Office	Residential	70.5	57.9
57		District Hospital Chittorgarh	Silence	66.4	51.4
58		Shahid Major Natwar Singh Sec. Sr. School,	Silence	73	53.8
59	Churu	Near Vinayak Complex, Near Pankha Circle	Commercial	74.4	70.3
60		Park inside Housing Board, Churu	Residential	59.6	59.9
61		Near park inside Govt. D.B. General Hospital premises, Churu	Silence	61.4	61.5
62		Near Vishwakarma Laghu Udyog, RIICO Industrial Area, Churu	Industrial	68.2	64.9
63		Near Indramani Park, Churu	Commercial	74.3	71.4
64	Dausa	Ramkarn Joshi Govt.HospitalDausa	Silence	61.8	61.9
57.8		Indra Colony, Dausa	Residential	57.8	58.1
66		RIICO Area (Near Hotel Shyam Vilash),	Industrial	59.6	60.1
67		Old Bus Stand, Dausa	Commercial	74.5	66.5
68	Dholpur	Circuit House, Near Mittal Colony, Tehsil& Distt.-Dholpur	Residential	64.1	41.5
69		RIICO Office Building, Old Industrial Area, OdelaRoad, Tehsil& Distt.-Dholpur	Industrial	72.2	42.8
70		Nagar Parishad Office, Ghantaghar Road, Tehsil &Distt.-Dholpur	Commercial	72.1	40.9
71		Govt. General Hospital, Tehsil &Distt.-Dholpur	Silence	71.1	42.6
72		Govt. Sr. Sec. School, Tehsil &Distt.-Dholpur	Silence	67.3	41.2

RajKaj Ref  
7967547

**Signature valid**

Digitally signed by Preeti Lal Raigar  
Designation: Chief Environmental  
Engineer  
Date: 2024.06.12 17:38:42 IST  
Reason: Approved



# Noise Quality Bulletin of Rajasthan State in May-2024



73	Dungarpur	Near Brahamasthali Colony, Dungarpur	Residential	64.8	50.8
74		RIICO Office, Dungarpur	Commercial	62.4	56.8
75		Near Jain Mandir, Pragatinagar, New Colony,	Residential	56.4	58.4
76		Sh. Haridev Joshi Hospital, Dungarpur	Silence	57.2	54.6
77		Gap Sagar pal, Dungarpur	Commercial	66.6	53.7
78	Hanumangarh	Near RIICO Office,RIICO Industrial Area	Industrial	68.5	55.1
79		Govt. Girls Sr. Sec. School, Sector-12, Ward No. 13, Hanumangarh Junction	Residential	65.4	58.6
80		Children Park, Durga Colony Ganganagar Road	Residential	64	55.3
81		Near Main Bus Stand, Hanumangarh Jn.	Commercial	65.9	59
82		Near Bombay Hospital,Hanumangarh	Silence	67.7	62.8
83	Jaipur	Garden Behind Governor House, Civil Lines	Silence	68.6	61.6
84		SantokbaDurlabhji Memorial Hospital (near OPD)	Silence	66.3	62.9
85		Nagar Nigam Office, Patel Marg, Mansarovar	Residential	59	62
86		Science Park, Shastri Nagar	Residential	75.5	72.7
87		Gali No. 3, Raja Park	Commercial	59.9	63
88		Near Kotwali Thana, Chhoti Choupar	Commercial	72.9	75.4
89		Rooftop of Regional Office,RPCB,VKIA,Jaipur(North)	Industrial	64.4	64.5
90	RIICO Sitapura Office,RIICO Industrial Area,Tonk Road, Sitapura, Tehsil-Sanganer	Industrial	64.5	66.4	
91	Jaisalmer	RIICO Industrial Area, ShilapGram,Jaisalmer	Industrial	71.7	65.3
92		Near Gandhi darshan,Hanuman Circle ,Jaisalmer	Commercial	64.1	60.5
93		Tikaram Paliwal Park,Jaisalmer	Residential	61.6	43
94		Near Jawahar hospital,Jaisalmer	Silence	47	41.9
95	Jalore	Near GSS, 3rd Phase RIICO Industrial Area, Jalore	Industrial	65.7	60.9
96		Govt. Hospital, Jalore	Silence	67.8	68.1
97		Near Sr. Citizen Park Sivaji Nagar, Jalore	Residential	57.5	48
98		Bus Stand, Jalore	Commercial	60.7	55.1
99		Circuit House Jalore (CAAQMS Site)	Commercial	52.9	47.4

RajKaj Ref  
7967547

## Signature valid

Digitally signed by Preena Lal Raigar  
Designation: Chief Environmental  
Engineer  
Date: 2024.06.12 17:38:42 IST  
Reason: Approved



# Noise Quality Bulletin of Rajasthan State in May-2024



100	Jhalawar	RIICO, Near Office building	Industrial	66.2	59.6
101		Civil Lines, Near collectorate bungalow	Residential	56.8	51.8
102		Medical College, Near dean college	Silence	61.9	58.9
103		Veterinary Polyclinic, Near office building	Commercial	68.9	68.7
104		Bus Stand, Jhalawar	Commercial	63.9	63.3
105	Jhunjhunu	Subhash Chandra Park, Near Mandawa Mor	Commercial	76	60.2
106		Rajiv Gandhi park, Housing Board, Jhunjhunu	Residential	60.3	55
107		Near Mother & Child care wing, BDK Hospital, Jhunjhunu	Silence	63.5	62.4
108		Near Mahindra Motors Pvt. Ltd. RIICO Industrial Area Phase II, Jhunjhunu	Industrial	66.7	57.6
109		Near Peeru Singh Circle, Jhunjhunu	Commercial	74	65.8
110	Jodhpur	Regional office, SPCB Jodhpur SPL 2 MIA Basni Ist phase Jodhpur	Industrial	58.6	49.8
111		Sojati Gate, Jodhpur	Commercial	81.4	73.4
112		BJS Colony, Near Soil conversion, Paota	Residential	60.4	52.1
113		Mathura Das Mathur Hospital, Shastri Nagar Jodhpur	Silence	65.4	49.2
114	Karauli	Circuit House, Ganesh Colony	Residential	64.9	49.8
115		District Industries Centre, Near Gad kaki Chowki	Industrial	71.6	62.2
116		Public Works Department Office, Near CollectrateChauraha, Teh&Distt.-Karauli	Commercial	66.7	57.8
117		Govt. General Hospital, Teh&Distt.-Karauli	Silence	63	56.4
118		Fire Station near private Bus Stand (CAAQMS Site)	Commercial	61.4	55.1
119	Kota	Regional Office, RSPCB, Indraprastha Industrial Area, Kota, Tesil-Ladpura	Industrial	66.9	61.7
120		Civil Lines, Nayaura, Kota, Tesil-Ladpura,	Residential	61.7	55.8
121		Police Chowki, Gumanpura, Tesil-Ladpura,	Commercial	65.1	62.1
122		New Medical College Hospital, Rama Krishna Puram, Kota, Tesil-Ladpura,	Silence	57.9	53.9
123		Allen Career Institute (Satyarth), Swami Dayanand Saraswati Road, Jawahar Nagar	Commercial	66.7	57.3

RajKaj Ref  
7967547

## Signature valid

Digitally signed by Preeti Lal Raigar  
Designation: Chief Environmental  
Engineer  
Date: 2024.06.12 17:38:42 IST  
Reason: Approved



# Noise Quality Bulletin of Rajasthan State in May-2024



124	Nagaur	In front of house of Sh Chetan Ram Choudhary, 2/485, Housing Board Colony	Residential	64.68	54.83
125		Gandhi Chowk, Nagaur	Commercial	73.18	59.5
126		In front of M/s Shubh Laxmi Oil Industries, Ploi No. 40-44, RIICO Industrial Aear	Industrial	65.52	65.57
127		Near Gate of J.L.N. District Hospital, Nagaur	Silence	55.77	51.8
128		Govt. Sen Sec. School, Rathori Kuan, Nagaur (CAAQMS Site)	Residential	62.5	ND
129	Pali	Near main gate of RSPCB	Industrial	58	55.1
130		At Bangur Hospital	Silence	55.2	56.7
131		At Circuit House	Residential	53.4	52.8
132		Near Town Hall, Nagar Parishad	Commercial	62.4	46.1
133		Bangur College (CAAQMS Site)	Silence	53.4	56.4
134	Pratapgarh	Bagwas Industrial Area	Industrial	62.7	60.5
135		Nagar Parishad Gate	Commercial	67.6	65
136		Bada Bagh Colony	Residential	59.2	58.1
137		District Hospital Pratapgarh	Silence	55.4	52
138		Govt. High Secondary School, Near Neemuch Naka, Pratapgarh	Silence	51.7	57.6
139	Rajsamand	RIICO Industrial area, Dhoinda	Industrial	64	52.2
140		Kalalwati, Rajnagar	Residential	67.7	70.1
141		Krishna Nagar, Near Vidya Niketan School	Silence	56.7	55.2
142		Bus stand, Kankroli	Commercial	65.7	64.4
143		R.K. Hospital	Silence	66	44.9
144	Sawai Madhopur	Circuit House, Near Housing Board Colony	Residential	56.1	56.6
145		RIICO Office Building, Kherda Industrial Area	Industrial	58.9	55.1
146		Head Post Office building & Passport Sewa Kendra	Commercial	64.3	59.6
147		Govt. General Hospital	Silence	64.1	60.5
148		Mahatma Gandhi Govt. School, Sahu Nagar (CAAQMS Site)	Silence	59.8	55.3

RajKaj Ref  
7967547

Signature valid

Digitally signed by Prema Lal Raigar  
Designation: Chief Environmental  
Engineer  
Date: 2024.06.12 17:38:42 IST  
Reason: Approved



# Noise Quality Bulletin of Rajasthan State in May-2024



149	Sikar	Regional Office, RSPCB, Shivsinghpura Housing Board, Nawalgarh Road, Sikar	Residential	56.2	51.6
150		Near OPD Block, Sri KalayanHospital, Sikar	Silence	60.2	64.6
151		Near Hotel Fortune Blue, Piprali Road, Sikar	Commercial	73.2	65.2
152		Near RIICO Office, RIICO Ind. Area, Sikar	Industrial	63.3	59.3
153		Near Municipal Council Office, Sikar	Commercial	69.3	66.5
154	Sirohi	RIICO Industrial Area	Industrial	57.7	58.1
155		District Hospital	Silence	62.5	49.9
156		Near Collector House, Sirohi	Residential	52.7	53
157		Commercial area, near roadways bus stand, Sirohi	Commercial	60.6	56.1
158		Govt.Sr. Sec. School (CAAQMS Site)	Residential	42.5	46.6
159	Sriganganagar	Near RIICO Office,Udyog Vihar Ind. Area	Industrial	79.3	69.9
160		Govt. Sr. Sec. School, Multipurpose	Residential	73.9	62.8
161		Gandhi Park, D Block	Residential	72.8	61.2
162		Ambedkar Circle, Sriganganagar	Commercial	68	63.9
163		Govt. Hospital, Suratgarh Road	Silence	70.1	53.9
164	Tijara city	Rajasthan State Path Parivahan Nigam, Central Bus Stand, Tijara.	Commercial	70.5	60.7
165		Government Common Health Centre, Tijara.	Silence	65.2	41.1
166		Nagar Palika, Tijara, Tehsil-Tijara	Commercial	71.4	42
167		Government Senior Secondary School, Tijara,	Residential	69.8	40.3
168		Chandralok City, Tijara, Tehsil-Tijara	Residential	68.2	42.8
169	Tonk	In Front of M/s Kamal Industries, G-44,RIICO Industrial Area, Tonk	Industrial	64.2	58.2
170		In Front of Shop of M/s Mahesh Kumar Naresh Kumar Bhagat, Subhash Chauk, Tonk	Commercial	76.9	70.2
171		Near Mahila Poilce Station, Barudkhana, Tonk	Residential	64.7	59
172		Near Main Gate of Sahadat Govt. Hospital, Tonk	Silence	65.7	63.1
173		Govt. Senior Secondary School, Kothi Nathman, Tonk (CAAQMS Site)	Commercial	56.1	57.9

RajKaj Ref  
7967547

## Signature valid

Digitally signed by Prema Lal Raigar  
Designation: Chief Environmental  
Engineer  
Date: 2024.06.12 17:38:42 IST  
Reason: Approved





# Noise Quality Bulletin of Rajasthan State in May-2024



174	Udaipur	Nagar Nigam office, Town Hall	Commercial	76.3	65.5
175		MB Hospital	Silence	65.4	62.1
176		Satellite Hospital, In front of police station, Ambamata Scheme, Udaipur	Residential	70.5	60.9
177		BSNL Head office, Sector 4, Hiran Magri	Residential	73.5	62.1
178		RO office, F-470 Near UCCI, MIA, Madri,	Industrial	73.2	68.3

**Note:** - Noise Level in Leq dB (A) exceeded the prescribed standards are highlighted in yellow.  
ND: - Monitoring not done.

Ambient Air Quality Standards in respect of Noise			
Area Code	Category of Area / Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

RajKaj Ref  
7967547

Signature valid

Digitally signed by Preeti Lal Raigar  
Designation: Chief Environmental  
Engineer  
Date: 2024.06.12 17:38:42 IST  
Reason: Approved