



Noise Quality Bulletin of Rajasthan State in January-2024

In order to assess the impact of predominating noise level in Rajasthan State under the provisions of Noise Pollution (Regulation & Control) Rules, 2000, Rajasthan State Pollution Control Board conducts study on Noise level Monitoring in state throughout the year. This monthly bulletin is a compilation of results of January-2024 of the State.

The noise level Monitoring was conducted day time (6.00 a.m. to 10.00 p.m.) and night time (10.00 p.m. to 6.00 a.m.) for half hour interval at each location with sampling frequency of one second.

In order to maintain uniformity in monitoring Residential, Commercial, and Industrial and Silence zone were selected in respect of Noise Standards prescribed under the provisions of Noise Pollution (Regulation & Control) Rules, 2000. The monitoring network consisted of a total 163 different locations in 33 cities in Rajasthan.

S.No	Name of city	Name / Point of locations	Zone	Leq (dB)	
				Day time	Night time
1	Ajmer	Near Union Bank of India, Shrinagar Road	Commercial	76	70
2		In Front of Mr. Tara Chand Solonki, Anand Puri, Dhola Bhata	Residential	62	61
3		Govt. Satellite Hospital, Adarsh Nagar	Silence	64.3	64
4		In Front of M/s Shree Balaji Machine Tool, RIICO Industrial Area, Parbatpura-Makhupura, Dist Ajmer	Industrial	63	59
5	Sawai Madhopur	Circuit House, Near Housing Board Colony	Residential	61.2	58
6		RIICO Office Building, Kherda Industrial Area	Industrial	59.5	60.3
7		Head Post Office building & Passport Sewa Kendra	Commercial	68.4	56.7
8		Govt. General Hospital	Silence	58.1	53
9		Mahatma Gandhi Govt. School, Sahu Nagar (CAAQMS Site)	Silence	57.2	51.5
10	Karauli	Circuit House, Ganesh Colony	Residential	63.2	56.5
11		District Industries Centre, Near Gad kaki Chowki	Industrial	68	56.5
12		Public Works Department Office, Near Collectrate Chauraha, Teh&Distt.-Karauli	Commercial	63.4	52.7
13		Govt. General Hospital, Teh&Distt.-Karauli	Silence	59.6	50.3
14		Fire Station near private Bus Stand, (CAAQMS Site)	Commercial	64.9	54.6
15	Tijara city	Rajasthan State Path Parivahan Nigam, Ref 556298 Central Bus Stand, Tijara, Tehsil-Tijara	Commercial	71.4	62

Validity unknown Signature valid

Digitally signed by N. Rajai
Designation: Member Secretary
Date: 2024.04.10 11:40:45 IST
Reason: Approved





Noise Quality Bulletin of Rajasthan State in January-2024

16	Jhalawar	Distt-KhairthalTijara Government Common Health Centre, Tijara, Tehsil-Tijara& Distt-KhairthalTijara	Silence	63.8	41.8
17		Nagar Palika, Tijara, Tehsil-Tijara	Commercial	71.2	45.3
18		Government Senior Secondary School, Tijara,	Residential	67.3	42.9
19		Chandralok City, Tijara, Tehsil-Tijara	Residential	68.2	41.6
20		RIICO, Near Office building	Industrial	66.5	60.1
21	Jhalawar	Civil Lines, Near collectrate bunglow	Residential	58.5	56.9
22		Medical College, Near dean college	Silence	67.2	62.2
23		Veterinary Polyclinic, Near office building	Commercial	70.4	68.5
24		Bus Stand, Jhalawar	Commercial	70.1	69.8
25		Baran	RIICO Office, Baran	Industrial	72.1
26	Circuit House		Residential	48.3	43.8
27	Government Hospital		Silence	70.2	62.9
28	PWD Office		Commercial	77.2	67.7
29	Fire Station,Baran-Kota Road,Baran		Commercial	74.8	60.2
30	Nagaur	In front of house of Sh Chetan Ram Choudhary, 2/485, Housing Board Colony	Residential	59.9	49
31		Gandhi Chowk, Nagaur	Commercial	76.9	54.6
32		In front of M/s Shubh Laxmi Oil Industries, Ploi No. 40-44, RIICO Industrial Aear	Industrial	45.2	60.8
33		Near Gate of J.L.N. District Hospital, Nagaur	Silence	55.7	46.4
34		Govt. Sen Sec. School, Rathori Kuan, Nagaur, (CAAQMS Site)	Residential	51.6	ND
35	Bundi	Civil lines	Residential	56.7	51.1
36		DIC Office	Industrial	59.3	52.1
37		Government Hospital	Silence	58.7	55.3
38		Nagar Parishad	Commercial	67.3	60.1
39		Power House, BCR Industrial Area	Industrial	64.2	58.7
40	Tonk	In Front of M/s Kamal Industries, G- 44,RIICO Industrial Area, Tonk	Industrial	66.8	59.2
41		In Front of Shop of M/s Mahesh Kumar Naresh Kumar Bhagat, Subhash Chauk, Tonk	Commercial	68.7	61.2
42		Near Mahila Poilce Station, Barudkhana, Tonk	Residential	59.8	52.5
43		Near Main Gate of Sahadat Govt. Hospital, Tonk	Silence	61.5	58.6
44		Govt. Senior Secondary School, Kothi Nathman, Tonk (CAAQMS Site)	Commercial	55.6	49.4
45	Banswara	Thikariya Industrial Area, Nr. Mayur Flooring Pvt. Ltd. Banswara	Industrial	63.7	54.7
46		Kushalbagh Maidan, Near Police Thana	Commercial	73.7	65.3



Noise Quality Bulletin of Rajasthan State in January-2024

82		Bus Stand, Jalore	Commercial	ND	ND
83		Circuit House Jalore, (CAAQMS Site)	Commercial	ND	ND
84	Jaipur	Garden Behind Governor House, Civil Lines	Silence	68.9	59.5
85		Santokba Durlabhji Memorial Hospital (near OPD)	Silence	68.2	64.4
86		Nagar Nigam Office, Patel Marg, Mansarovar	Residential	59.9	55.6
87		Science Park, Shastri Nagar	Residential	75.3	72.7
88		Gali No. 3, Raja Park	Commercial	63.4	64.5
89		Near Kotwali Thana, Chhoti Choupar	Commercial	75.1	72.7
90		Rooftop of Regional Office, RPCB, VKIA, Jaipur (North)	Industrial	62.9	59.3
91		RIICO Sitapura Office, RIICO Industrial Area, Tonk Road, Sitapura, Tehsil-Sanganer	Industrial	74.1	64.4
92	Dausa	Ramkarn Joshi Govt. Hospital Dausa	Silence	57.1	49.3
93		Indra Colony, Dausa	Residential	51.7	52.7
94		RIICO Area (Near Hotel Shyam Vilash),	Industrial	52.2	51.7
95		Old Bus Stand, Dausa	Commercial	70.8	67.2
96	Kota	Regional Office, RSPCB, Indraprastha Industrial Area, Kota, Tesil-Ladpura	Industrial	59.4	56.5
97		Civil Lines, Nayaura, Kota, Tesil-Ladpura,	Residential	64.6	54.9
98		Police Chowki, Gumanpura, Tesil-Ladpura,	Commercial	67.8	59.5
99		New Medical College Hospital, Rama Krishna Puram, Kota, Tesil-Ladpura,	Silence	62.1	52.1
100		Allen Career Institute (Satyarth), Swami Dayanand Saraswati Road, Jawahar Nagar	Commercial	69.4	61.7
101	Bikaner	Regional office, RSPCB	Industrial	61	57.6
102		Junagarh Circle	Commercial	70.9	64.2
103		IGNP Colony, Ganganagar Road	Residential	60.3	56.8
104		P.B.M. Hospital	Silence	69.7	54.3
105		Kanta Kathuriya Colony	Residential	59.5	51.9
106	Hanumangarh	Near RIICO Office, RIICO Industrial Area	Industrial	60.9	43.8
107		Govt. Girls Sr. Sec. School, Sector-12, Ward No. 13, Hanumangarh Junction	Residential	55.1	43.5
108		Children Park, Durga Colony Ganganagar Road	Residential	62	48
109		Near Main Bus Stand, Hanumangarh Jn.	Commercial	63.8	49.1
110		Near Bombay Hospital, Hanumangarh	Silence	60.8	44.4
111	Sriganganagar	Near RIICO Office, Udyog Vihar Industrial Area	Industrial	56	48.4
112		Govt. Sr. Sec. School, Multipurpose	Residential	53.9	49.6
113		Gandhi Park, D Block	Residential	56.5	45.7
114		Ambedkar Circle, Sriganganagar	Commercial	54.6	51.3



Noise Quality Bulletin of Rajasthan State in January-2024

47		Housing Board Colony Near Hotel RARA Avis Hotel, Pratap Circle, Banswara	Residential	56	43
48		Nr. Main Gate Mahatma Gandhi Hospital	Silence	58	42.1
49		Nootan High Secondary School, Banswara	Silence	56.7	43.6
50	Dungarpur	Near Brahamasthali Colony, Dungarpur	Residential	55.2	48.2
51		RIICO Office, Dungarpur	Commercial	64.6	59.3
52		Near Jain Mandir, Pragatinagar, New Colony,	Residential	55.9	46.4
53		Sh. Haridev Joshi Hospital, Dungarpur	Silence	54	48.2
54		Gap Sagar pal, Dungarpur	Commercial	66.2	55.1
55	Alwar	Assistant Regional Office, RIICO Ltd., Matsya Industrial Area, Tehsil & Distt Alwar	Industrial	65.8	60.3
56		Regional Office RSPCB, D-Block Ambedkar Nagar, Tehsil & Distt Alwar	Residential	49.9	45.4
57		Hope Circus, Tehsil & Distt Alwar	Commercial	70.2	62.1
58		General Hospital (Rajiv Gandhi Hospital),	Silence	62.3	57.4
59	Chittorgarh	RIICO Area Chanderiya Chittorgarh	Industrial	63.3	60.1
60		Gol Pyau Chauraha Chittorgarh	Commercial	73.9	64.4
61		Kumbha Nagar, near Home Guard Office	Residential	64.8	59.1
62		District Hospital Chittorgarh	Silence	58.3	57
63		Shahid Major Natwar Singh Sec. Sr. School,	Silence	57	55.4
64	Pratapgarh	Bagwas Industrial Area	Industrial	75.2	68
65		Nagar Parishad Gate	Commercial	73.7	65.3
66		Bada Bagh Colony	Residential	70.4	61.6
67		District Hospital Pratapgarh	Silence	64.4	54.7
68		Govt. High Secondary School, Near Neemuch Naka, Pratapgarh	Silence	66.6	50.8
69	Pali	Near main gate of RSPCB	Industrial	67.2	59.4
70		At Bangur Hospital	Silence	62	57.6
71		At Circuit House	Residential	55.8	50.3
72		Near Town Hall, Nagar Parishad	Commercial	73.2	67.5
73		Bangur College, (CAAQMS Site)	Silence	53.3	47
74	Sirohi	RIICO Industrial Area	Industrial	ND	ND
75		District Hospital	Silence	ND	ND
76		Near Collector House, Sirohi	Residential	ND	ND
77		Commercial area, near roadways bus stand, Sirohi	Commercial	ND	ND
78		Govt. Sr. Sec. School, (CAAQMS Site)	Residential	ND	ND
79	Jalore	Near GSS, 3rd Phase RIICO Industrial Area, Jalore	Industrial	ND	ND
80		Govt. Hospital, Jalore	Silence	ND	ND
81		Near Sr. Citizen Park Sivaji Nagar, Jalore	Residential	ND	ND

Validity unknown Signature valid

Digitally signed by N. Jai
Designation: Member Secretary
Date: 2024.01.25 14:40:45 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in January-2024

115		Govt. Hospital, Suratgarh Road	Silence	58.2	52.7
116	Bhiwadi City	Ashiana Garden Society, Alwar Bye-Pass Road, Bhiwadi, Distt-KhairthalTijara	Residential	59.2	52.6
117		Star Hospital, Bhiwadi, Tehsil-Tijara & Distt-Khairthal Tijara	Silence	58.8	46.4
118		Central Market, Bhiwadi, Tehsil-Tijara& Distt-Alwar	Commercial	72.2	68.8
119		Central Park, UIT Sector-06, Gaurav Path, Bhiwadi, Tehsil-Tijara& Distt-Alwar	Residential	65.5	53.2
120		Harish Bakery, Bhagat Singh Colony, Alwar By Pass Road, Bhiwadi, Distt-Alwar	Commercial	68.4	51.6
121	Barmer	Govt. Hospital, Barmer	Silence	58.8	54.2
122		Sabha Bhawan, Mahaveer Nagar Ward No. 4, Barmer	Residential	62.1	54.6
123		Near Railway Station Road Market, Barmer	Commercial	65.1	60.8
124		Near RSMM Office, RIICO Industrial Area, Barmer	Industrial	66.3	61.5
125		Mahatma Gandhi Sr. Sec. School, Station Road, Barmer	Residential	62.1	53.7
126	Balotra	Jeetmal Harish Kumar Upper Primary School No.02, Khed Road Balotra.	Silence	59.8	56.8
127		RO RSPCB Office Jasol Fanta Balotra.	Residential	60.8	57.8
128		Ghanta Ghar (well tower) Railway Station Road Balotra.	Commercial	75.5	75
129		CETP Balotra, Khed Road, Balotra.	Industrial	65.1	56.4
130		S. N. Vohra High School, Nakoda Road Jasol, Balotra.	Commercial	63.2	57.5
131	Jodhpur	Regional office, SPCB Jodhpur SPL 2 MIA Basni Ist phase Jodhpur	Industrial	58.3	55.6
132		Sojati Gate, Jodhpur	Commercial	74.4	72.8
133		BJS Colony, Near Soil conversion, Paota	Residential	69.5	59.5
134		Mathura Das Mathur Hospital, Shastri Nagar Jodhpur	Silence	63.8	61.1
135	Sikar	Regional Office, RSPCB, Shivsinghpura Housing Board, Nawalgarh Road, Sikar	Residential	58.4	53
136		Near OPD Block, Sri KalayanHospital, Sikar	Silence	61	56
137		Near Hotel Fortune Blue, Piprali Road, Sikar	Commercial	74.2	64.6
138		Near RIICO Office, RIICO Industrial Area, Jaipur Road, Sikar	Industrial	61.2	54.9
139		Near Municipal Council Office, Sikar	Commercial	72.7	67.2
140	Jhunjhunu	Subhash Chandra Park, Near Mandawa Mor	Commercial	64.2	63.7
141		Rajiv Gandhi park, Housing Board, Jhunjhunu	Residential	56.8	50.3
142		Near Mother & Child care wing, BDK Hospital, Jhunjhunu	Silence	61.3	56.9
143		Near Mahindra Motors Pvt. Ltd. Industrial Area Phase II, Jhunjhunu	Industrial	60.9	57.2



Noise Quality Bulletin of Rajasthan State in January-2024

144		Near Peeru Singh Circle, Jhunjhunu	Commercial	71.6	66.3
145	Churu	Near Vinayak Complex, Near Pankha Circle	Commercial	77.3	60.5
146		Park inside Housing Board, Churu	Residential	53.7	58.6
147		Near park inside Govt. D.B. General Hospital premises, Churu	Silence	59.9	62.1
148		Near Vishwakarma Laghu Udyog, RIICO Industrial Area, Churu	Industrial	65.4	50.4
149		Near Indramani Park, Churu	Commercial	70.4	66.3
150	Udaipur	Nagar Nigam office, Town Hall	Commercial	75.9	57
151		MB Hospital	Silence	52.9	43
152		Satellite Hospital, In front of police station, Ambamata Scheme, Udaipur	Residential	70.6	64
153		BSNL Head office, Sector 4, Hiran Magri	Residential	77.4	61
154		RO office, F-470 Near UCCI, MIA, Madri,	Industrial	ND	ND
155	Jaisalmer	RIICO Industrial Area Shilap Gram, Jaisalmer	Industrial	69.7	60.4
156		Near Gandhi darshan, Hanuman Circle, Jaisalmer	Commercial	72.5	68.8
157		Tikaram Paliwal Park, Jaisalmer	Residential	60.4	52.6
158		Near Jawahar hospital, Jaisalmer	Silence	42.3	37.6
159	Rajsamand	RIICO Industrial area, Dhoinda	Industrial	ND	ND
160		Kalalwati, Rajnagar	Residential	ND	ND
161		Krishna Nagar, Near Vidya Niketan School	Silence	ND	ND
162		Bus stand, Kankroli	Commercial	ND	ND
163		R.K. Hospital	Silence	ND	ND

Note: - Noise Level in Leq dB (A) exceeded the prescribed standards are highlighted in yellow.
ND: - Monitoring not done.

Ambient Air Quality Standards in respect of Noise

Area Code	Category of Area / Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

Validity unknown Signature valid

RajKaj Ref
6563298

Digitally signed by N. Jai
Designation: Member Secretary
Date: 2024.01.14 14:45 IST
Reason: Approved