



# Noise Quality Bulletin of Rajasthan State in April-2024



In order to assess the impact of predominating noise level in Rajasthan State under the provisions of Noise Pollution (Regulation & Control) Rules, 2000, Rajasthan State Pollution Control Board conducts study on Noise level Monitoring in state throughout the year. This monthly bulletin is a compilation of results of April-2024 of the State.

The noise level Monitoring was conducted day time (6.00 a.m. to 10.00 p.m.) and night time (10.00 p.m. to 6.00 a.m.) for half hour interval at each location with sampling frequency of one second.

In order to maintain uniformity in monitoring Residential, Commercial, and Industrial and Silence zone were selected in respect of Noise Standards prescribed under the provisions of Noise Pollution (Regulation & Control) Rules, 2000. The monitoring network consisted of a total 178 different locations in 36 cities in Rajasthan.

S.No	Name of city	Name / Point of locations	Zone	Leq (dB)	
				Day time	Night time
1	Ajmer	Near Union Bank of India, Shrinagar Road	Commercial	76	71
2		In Front of Mr. Tara Chand Solonki, Anand Puri, Dhola Bhata	Residential	69	64
3		Govt. Satellite Hospital, Adarsh Nagar	Silence	66	62
4		In Front of M/s Shree Balaji Machine Tool, RIICO Industrial Area, Parbatpura-Makhupura, Dist Ajmer	Industrial	60	64
5	Alwar	Assistant Regional Office, RIICO Ltd., Matsya Industrial Area, Tehsil & Distt Alwar	Industrial	59.8	52.3
6		Regional Office RSPCB, D-Block Ambedkar Nagar, Tehsil & Distt Alwar	Residential	47.8	44.2
7		Hope Circus, Tehsil & Distt Alwar	Commercial	73.3	64.2
8		General Hospital (Rajiv Gandhi Hospital),	Silence	64.7	53.1

RajKaj Ref  
7036649

Signature valid

Digitally signed by N. V. Jai  
Designation: Member Secretary  
Date: 2024.05.13 16:20:19 IST  
Reason: Approved





# Noise Quality Bulletin of Rajasthan State in April-2024



9	Balotra	Jeetmal Harish Kumar Upper Primary School No.02, KhedRoad,Balotra.	Silence	49.8	61.6
10		RO RSPCB Office Jasol Fanta,Balotra.	Residential	50.1	47.9
11		Ghanta Ghar (well tower) Railway Station Road,Balotra.	Commercial	75.5	66.5
12		CETP Balotra, Khed Road, Balotra.	Industrial	72.3	51.5
13		S. N. Vohra High School, Nakoda Road Jasol, Balotra.	Commercial	57	57.6
14	Banswara	Thikariya Industrial Area, Nr. Mayur Flooring Pvt. Ltd. Banswara	Industrial	64.8	61.5
15		Kushalbagh Maidan, Near Police Thana,	Commercial	67.1	61
16		Housing Board Colony Near Hotel RARA Avis Hotel, Pratap Circle, Banswara	Residential	58.7	53.7
17		Nr. Main Gate Mahatma Gandhi Hospital	Silence	65.6	60.1
18		Nootan High Secondry School, Banswara	Silence	61	55.2
19	Baran	RIICO Office, Baran	Industrial	66.4	66.2
20		Circuit House	Residential	69.1	56.6
21		Government Hospital	Silence	76.6	69.1
22		PWD Office	Commercial	73.9	70
23		Fire Station,Baran-Kota Road,Baran	Commercial	73.8	65.9
24	Barmer	Govt. Hospital, Barmer	Silence	57.5	58.2
25		Sabha Bhawan, Mahaveer Nagar Ward No. 4, Barmer	Residential	59.5	50.9
26		Near Railway Station Road Market, Barmer	Commercial	65.6	61.8
27		Near RSMM Office, RIICO Industrial Area, Barmer	Industrial	66.6	63
28		Mahatma Gandhi Sr. Sec. School, Station Road , Barmer	Residential	55.8	53.2

RajKaj Ref  
7036649

Signature valid

Digitally signed by N. V. Jai  
Designation: Member Secretary  
Date: 2024.05.13 16:20:19 IST  
Reason: Approved



# Noise Quality Bulletin of Rajasthan State in April-2024



29	Bharatpur	Regional office RSPCB, SPM Nagar, Behind Jindal Hospital, Tehsil & Distt.-Bharatpur	Residential	61.2	40.8
30		Khadi Grammoday Samiti Office, Tehsil & Distt.-Bharatpur	Commercial	74.4	46.8
31		RIICO Regional Office, Brij Industrial Area, Tehsil & Distt.-Bharatpur	Industrial	70.6	46.2
32		Govt. Hospital (Raj Bahadur Hospital), Tehsil & Distt.-Bharatpur	Silence	69.3	43.1
33		Master Adityendra Govt. Sr. Sec. School, Tehsil & Distt.-Bharatpur	Silence	69.4	40.2
34	Bhilwara	RIICO Industrial Area, Pur Road, Bhilwara	Industrial	68	62.3
35		Azad Nagar, Sector - C, Bhilwara	Residential	51.8	48.4
36		Suchana Kendra, Bhilwara	Commercial	68.8	69.1
37		Mahatma Gandhi Hospital, Bhilwara	Silence	56.9	54.8
38		Kumbha Circle, Bhilwara	Commercial	73.5	68.8
39	Bhiwadi	Ashiana Garden Society, Alwar Bye-Pass Road, Bhiwadi, Distt-KhairthalTijara	Residential	61.8	50.5
40		Star Hospital, Bhiwadi, Tehsil-Tijara & Distt-Khairthal Tijara	Silence	63.4	45.2
41		Central Market, Bhiwadi, Tehsil-Tijara& Distt-Alwar	Commercial	72.2	66.5
42		Central Park, UIT Sector-06, Gaurav Path, Bhiwadi, Tehsil-Tijara& Distt-Alwar	Residential	68.8	44.4
43		Harish Bakery, Bhagat Singh Colony, Alwar By Pass Road, Bhiwadi, Distt-Alwar	Commercial	71.2	52.8
44	Bikaner	Regional office, RSPCB	Industrial	58	64.3
45		Junagarh Circle	Commercial	69.4	68.8
46		IGNP Colony, Ganganagar Road	Residential	61.4	56.3
47		P.B.M. Hospital	Silence	59.6	58
48		Kanta Kathuriya Colony	Residential	63.2	56.2

RajKaj Ref  
7036649

## Signature valid

Digitally signed by N. V. Jai  
Designation: Member Secretary  
Date: 2024.05.13 16:20:19 IST  
Reason: Approved



# Noise Quality Bulletin of Rajasthan State in April-2024



49	Bundi	Civil lines	Residential	62.1	62.4
50		DIC Office	Industrial	55.8	65.3
51		Government Hospital	Silence	58.1	55.7
52		Nagar Parishad	Commercial	73.9	62.8
53		Power House, BCR Industrial Area	Industrial	70.3	61.1
54	Chittorgarh	RIICO Area Chanderiya Chittorgarh	Industrial	66.9	58.5
55		Gol PyauChauraha Chittorgarh	Commercial	70	64.9
56		Kumbha Nagar, near Home Guard Office	Residential	69.6	58.5
57		District Hospital Chittorgarh	Silence	57.2	52.9
58		Shahid Major Natwar Singh Sec. Sr. School,	Silence	63.6	52.5
59	Churu	Near Vinayak Complex, Near Pankha Circle	Commercial	76.1	66.9
60		Park inside Housing Board, Churu	Residential	61.2	55.7
61		Near park inside Govt. D.B. General Hospital premises, Churu	Silence	59.8	62.6
62		Near Vishwakarma Laghu Udyog, RIICO Industrial Area, Churu	Industrial	65.8	61.1
63		Near Indramani Park, Churu	Commercial	73.5	67.4
64	Dausa	Ramkarn Joshi Govt.HospitalDausa	Silence	69	68.2
65		Indra Colony, Dausa	Residential	65.5	63.9
66		RIICO Area (Near Hotel Shyam Vilash),	Industrial	63.4	62.8
67		Old Bus Stand, Dausa	Commercial	76.4	66.4
68	Dholpur	Circuit House, Near Mittal Colony, Tehsil& Distt.-Dholpur	Residential	63.3	43.6
69		RIICO Office Building, Old Industrial Area, OdelaRoad, Tehsil& Distt.-Dholpur	Industrial	70.1	41.9
70		Nagar Parishad Office, Ghantaghar Road, Tehsil &Distt.-Dholpur	Commercial	73.2	42.8
71		Govt. General Hospital, Tehsil &Distt.-Dholpur	Silence	69.6	43.6
72		Govt. Sr. Sec. School, Tehsil &Distt.-Dholpur	Silence	70.4	42.8

RajKaj Ref  
7036649

Signature valid

Digitally signed by N. V. Jai  
Designation: Member Secretary  
Date: 2024.05.13 16:20:19 IST  
Reason: Approved



# Noise Quality Bulletin of Rajasthan State in April-2024



73	Dungarpur	Near Brahamasthali Colony, Dungarpur	Residential	57	52.4
74		RIICO Office, Dungarpur	Commercial	67.1	63.6
75		Near Jain Mandir, Pragatinagar, New Colony,	Residential	55.7	49.2
76		Sh. Haridev Joshi Hospital, Dungarpur	Silence	59.1	52.4
77		Gap Sagar pal, Dungarpur	Commercial	66.8	61.3
78	Hanumangarh	Near RIICO Office,RIICO Industrial Area	Industrial	62.6	49.7
79		Govt. Girls Sr. Sec. School, Sector-12, Ward No. 13, Hanumangarh Junction	Residential	63.2	47.4
80		Children Park, Durga Colony Ganganagar Road	Residential	63.5	49.9
81		Near Main Bus Stand, Hanumangarh Jn.	Commercial	64.6	53.1
82		Near Bombay Hospital,Hanumangarh	Silence	62.3	49
83	Jaipur	Garden Behind Governor House, Civil Lines	Silence	63.6	59.4
84		SantokbaDurlabhji Memorial Hospital (near OPD)	Silence	67.7	63.6
85		Nagar Nigam Office, Patel Marg, Mansarovar	Residential	59.3	54.9
86		Science Park, Shastri Nagar	Residential	76.4	71.8
87		Gali No. 3, Raja Park	Commercial	68.7	57.4
88		Near Kotwali Thana, Chhoti Choupar	Commercial	73.6	72.6
89		Rooftop of Regional Office,RPCB,VKIA,Jaipur(North)	Industrial	68.2	65
90	RIICO Sitapura Office,RIICO Industrial Area,Tonk Road, Sitapura, Tehsil-Sanganer	Industrial	73.1	66.3	
91	Jaisalmer	RIICO Industrial Area, ShilapGram,Jaisalmer	Industrial	72.8	68.5
92		Near Gandhi darshan,Hanuman Circle ,Jaisalmer	Commercial	70.5	60.4
93		Tikaram Paliwal Park,Jaisalmer	Residential	62.2	53.6
94		Near Jawahar hospital,Jaisalmer	Silence	60.5	38.5
95	Jalore	Near GSS, 3rd Phase RIICO Industrial Area, Jalore	Industrial	73.2	59.4
96		Govt. Hospital, Jalore	Silence	64	62.4
97		Near Sr. Citizen Park Sivaji Nagar, Jalore	Residential	52.6	55.3
98		Bus Stand, Jalore	Commercial	65.6	59
99		Circuit House Jalore (CAAQMS Site)	Commercial	51.7	56.7

RajKaj Ref  
7036649

Signature valid

Digitally signed by N. V. Jai  
Designation: Member Secretary  
Date: 2024.05.13 16:20:19 IST  
Reason: Approved



# Noise Quality Bulletin of Rajasthan State in April-2024



100	Jhalawar	RIICO, Near Office building	Industrial	69.3	62.3
101		Civil Lines, Near collectratebunglow	Residential	57.9	52.6
102		Medical College, Near dean college	Silence	63.6	60.3
103		Veterinary Polyclinic, Near office building	Commercial	71.1	67.5
104		Bus Stand, Jhalawar	Commercial	67.1	64.3
105	Jhunjhunu	Subhash Chandra Park, Near Mandawa Mor	Commercial	73	62.1
106		Rajiv Gandhi park, Housing Board, Jhunjhunu	Residential	57.4	57.9
107		Near Mother & Child care wing, BDK Hospital, Jhunjhunu	Silence	64.9	57.6
108		Near Mahindra Motors Pvt. Ltd. RIICO Industrial Area Phase II, Jhunjhunu	Industrial	70.1	62.9
109		Near Peeru Singh Circle, Jhunjhunu	Commercial	79	67.8
110	Jodhpur	Regional office, SPCB Jodhpur SPL 2 MIA Basni Ist phase Jodhpur	Industrial	57.4	49.2
111		Sojati Gate, Jodhpur	Commercial	80.4	79.8
112		BJS Colony, Near Soil conversion, Paota	Residential	56.9	55.8
113		Mathura Das Mathur Hospital, Shastri Nagar Jodhpur	Silence	73.6	65.8
114	Karauli	Circuit House, Ganesh Colony	Residential	55.2	54.7
115		District Industries Centre, Near Gad kaki Chowki	Industrial	68.8	62.7
116		Public Works Department Office, Near CollectrateChauraha, Teh&Distt.-Karauli	Commercial	67.1	62.3
117		Govt. General Hospital, Teh&Distt.-Karauli	Silence	68.4	55.2
118		Fire Station near private Bus Stand (CAAQMS Site)	Commercial	69.5	67.2
119	Kota	Regional Office, RSPCB, Indraprastha Industrial Area, Kota, Tesil-Ladpura	Industrial	61.3	55.8
120		Civil Lines, Nayaura, Kota, Tesil-Ladpura,	Residential	63.5	55.8
121		Police Chowki, Gumanpura, Tesil-Ladpura,	Commercial	67.2	58.6
122		New Medical College Hospital, Rama Krishna Puram, Kota, Tesil-Ladpura,	Silence	63.5	53.6
123		Allen Career Institute (Satyarth), Swami Dayanand Saraswati Road, Jawahar Nagar	Commercial	66.7	60.7

RajKaj Ref  
7036649

Signature valid

Digitally signed by N. V. Jai  
Designation: Member Secretary  
Date: 2024.05.13 16:20:19 IST  
Reason: Approved



# Noise Quality Bulletin of Rajasthan State in April-2024



124	Nagaur	In front of house of Sh Chetan Ram Choudhary, 2/485, Housing Board Colony	Residential	58.7	47.57
125		Gandhi Chowk, Nagaur	Commercial	73.1	65.19
126		In front of M/s Shubh Laxmi Oil Industries, Ploi No. 40-44, RIICO Industrial Area	Industrial	65.6	61.5
127		Near Gate of J.L.N. District Hospital, Nagaur	Silence	61.7	48.3
128		Govt. Sen Sec. School, Rathori Kuan, Nagaur (CAAQMS Site)	Residential	50.4	ND
129	Pali	Near main gate of RSPCB	Industrial	58.7	53.5
130		At Bangur Hospital	Silence	54.6	53.1
131		At Circuit House	Residential	55.3	57.3
132		Near Town Hall, Nagar Parishad	Commercial	62.7	50.8
133		Bangur College (CAAQMS Site)	Silence	53	59.6
134	Pratapgarh	Bagwas Industrial Area	Industrial	74	57.3
135		Nagar Parishad Gate	Commercial	71.1	61.3
136		Bada Bagh Colony	Residential	67.6	55.2
137		District Hospital Pratapgarh	Silence	62.3	55.8
138		Govt. High Secondary School, Near Neemuch Naka, Pratapgarh	Silence	66.3	52.3
139	Rajsamand	RIICO Industrial area, Dhoinda	Industrial	60.1	65.1
140		Kalalwati, Rajnagar	Residential	64.9	65
141		Krishna Nagar, Near Vidya Niketan School	Silence	63.6	58.2
142		Bus stand, Kankroli	Commercial	67.3	73.7
143		R.K. Hospital	Silence	51.2	43.2
144	Sawai Madhopur	Circuit House, Near Housing Board Colony	Residential	61.4	62.4
145		RIICO Office Building, Kherda Industrial Area	Industrial	59.6	65.2
146		Head Post Office building & Passport Sewa Kendra	Commercial	61.1	63.2
147		Govt. General Hospital	Silence	62.7	62.5
148		Mahatma Gandhi Govt. School, Sahu Nagar (CAAQMS Site)	Silence	58.5	61.1

RajKaj Ref  
7036649

## Signature valid

Digitally signed by N. V. Jai  
Designation: Member Secretary  
Date: 2024.05.13 16:20:19 IST  
Reason: Approved





# Noise Quality Bulletin of Rajasthan State in April-2024



149	Sikar	Regional Office, RSPCB, Shivsinghpura Housing Board, Nawalgarh Road, Sikar	Residential	57.6	52.7
150		Near OPD Block, Sri KalayanHospital, Sikar	Silence	60.6	60.4
151		Near Hotel Fortune Blue, Piprali Road, Sikar	Commercial	72.2	63.8
152		Near RIICO Office, RIICO Ind. Area, Sikar	Industrial	62.9	61.5
153		Near Municipal Council Office, Sikar	Commercial	73.8	64.7
154	Sirohi	RIICO Industrial Area	Industrial	61	49.8
155		District Hospital	Silence	56.7	52.2
156		Near Collector House, Sirohi	Residential	53.9	52.1
157		Commercial area, near roadways bus stand, Sirohi	Commercial	64.1	57.2
158		Govt.Sr. Sec. School (CAAQMS Site)	Residential	44.6	46.6
159	Sriganganagar	Near RIICO Office,Udyog Vihar Ind. Area	Industrial	64	56.7
160		Govt. Sr. Sec. School, Multipurpose	Residential	63.6	53.7
161		Gandhi Park, D Block	Residential	63.4	55.1
162		Ambedkar Circle, Sriganganagar	Commercial	62.9	51
163		Govt. Hospital, Suratgarh Road	Silence	64.9	57.6
164	Tijara city	Rajasthan State Path Parivahan Nigam, Central Bus Stand, Tijara.	Commercial	71.7	61.8
165		Government Common Health Centre, Tijara.	Silence	69.5	41.8
166		Nagar Palika, Tijara, Tehsil-Tijara	Commercial	70.7	41.2
167		Government Senior Secondary School, Tijara,	Residential	69.5	41.8
168		Chandralok City, Tijara, Tehsil-Tijara	Residential	68.8	40.5
169	Tonk	In Front of M/s Kamal Industries, G-44,RIICO Industrial Area, Tonk	Industrial	66.7	60.4
170		In Front of Shop of M/s Mahesh Kumar Naresh Kumar Bhagat, Subhash Chauk, Tonk	Commercial	77.9	60.8
171		Near Mahila Poilce Station, Barudkhana, Tonk	Residential	58.4	52.4
172		Near Main Gate of Sahadat Govt. Hospital, Tonk	Silence	66.5	60.2
173		Govt. Senior Secondary School, Kothi Nathman, Tonk (CAAQMS Site)	Commercial	70.7	50.5

RajKaj Ref  
7036649

## Signature valid

Digitally signed by N. V. Jai  
Designation: Member Secretary  
Date: 2024.05.13 16:20:19 IST  
Reason: Approved





# Noise Quality Bulletin of Rajasthan State in April-2024



174	Udaipur	Nagar Nigam office, Town Hall	Commercial	77.2	64.3
175		MB Hospital	Silence	66.2	61.5
176		Satellite Hospital, In front of police station, Ambamata Scheme, Udaipur	Residential	69.2	61.5
177		BSNL Head office, Sector 4, Hiran Magri	Residential	74.6	67.7
178		RO office, F-470 Near UCCI, MIA, Madri,	Industrial	68.5	63

**Note:** - Noise Level in Leq dB (A) exceeded the prescribed standards are highlighted in yellow.  
ND: - Monitoring not done.

Ambient Air Quality Standards in respect of Noise			
Area Code	Category of Area / Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

RajKaj Ref  
7036649

Signature valid

Digitally signed by N. V. Jai  
Designation: Member Secretary  
Date: 2024.05.13 16:20:19 IST  
Reason: Approved