



Noise Quality Bulletin of Rajasthan State in August 2024



In order to assess the impact of predominating noise level in Rajasthan State under the provisions of Noise Pollution (Regulation & Control) Rules, 2000, Rajasthan State Pollution Control Board conducts study on Noise level Monitoring in state throughout the year. This monthly bulletin is a compilation of results of August-2024 of the State.

The noise level Monitoring was conducted day time (6.00 a.m. to 10.00 p.m.) and night time (10.00 p.m. to 6.00 a.m.) for half hour interval at each location with sampling frequency of one second.

In order to maintain uniformity in monitoring Residential, Commercial, and Industrial and Silence zone were selected in respect of Noise Standards prescribed under the provisions of Noise Pollution (Regulation & Control) Rules, 2000. The monitoring network consisted of a total 178 different locations in 36 cities in Rajasthan.

S.No	Name of city	Name / Point of locations	Zone	Leq (dB)	
				Day time	Night time
1	Ajmer	Near Union Bank of India, Shrinagar Road	Commercial	76.4	70.4
2		In Front of Mr. Tara Chand Solonki, Anand Puri, Dhola Bhata	Residential	63.4	65.8
3		Govt. Satellite Hospital, Adarsh Nagar	Silence	62.5	52.1
4		In Front of M/s Shree Balaji Machine Tool, RIICO Industrial Area, Parbatpura-Makhupura, Dist Ajmer	Industrial	69.4	62.8
5	Alwar	Assistant Regional Office, RIICO Ltd., Matsya Industrial Area, Tehsil & Distt Alwar	Industrial	60.3	55.4
6		Regional Office RSPCB, D-Block Ambedkar Nagar, Tehsil & Distt Alwar	Residential	53.8	43.5
7		Hope Circus, Tehsil & Distt Alwar	Commercial	72.1	59.3
8		General Hospital (Rajiv Gandhi Hospital),	Silence	64.5	52.8

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.09.17 15:19:47 IST
Reason: Approved





Noise Quality Bulletin of Rajasthan State in August 2024



9	Balotra	Jeetmal Harish Kumar Upper Primary School No.02, KhedRoad,Balotra.	Silence	61.9	59.6
10		RO RSPCB Office Jasol Fanta,Balotra.	Residential	64.9	47.6
11		Ghanta Ghar (well tower) Railway Station Road,Balotra.	Commercial	71.4	65.5
12		CETP Balotra, Khed Road, Balotra.	Industrial	69.9	64.5
13		S. N. Vohra High School, Nakoda Road Jasol, Balotra.	Commercial	57.8	63.2
14	Banswara	Thikariya Industrial Area, Nr. Mayur Flooring Pvt. Ltd. Banswara	Industrial	58.5	63.9
15		Kushalbagh Maidan, Near Police Thana,	Commercial	72.5	64.4
16		Housing Board Colony Near Hotel RARA Avis Hotel, Pratap Circle, Banswara	Residential	63.2	54.4
17		Nr. Main Gate Mahatma Gandhi Hospital	Silence	64.7	63.2
18		Nootan High Secondry School, Banswara	Silence	66.7	61.3
19	Baran	RIICO Office, Baran	Industrial	66.2	64.6
20		Circuit House	Residential	53.6	48.2
21		Government Hospital	Silence	67.4	62.5
22		PWD Office	Commercial	71.6	64.7
23		Fire Station,Baran-Kota Road,Baran	Commercial	73.1	63.2
24	Barmer	Govt. Hospital, Barmer	Silence	52.1	50
25		Sabha Bhawan, Mahaveer Nagar Ward No. 4, Barmer	Residential	61.1	59.9
26		Near Railway Station Road Market, Barmer	Commercial	68.9	65.7
27		Near RSMM Office, RIICO Industrial Area, Barmer	Industrial	61.1	59.1
28		Mahatma Gandhi Sr. Sec. School, Station Road , Barmer	Residential	53.1	51.1

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.09.11 15:19:47 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in August 2024



29	Bharatpur	Regional office RSPCB, SPM Nagar, Behind Jindal Hospital, Tehsil & Distt.-Bharatpur	Residential	55.6	41.2
30		Khadi Grammoday Samiti Office, Tehsil & Distt.-Bharatpur	Commercial	64.5	46.1
31		RIICO Regional Office, Brij Industrial Area, Tehsil & Distt.-Bharatpur	Industrial	67.5	44.3
32		Govt. Hospital (Raj Bahadur Hospital), Tehsil & Distt.-Bharatpur	Silence	64.1	42.6
33		Master Adityendra Govt. Sr. Sec. School, Tehsil & Distt.-Bharatpur	Silence	63.6	39.8
34	Bhilwara	RIICO Industrial Area, Pur Road, Bhilwara	Industrial	65.9	62.3
35		Azad Nagar, Sector - C, Bhilwara	Residential	58.1	59.1
36		Suchana Kendra, Bhilwara	Commercial	71.1	66.2
37		Mahatma Gandhi Hospital, Bhilwara	Silence	66	52.5
38		Kumbha Circle, Bhilwara	Commercial	73.2	66.4
39	Bhiwadi	Ashiana Garden Society, Alwar Bye-Pass Road, Bhiwadi, Distt-KhairthalTijara	Residential	69.7	41.5
40		Star Hospital, Bhiwadi, Tehsil-Tijara & Distt-Khairthal Tijara	Silence	72.8	42.3
41		Central Market, Bhiwadi, Tehsil-Tijara & Distt-Alwar	Commercial	73.6	51.3
42		Central Park, UIT Sector-06, Gaurav Path, Bhiwadi, Tehsil-Tijara & Distt-Alwar	Residential	69.7	42.7
43		Harish Bakery, Bhagat Singh Colony, Alwar By Pass Road, Bhiwadi, Distt-Alwar	Commercial	71.5	43.9
44	Bikaner	Regional office, RSPCB	Industrial	58.3	55.4
45		Junagarh Circle	Commercial	69.5	69.9
46		IGNP Colony, Ganganagar Road	Residential	59.6	54.5
47		P.B.M. Hospital	Silence	59.5	56.5
48		Kanta Kathuriya Colony	Residential	56.7	55.3

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.09.11 15:19:47 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in August 2024



49	Bundi	Civil lines	Residential	62.3	59.1
50		DIC Office	Industrial	57.9	53.3
51		Government Hospital	Silence	63	59.7
52		Nagar Parishad	Commercial	73.1	64.8
53		Power House, BCR Industrial Area	Industrial	78.3	62.6
54	Chittorgarh	RIICO Area Chanderiya Chittorgarh	Industrial	62.7	55.2
55		Gol PyauChauraha Chittorgarh	Commercial	73.3	62.1
56		Kumbha Nagar, near Home Guard Office	Residential	64.3	56.7
57		District Hospital Chittorgarh	Silence	60.5	50.9
58		Shahid Major Natwar Singh Sec. Sr. School,	Silence	55.1	50.7
59	Churu	Near Vinayak Complex, Near Pankha Circle	Commercial	73.1	65.9
60		Park inside Housing Board, Churu	Residential	61	58.4
61		Near park inside Govt. D.B. General Hospital premises, Churu	Silence	66.5	57.3
62		Near Vishwakarma Laghu Udyog, RIICO Industrial Area, Churu	Industrial	71.2	52.3
63		Near Indramani Park, Churu	Commercial	75.6	63.6
64	Dausa	Ramkarn Joshi Govt.HospitalDausa	Silence	60.1	57.2
65		Indra Colony, Dausa	Residential	60.9	55.9
66		RIICO Area (Near Hotel Shyam Vilash),	Industrial	55.2	51.9
67		Old Bus Stand, Dausa	Commercial	85	65.4
68	Dholpur	Circuit House, Near Mittal Colony, Tehsil& Distt.-Dholpur	Residential	58.2	39.3
69		RIICO Office Building, Old Industrial Area, OdelaRoad, Tehsil& Distt.-Dholpur	Industrial	69.5	44.4
70		Nagar Parishad Office, Ghantaghar Road, Tehsil &Distt.-Dholpur	Commercial	65.5	41
71		Govt. General Hospital, Tehsil &Distt.-Dholpur	Silence	66.2	40.6
72		Govt. Sr. Sec. School, Tehsil &Distt.-Dholpur	Silence	64.1	39.2

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.09.14 15:19:47 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in August 2024



73	Dungarpur	Near Brahamasthali Colony, Dungarpur	Residential	65	53.9
74		RIICO Office, Dungarpur	Commercial	63.5	58.4
75		Near Jain Mandir, Pragatinagar, New Colony,	Residential	59.1	54.5
76		Sh. Haridev Joshi Hospital, Dungarpur	Silence	61.8	53.1
77		Gap Sagar pal, Dungarpur	Commercial	69.5	57.6
78	Hanumangarh	Near RIICO Office,RIICO Industrial Area	Industrial	71.1	54
79		Govt. Girls Sr. Sec. School, Sector-12, Ward No. 13, Hanumangarh Junction	Residential	64.3	47.2
80		Children Park, Durga Colony Ganganagar Road	Residential	64.6	45.9
81		Near Main Bus Stand, Hanumangarh Jn.	Commercial	70.5	53.7
82		Near Bombay Hospital,Hanumangarh	Silence	62.4	52.4
83	Jaipur	Garden Behind Governor House, Civil Lines	Silence	62	54.7
84		SantokbaDurlabhji Memorial Hospital (near OPD)	Silence	68.8	59.2
85		Nagar Nigam Office, Patel Marg, Mansarovar	Residential	61.5	60.2
86		Science Park, Shastri Nagar	Residential	65.3	70.9
87		Gali No. 3, Raja Park	Commercial	66.9	65
88		Near Kotwali Thana, Chhoti Choupar	Commercial	74	72.9
89		Rooftop of Regional Office,RPCB,VKIA,Jaipur(North)	Industrial	65.7	64.9
90	RIICO Sitapura Office,RIICO Industrial Area,Tonk Road, Sitapura, Tehsil-Sanganer	Industrial	61.9	61.5	
91	Jaisalmer	RIICO Industrial Area, ShilapGram,Jaisalmer	Industrial	68	65
92		Near Gandhi darshan,Hanuman Circle ,Jaisalmer	Commercial	61.5	52.3
93		Tikaram Paliwal Park,Jaisalmer	Residential	51.9	50.5
94		Near Jawahar hospital,Jaisalmer	Silence	48.4	39
95	Jalore	Near GSS, 3rd Phase RIICO Industrial Area, Jalore	Industrial	72.1	59.4
96		Govt. Hospital, Jalore	Silence	69.2	63.7
97		Near Sr. Citizen Park Sivaji Nagar, Jalore	Residential	56.2	48.1
98		Bus Stand, Jalore	Commercial	71.2	56.5
99		Circuit House Jalore (CAAQMS Site)	Commercial	57.8	46.1

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.09.17 15:19:47 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in August 2024



100	Jhalawar	RIICO, Near Office building	Industrial	62.5	60.1
101		Civil Lines, Near collectorate bungalow	Residential	54.2	50.2
102		Medical College, Near dean college	Silence	63.1	56.3
103		Veterinary Polyclinic, Near office building	Commercial	72	65
104		Bus Stand, Jhalawar	Commercial	80.7	73
105	Jhunjhunu	Subhash Chandra Park, Near Mandawa Mor	Commercial	65.2	64.5
106		Rajiv Gandhi park, Housing Board, Jhunjhunu	Residential	58.3	58.7
107		Near Mother & Child care wing, BDK Hospital, Jhunjhunu	Silence	63.7	60.1
108		Near Mahindra Motors Pvt. Ltd. RIICO Industrial Area Phase II, Jhunjhunu	Industrial	65.4	58.7
109		Near Peeru Singh Circle, Jhunjhunu	Commercial	76.1	66.5
110	Jodhpur	Regional office, SPCB Jodhpur SPL 2 MIA Basni Ist phase Jodhpur	Industrial	58.4	42.8
111		Sojati Gate, Jodhpur	Commercial	77.9	71.2
112		BJS Colony, Near Soil conversion, Paota	Residential	64.9	55.4
113		Mathura Das Mathur Hospital, Shastri Nagar Jodhpur	Silence	59.4	46.9
114	Karauli	Circuit House, Ganesh Colony	Residential	54	48.9
115		District Industries Centre, Near Gad kaki Chowki	Industrial	59.4	51.8
116		Public Works Department Office, Near CollectrateChauraha, Teh&Distt.-Karauli	Commercial	62.3	50.8
117		Govt. General Hospital, Teh&Distt.-Karauli	Silence	58.4	55.7
118		Fire Station near private Bus Stand (CAAQMS Site)	Commercial	61.1	54.2
119	Kota	Regional Office, RSPCB, Indraprastha Industrial Area, Kota, Tesil-Ladpura	Industrial	68.6	59.7
120		Civil Lines, Nayaura, Kota, Tesil-Ladpura,	Residential	61.4	56.5
121		Police Chowki, Gumanpura, Tesil-Ladpura,	Commercial	70.7	62.9
122		New Medical College Hospital, Rama Krishna Puram, Kota, Tesil-Ladpura,	Silence	56.8	47.4
123		Allen Career Institute (Satyarth), Swami Dayanand Saraswati Road, Jawahar Nagar	Commercial	72.8	64.1

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.09.11 15:19:47 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in August 2024



124	Nagaur	In front of house of Sh Chetan Ram Choudhary, 2/485, Housing Board Colony	Residential	57.9	51.1
125		Gandhi Chowk, Nagaur	Commercial	76.21	60.2
126		In front of M/s Shubh Laxmi Oil Industries, Ploi No. 40-44, RIICO Industrial Area	Industrial	72.1	53.7
127		Near Gate of J.L.N. District Hospital, Nagaur	Silence	68.2	65.6
128		Govt. Sen Sec. School, Rathori Kuan, Nagaur (CAAQMS Site)	Residential	52.7	35.1
129	Pali	Near main gate of RSPCB	Industrial	57.2	55.7
130		At Bangur Hospital	Silence	62.1	58.3
131		At Circuit House	Residential	56.5	52.1
132		Near Town Hall, Nagar Parishad	Commercial	62.7	62.1
133		Bangur College (CAAQMS Site)	Silence	52.8	50.4
134	Pratapgarh	Bagwas Industrial Area	Industrial	70.9	60.6
135		Nagar Parishad Gate	Commercial	73.3	64.3
136		Bada Bagh Colony	Residential	70.7	58.2
137		District Hospital Pratapgarh	Silence	65	54.3
138		Govt. High Secondary School, Near Neemuch Naka, Pratapgarh	Silence	64.8	54.4
139	Rajsamand	RIICO Industrial area, Dhoinda	Industrial	54.4	52.8
140		Kalalwati, Rajnagar	Residential	45.7	57.5
141		Krishna Nagar, Near Vidya Niketan School	Silence	54.3	57.6
142		Bus stand, Kankroli	Commercial	64.5	68.4
143		R.K. Hospital	Silence	54.4	54
144	Sawai Madhopur	Circuit House, Near Housing Board Colony	Residential	54.1	49.4
145		RIICO Office Building, Kherda Industrial Area	Industrial	59.1	51.4
146		Head Post Office building & Passport Sewa Kendra	Commercial	63.1	54.3
147		Govt. General Hospital	Silence	59.7	56.7
148		Mahatma Gandhi Govt. School, Sahu Nagar (CAAQMS Site)	Silence	55.5	49.2

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.09.11 15:19:47 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in August 2024



149	Sikar	Regional Office, RSPCB, Shivsinghpura Housing Board, Nawalgarh Road, Sikar	Residential	57.7	53.3
150		Near OPD Block, Sri KalayanHospital, Sikar	Silence	60.3	62.2
151		Near Hotel Fortune Blue, Piprali Road, Sikar	Commercial	75.5	66.9
152		Near RIICO Office, RIICO Ind. Area, Sikar	Industrial	65.7	59.2
153		Near Municipal Council Office, Sikar	Commercial	73	65.4
154	Sirohi	RIICO Industrial Area	Industrial	58.1	54
155		District Hospital	Silence	58.6	51.1
156		Near Collector House, Sirohi	Residential	53.6	50.6
157		Commercial area, near roadways bus stand, Sirohi	Commercial	66.9	53.2
158		Govt.Sr. Sec. School (CAAQMS Site)	Residential	51.3	44.7
159	Sriganganagar	Near RIICO Office,Udyog Vihar Ind. Area	Industrial	62.6	54.3
160		Govt. Sr. Sec. School, Multipurpose	Residential	59	48.8
161		Gandhi Park, D Block	Residential	57.9	47.3
162		Ambedkar Circle, Sriganganagar	Commercial	61.5	47.9
163		Govt. Hospital, Suratgarh Road	Silence	59.1	47.3
164	Tijara city	Rajasthan State Path Parivahan Nigam, Central Bus Stand, Tijara.	Commercial	71.3	61.5
165		Government Common Health Centre, Tijara.	Silence	68.3	42.2
166		Nagar Palika, Tijara, Tehsil-Tijara	Commercial	72.5	41.4
167		Government Senior Secondary School, Tijara,	Residential	70.6	40.3
168		Chandralok City, Tijara, Tehsil-Tijara	Residential	69.7	41.7
169	Tonk	In Front of M/s Kamal Industries, G-44,RIICO Industrial Area, Tonk	Industrial	65.1	60.5
170		In Front of Shop of M/s Mahesh Kumar Naresh Kumar Bhagat, Subhash Chauk, Tonk	Commercial	69.4	62.5
171		Near Mahila Poilce Station, Barudkhana, Tonk	Residential	58.1	51.8
172		Near Main Gate of Sahadat Govt. Hospital, Tonk	Silence	68.5	61.1
173		Govt. Senior Secondary School, Kothi Nathman, Tonk (CAAQMS Site)	Commercial	63.2	58.8

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.09.11 15:19:47 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in August 2024



174	Udaipur	Nagar Nigam office, Town Hall	Commercial	76	59.3
175		MB Hospital	Silence	67.3	56.1
176		Satellite Hospital, In front of police station, Ambamata Scheme, Udaipur	Residential	73.5	59.3
177		BSNL Head office, Sector 4, Hiran Magri	Residential	73.5	57.2
178		RO office, F-470 Near UCCI, MIA, Madri,	Industrial	71.1	61.5

Note: - Noise Level in Leq dB (A) exceeded the prescribed standards are highlighted in yellow.
ND: - Monitoring not done.

Ambient Air Quality Standards in respect of Noise			
Area Code	Category of Area / Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.09.11 15:19:47 IST
Reason: Approved