



Noise Quality Bulletin of Rajasthan State in July-2024



In order to assess the impact of predominating noise level in Rajasthan State under the provisions of Noise Pollution (Regulation & Control) Rules, 2000, Rajasthan State Pollution Control Board conducts study on Noise level Monitoring in state throughout the year. This monthly bulletin is a compilation of results of July-2024 of the State.

The noise level Monitoring was conducted day time (6.00 a.m. to 10.00 p.m.) and night time (10.00 p.m. to 6.00 a.m.) for half hour interval at each location with sampling frequency of one second.

In order to maintain uniformity in monitoring Residential, Commercial, and Industrial and Silence zone were selected in respect of Noise Standards prescribed under the provisions of Noise Pollution (Regulation & Control) Rules, 2000. The monitoring network consisted of a total 178 different locations in 36 cities in Rajasthan.

S.No	Name of city	Name / Point of locations	Zone	Leq (dB)	
				Day time	Night time
1	Ajmer	Near Union Bank of India, Shrinagar Road	Commercial	72.7	66
2		In Front of Mr. Tara Chand Solonki, Anand Puri, Dhola Bhata	Residential	67.7	60.6
3		Govt. Satellite Hospital, Adarsh Nagar	Silence	69	61
4		In Front of M/s Shree Balaji Machine Tool, RIICO Industrial Area, Parbatpura-Makhupura, Dist Ajmer	Industrial	64.5	63
5	Alwar	Assistant Regional Office, RIICO Ltd., Matsya Industrial Area, Tehsil & Distt Alwar	Industrial	60.8	54.7
6		Regional Office RSPCB, D-Block Ambedkar Nagar, Tehsil & Distt Alwar	Residential	58.2	43.6
7		Hope Circus, Tehsil & Distt Alwar	Commercial	68.9	59.4
8		General Hospital (Rajiv Gandhi Hospital),	Silence	69.3	46.2

Signature valid

RajKaj Ref
9561901



Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.08.05 22:18:18 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in July-2024



9	Balotra	Jeetmal Harish Kumar Upper Primary School No.02, KhedRoad,Balotra.	Silence	65.9	62.3
10		RO RSPCB Office Jasol Fanta,Balotra.	Residential	57.6	52.1
11		Ghanta Ghar (well tower) Railway Station Road,Balotra.	Commercial	74.9	68.3
12		CETP Balotra, Khed Road, Balotra.	Industrial	64.5	65
13		S. N. Vohra High School, Nakoda Road Jasol, Balotra.	Commercial	68.7	56.6
14	Banswara	Thikariya Industrial Area, Nr. Mayur Flooring Pvt. Ltd. Banswara	Industrial	61.8	54.3
15		Kushalbagh Maidan, Near Police Thana,	Commercial	70.1	60.9
16		Housing Board Colony Near Hotel RARA Avis Hotel, Pratap Circle, Banswara	Residential	59.3	49.7
17		Nr. Main Gate Mahatma Gandhi Hospital	Silence	65.8	53.2
18		Nootan High Secondry School, Banswara	Silence	63.8	48.6
19	Baran	RIICO Office, Baran	Industrial	67.1	49.1
20		Circuit House	Residential	55.3	49.1
21		Government Hospital	Silence	66.9	63
22		PWD Office	Commercial	72.4	65.5
23		Fire Station,Baran-Kota Road,Baran	Commercial	71.3	64.1
24	Barmer	Govt. Hospital, Barmer	Silence	67.6	63.9
25		Sabha Bhawan, Mahaveer Nagar Ward No. 4, Barmer	Residential	71	56.5
26		Near Railway Station Road Market, Barmer	Commercial	69.2	62.8
27		Near RSMM Office, RIICO Industrial Area, Barmer	Industrial	67.9	56.1
28		Mahatma Gandhi Sr. Sec. School, Station Road , Barmer	Residential	60.9	59.9

RajKaj Ref
9561901

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.08.05 22:18:18 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in July-2024



29	Bharatpur	Regional office RSPCB, SPM Nagar, Behind Jindal Hospital, Tehsil & Distt.-Bharatpur	Residential	58.2	40.6
30		Khadi Grammoday Samiti Office, Tehsil & Distt.-Bharatpur	Commercial	68.7	43.2
31		RIICO Regional Office, Brij Industrial Area, Tehsil & Distt.-Bharatpur	Industrial	69.2	41.2
32		Govt. Hospital (Raj Bahadur Hospital), Tehsil & Distt.-Bharatpur	Silence	68	42.2
33		Master Adityendra Govt. Sr. Sec. School, Tehsil & Distt.-Bharatpur	Silence	71.4	40.1
34	Bhilwara	RIICO Industrial Area, Pur Road, Bhilwara	Industrial	67.3	59.2
35		Azad Nagar, Sector - C, Bhilwara	Residential	54.7	49.4
36		Suchana Kendra, Bhilwara	Commercial	61.3	54.7
37		Mahatma Gandhi Hospital, Bhilwara	Silence	69.7	53.5
38		Kumbha Circle, Bhilwara	Commercial	73.5	63.3
39	Bhiwadi	Ashiana Garden Society, Alwar Bye-Pass Road, Bhiwadi, Distt-KhairthalTijara	Residential	68.3	42.4
40		Star Hospital, Bhiwadi, Tehsil-Tijara & Distt-Khairthal Tijara	Silence	71.5	41.2
41		Central Market, Bhiwadi, Tehsil-Tijara & Distt-Alwar	Commercial	73.8	56.2
42		Central Park, UIT Sector-06, Gaurav Path, Bhiwadi, Tehsil-Tijara & Distt-Alwar	Residential	71.3	42.5
43		Harish Bakery, Bhagat Singh Colony, Alwar By Pass Road, Bhiwadi, Distt-Alwar	Commercial	72.8	42.8
44	Bikaner	Regional office, RSPCB	Industrial	56.7	57.9
45		Junagarh Circle	Commercial	68.6	66.5
46		IGNP Colony, Ganganagar Road	Residential	54.6	52.2
47		P.B.M. Hospital	Silence	61	53.1
48		Kanta Kathuriya Colony	Residential	56.8	55.4

Signature valid

RajKaj Ref
9561901

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.08.05 22:18:18 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in July-2024



49	Bundi	Civil lines	Residential	61	54
50		DIC Office	Industrial	56.9	51.9
51		Government Hospital	Silence	59.5	53.1
52		Nagar Parishad	Commercial	70.9	63.1
53		Power House, BCR Industrial Area	Industrial	67.9	59.8
54	Chittorgarh	RIICO Area Chanderiya Chittorgarh	Industrial	69	72.2
55		Gol PyauChauraha Chittorgarh	Commercial	71.1	55.5
56		Kumbha Nagar, near Home Guard Office	Residential	62.2	51.8
57		District Hospital Chittorgarh	Silence	61.6	55
58		Shahid Major Natwar Singh Sec. Sr. School,	Silence	64.3	47.8
59	Churu	Near Vinayak Complex, Near Pankha Circle	Commercial	75.9	64.4
60		Park inside Housing Board, Churu	Residential	58	67.9
61		Near park inside Govt. D.B. General Hospital premises, Churu	Silence	66.5	62.7
62		Near Vishwakarma Laghu Udyog, RIICO Industrial Area, Churu	Industrial	74.1	58
63		Near Indramani Park, Churu	Commercial	74.9	69.4
64	Dausa	Ramkarn Joshi Govt.HospitalDausa	Silence	66.4	54.7
65		Indra Colony, Dausa	Residential	63.9	52.3
66		RIICO Area (Near Hotel Shyam Vilash),	Industrial	55.9	54.6
67		Old Bus Stand, Dausa	Commercial	76.9	64.1
68	Dholpur	Circuit House, Near Mittal Colony, Tehsil& Distt.-Dholpur	Residential	62.5	40.1
69		RIICO Office Building, Old Industrial Area, OdelaRoad, Tehsil& Distt.-Dholpur	Industrial	70.2	41.1
70		Nagar Parishad Office, Ghantaghar Road, Tehsil &Distt.-Dholpur	Commercial	71.8	42.2
71		Govt. General Hospital, Tehsil &Distt.-Dholpur	Silence	69.2	41.1
72		Govt. Sr. Sec. School, Tehsil &Distt.-Dholpur	Silence	66.2	39.9

RajKaj Ref
9561901

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.08.05 22:18:18 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in July-2024



73	Dungarpur	Near Brahamasthali Colony, Dungarpur	Residential	68	52.3
74		RIICO Office, Dungarpur	Commercial	64.1	59.6
75		Near Jain Mandir, Pragatinagar, New Colony,	Residential	58.2	46.5
76		Sh. Haridev Joshi Hospital, Dungarpur	Silence	62.3	51.1
77		Gap Sagar pal, Dungarpur	Commercial	66.2	55.1
78	Hanumangarh	Near RIICO Office,RIICO Industrial Area	Industrial	70.8	51.5
79		Govt. Girls Sr. Sec. School, Sector-12, Ward No. 13, Hanumangarh Junction	Residential	69.6	48.7
80		Children Park, Durga Colony Ganganagar Road	Residential	70.3	47.6
81		Near Main Bus Stand, Hanumangarh Jn.	Commercial	70.9	49.4
82		Near Bombay Hospital,Hanumangarh	Silence	68.9	43.9
83	Jaipur	Garden Behind Governor House, Civil Lines	Silence	59.7	61.2
84		SantokbaDurlabhji Memorial Hospital (near OPD)	Silence	68.3	61.6
85		Nagar Nigam Office, Patel Marg, Mansarovar	Residential	63	60
86		Science Park, Shastri Nagar	Residential	73.5	73.8
87		Gali No. 3, Raja Park	Commercial	60.1	67.9
88		Near Kotwali Thana, Chhoti Choupar	Commercial	79.4	76.9
89		Rooftop of Regional Office,RPCB,VKIA,Jaipur(North)	Industrial	67.3	67.8
90	RIICO Sitapura Office,RIICO Industrial Area,Tonk Road, Sitapura, Tehsil-Sanganer	Industrial	61.5	61.1	
91	Jaisalmer	RIICO Industrial Area, ShilapGram,Jaisalmer	Industrial	70.6	67.4
92		Near Gandhi darshan,Hanuman Circle ,Jaisalmer	Commercial	63.4	57.7
93		Tikaram Paliwal Park,Jaisalmer	Residential	41.9	41.4
94		Near Jawahar hospital,Jaisalmer	Silence	41.1	41
95	Jalore	Near GSS, 3rd Phase RIICO Industrial Area, Jalore	Industrial	73.8	62.7
96		Govt. Hospital, Jalore	Silence	70.6	58.7
97		Near Sr. Citizen Park Sivaji Nagar, Jalore	Residential	50.1	44.5
98		Bus Stand, Jalore	Commercial	67	49.2
99		Circuit House Jalore (CAAQMS Site)	Commercial	49.5	44.7

RajKaj Ref
9561901

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.08.05 22:18:18 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in July-2024



100	Jhalawar	RIICO, Near Office building	Industrial	64.5	60.2
101		Civil Lines, Near collectorate bungalow	Residential	55.4	50.5
102		Medical College, Near dean college	Silence	62.1	57.8
103		Veterinary Polyclinic, Near office building	Commercial	70.5	61.7
104		Bus Stand, Jhalawar	Commercial	73.1	64.8
105	Jhunjhunu	Subhash Chandra Park, Near Mandawa Mor	Commercial	70.3	65.9
106		Rajiv Gandhi park, Housing Board, Jhunjhunu	Residential	64.8	52.3
107		Near Mother & Child care wing, BDK Hospital, Jhunjhunu	Silence	64.4	65.6
108		Near Mahindra Motors Pvt. Ltd. RIICO Industrial Area Phase II, Jhunjhunu	Industrial	69.1	54.5
109		Near Peeru Singh Circle, Jhunjhunu	Commercial	74.4	68.8
110	Jodhpur	Regional office, SPCB Jodhpur SPL 2 MIA Basni Ist phase Jodhpur	Industrial	56.8	52.1
111		Sojati Gate, Jodhpur	Commercial	69.5	58.4
112		BJS Colony, Near Soil conversion, Paota	Residential	55.5	51.2
113		Mathura Das Mathur Hospital, Shastri Nagar Jodhpur	Silence	57.2	52.6
114	Karauli	Circuit House, Ganesh Colony	Residential	59.7	51.2
115		District Industries Centre, Near Gad kaki Chowki	Industrial	62.4	49.5
116		Public Works Department Office, Near CollectrateChauraha, Teh&Distt.-Karauli	Commercial	60.4	52.4
117		Govt. General Hospital, Teh&Distt.-Karauli	Silence	64	55.7
118		Fire Station near private Bus Stand (CAAQMS Site)	Commercial	65.8	59.9
119	Kota	Regional Office, RSPCB, Indraprastha Industrial Area, Kota, Tesil-Ladpura	Industrial	67.3	61.2
120		Civil Lines, Nayaura, Kota, Tesil-Ladpura,	Residential	70.9	58.3
121		Police Chowki, Gumanpura, Tesil-Ladpura,	Commercial	67.5	60.4
122		New Medical College Hospital, Rama Krishna Puram, Kota, Tesil-Ladpura,	Silence	64.7	52.1
123		Allen Career Institute (Satyarth), Swami Dayanand Saraswati Road, Jawahar Nagar	Commercial	69.1	60.8

RajKaj Ref
9561901

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.08.05 22:18:18 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in July-2024



124	Nagaur	In front of house of Sh Chetan Ram Choudhary, 2/485, Housing Board Colony	Residential	60.2	52.5
125		Gandhi Chowk, Nagaur	Commercial	78.6	65.6
126		In front of M/s Shubh Laxmi Oil Industries, Ploi No. 40-44, RIICO Industrial Aear	Industrial	64.6	69.3
127		Near Gate of J.L.N. District Hospital, Nagaur	Silence	53.5	50.8
128		Govt. Sen Sec. School, Rathori Kuan, Nagaur (CAAQMS Site)	Residential	57.2	58.3
129	Pali	Near main gate of RSPCB	Industrial	57.9	56.4
130		At Bangur Hospital	Silence	54.5	55
131		At Circuit House	Residential	53.3	55.5
132		Near Town Hall, Nagar Parishad	Commercial	61.4	51.2
133		Bangur College (CAAQMS Site)	Silence	51.3	56.5
134	Pratapgarh	Bagwas Industrial Area	Industrial	68	55
135		Nagar Parishad Gate	Commercial	71.2	65.4
136		Bada Bagh Colony	Residential	63	60.6
137		District Hospital Pratapgarh	Silence	55	54.1
138		Govt. High Secondary School, Near Neemuch Naka, Pratapgarh	Silence	61.8	56.4
139	Rajsamand	RIICO Industrial area, Dhoinda	Industrial	68.5	54.2
140		Kalalwati, Rajnagar	Residential	59.9	67.3
141		Krishna Nagar, Near Vidya Niketan School	Silence	63.3	52.6
142		Bus stand, Kankroli	Commercial	75.5	53.5
143		R.K. Hospital	Silence	53.9	68.5
144	Sawai Madhopur	Circuit House, Near Housing Board Colony	Residential	55.9	53.8
145		RIICO Office Building, Kherda Industrial Area	Industrial	59.4	54.1
146		Head Post Office building & Passport Sewa Kendra	Commercial	63	57.1
147		Govt. General Hospital	Silence	58.5	53
148		Mahatma Gandhi Govt. School, Sahu Nagar (CAAQMS Site)	Silence	54.6	49.7

RajKaj Ref
9561901

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.08.05 22:18:18 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in July-2024



149	Sikar	Regional Office, RSPCB, Shivsinghpura Housing Board, Nawalgarh Road, Sikar	Residential	59	54.4
150		Near OPD Block, Sri KalayanHospital, Sikar	Silence	61.7	62.9
151		Near Hotel Fortune Blue, Piprali Road, Sikar	Commercial	70.8	68.8
152		Near RIICO Office, RIICO Ind. Area, Sikar	Industrial	64.2	63.3
153		Near Municipal Council Office, Sikar	Commercial	72.5	62.1
154	Sirohi	RIICO Industrial Area	Industrial	54	59
155		District Hospital	Silence	59.5	53.8
156		Near Collector House, Sirohi	Residential	57.4	51.7
157		Commercial area, near roadways bus stand, Sirohi	Commercial	61.6	57.7
158		Govt.Sr. Sec. School (CAAQMS Site)	Residential	55.5	46
159	Sriganganagar	Near RIICO Office,Udyog Vihar Ind. Area	Industrial	63.5	52.2
160		Govt. Sr. Sec. School, Multipurpose	Residential	65.1	55
161		Gandhi Park, D Block	Residential	64	47
162		Ambedkar Circle, Sriganganagar	Commercial	63.1	50.4
163		Govt. Hospital, Suratgarh Road	Silence	62.4	46.8
164	Tijara city	Rajasthan State Path Parivahan Nigam, Central Bus Stand, Tijara.	Commercial	72.8	62.4
165		Government Common Health Centre, Tijara.	Silence	68.9	41
166		Nagar Palika, Tijara, Tehsil-Tijara	Commercial	73.2	42.6
167		Government Senior Secondary School, Tijara,	Residential	71.5	40.8
168		Chandralok City, Tijara, Tehsil-Tijara	Residential	70.1	42.4
169	Tonk	In Front of M/s Kamal Industries, G-44,RIICO Industrial Area, Tonk	Industrial	64.2	58.7
170		In Front of Shop of M/s Mahesh Kumar Naresh Kumar Bhagat, Subhash Chauk, Tonk	Commercial	75.2	57.8
171		Near Mahila Poilce Station, Barudkhana, Tonk	Residential	62.5	57.2
172		Near Main Gate of Sahadat Govt. Hospital, Tonk	Silence	71.3	57.9
173		Govt. Senior Secondary School, Kothi Nathman, Tonk (CAAQMS Site)	Commercial	64.3	53.3

RajKaj Ref
9561901

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.08.05 22:18:18 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in July-2024



174	Udaipur	Nagar Nigam office, Town Hall	Commercial	73.4	63.8
175		MB Hospital	Silence	68.1	55.7
176		Satellite Hospital, In front of police station, Ambamata Scheme, Udaipur	Residential	74.2	58.7
177		BSNL Head office, Sector 4, Hiran Magri	Residential	75.3	56
178		RO office, F-470 Near UCCI, MIA, Madri,	Industrial	70.3	62.1

Note: - Noise Level in Leq dB (A) exceeded the prescribed standards are highlighted in yellow.
ND: - Monitoring not done.

Ambient Air Quality Standards in respect of Noise			
Area Code	Category of Area / Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

RajKaj Ref
9561901

Signature valid

Digitally signed by N. V. Jai
Designation: Member, Secretary
Date: 2024.08.05 22:18:18 IST
Reason: Approved