



Noise Quality Bulletin of Rajasthan State in March-2024



In order to assess the impact of predominating noise level in Rajasthan State under the provisions of Noise Pollution (Regulation & Control) Rules, 2000, Rajasthan State Pollution Control Board conducts study on Noise level Monitoring in state throughout the year. This monthly bulletin is a compilation of results of March-2024 of the State.

The noise level Monitoring was conducted day time (6.00 a.m. to 10.00 p.m.) and night time (10.00 p.m. to 6.00 a.m.) for half hour interval at each location with sampling frequency of one second.

In order to maintain uniformity in monitoring Residential, Commercial, and Industrial and Silence zone were selected in respect of Noise Standards prescribed under the provisions of Noise Pollution (Regulation & Control) Rules, 2000. The monitoring network consisted of a total 178 different locations in 36 cities in Rajasthan.

S.No	Name of city	Name / Point of locations	Zone	Leq (dB)	
				Day time	Night time
1	Ajmer	Near Union Bank of India, Shrinagar Road	Commercial	72	62
2		In Front of Mr. Tara Chand Solonki, Anand Puri, Dhola Bhata	Residential	66.2	64
3		Govt. Satellite Hospital, Adarsh Nagar	Silence	63.2	63
4		In Front of M/s Shree Balaji Machine Tool, RIICO Industrial Area, Parbatpura-Makhupura, Dist Ajmer	Industrial	66	66
5	Alwar	Assistant Regional Office, RIICO Ltd., Matsya Industrial Area, Tehsil & Distt Alwar	Industrial	68.7	51.5
6		Regional Office RSPCB, D-Block Ambedkar Nagar, Tehsil & Distt Alwar	Residential	56.1	40.2
7		Hope Circus, Tehsil & Distt Alwar	Commercial	70.4	59.4
8		General Hospital (Rajiv Gandhi Hospital),	Silence	63.1	49.2

Signature valid

RajKaj Ref
6883657

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.05.01 16:04:47 IST
Reason: Approved





Noise Quality Bulletin of Rajasthan State in March-2024



9	Balotra	Jeetmal Harish Kumar Upper Primary School No.02, Khed Road,Balotra.	Silence	60.4	56.3
10		RO RSPCB Office Jasol Fanta,Balotra.	Residential	51.5	54.1
11		Ghanta Ghar (well tower) Railway Station Road,Balotra.	Commercial	70.8	65.1
12		CETP Balotra, Khed Road, Balotra.	Industrial	54.2	60
13		S. N. Vohra High School, Nakoda Road Jasol, Balotra.	Commercial	53.8	56.7
14	Banswara	Thikariya Industrial Area, Nr. Mayur Flooring Pvt. Ltd. Banswara	Industrial	73.2	60.5
15		Kushalbagh Maidan, Near Police Thana,	Commercial	68.3	53
16		Housing Board Colony Near Hotel RARA Avis Hotel, Pratap Circle, Banswara	Residential	52.1	44.3
17		Nr. Main Gate Mahatma Gandhi Hospital	Silence	53.9	42.7
18		Nootan High Secondry School, Banswara	Silence	51	40
19	Baran	RIICO Office, Baran	Industrial	73.3	67.5
20		Circuit House	Residential	68.3	50.2
21		Government Hospital	Silence	71.7	66.9
22		PWD Office	Commercial	74.4	70.5
23		Fire Station,Baran-Kota Road,Baran	Commercial	74.2	69
24	Barmer	Govt. Hospital, Barmer	Silence	66	58.5
25		Sabha Bhawan, Mahaveer Nagar Ward No. 4, Barmer	Residential	60.6	55.3
26		Near Railway Station Road Market, Barmer	Commercial	69.4	66.1
27		Near RSMM Office, RIICO Industrial Area, Barmer	Industrial	64.6	65.6
28		Mahatma Gandhi Sr. Sec. School, Station Road , Barmer	Residential	64.3	60.1

RajKaj Ref
6883657

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.05.01 16:04:47 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in March-2024



29	Bharatpur	Regional office RSPCB, SPM Nagar, Behind Jindal Hospital, Tehsil & Distt.-Bharatpur	Residential	60.4	39.4
30		Khadi Grammoday Samiti Office, Tehsil & Distt.-Bharatpur	Commercial	73.1	44.6
31		RIICO Regional Office, Brij Industrial Area, Tehsil & Distt.-Bharatpur	Industrial	72.2	44.1
32		Govt. Hospital (Raj Bahadur Hospital), Tehsil & Distt.-Bharatpur	Silence	68.5	42.2
33		Master Adityendra Govt. Sr. Sec. School, Tehsil & Distt.-Bharatpur	Silence	67.3	39.4
34	Bhilwara	RIICO Industrial Area, Pur Road, Bhilwara	Industrial	67	60.5
35		Azad Nagar, Sector - C, Bhilwara	Residential	59.4	56.4
36		Suchana Kendra, Bhilwara	Commercial	68.9	63.4
37		Mahatma Gandhi Hospital, Bhilwara	Silence	54.5	50.5
38		Kumbha Circle, Bhilwara	Commercial	68.4	69.1
39	Bhiwadi	Ashiana Garden Society, Alwar Bye-Pass Road, Bhiwadi, Distt-Khairthal Tijara	Residential	61.4	52.5
40		Star Hospital, Bhiwadi, Tehsil-Tijara & Distt-Khairthal Tijara	Silence	62.2	46.3
41		Central Market, Bhiwadi, Tehsil-Tijara & Distt-Alwar	Commercial	71.4	68.8
42		Central Park, UIT Sector-06, Gaurav Path, Bhiwadi, Tehsil-Tijara & Distt-Alwar	Residential	66.6	53.3
43		Harish Bakery, Bhagat Singh Colony, Alwar By Pass Road, Bhiwadi, Distt-Alwar	Commercial	70.8	64.4
44	Bikaner	Regional office, RSPCB	Industrial	58.6	57.7
45		Junagarh Circle	Commercial	70.2	65.8
46		IGNP Colony, Ganganagar Road	Residential	54.8	56.3
47		P.B.M. Hospital	Silence	63.3	54.1
48		Kanta Kathuriya Colony	Residential	58.9	59.3

RajKaj Ref
6883657

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.05.01 16:04:47 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in March-2024



49	Bundi	Civil lines	Residential	60.9	64.9
50		DIC Office	Industrial	65.3	56.7
51		Government Hospital	Silence	64.2	65.1
52		Nagar Parishad	Commercial	70.9	65.6
53		Power House, BCR Industrial Area	Industrial	75.7	64.1
54	Chittorgarh	RIICO Area Chanderiya Chittorgarh	Industrial	69.9	61.5
55		Gol PyauChauraha Chittorgarh	Commercial	74.2	63.9
56		Kumbha Nagar, near Home Guard Office	Residential	60.7	64.7
57		District Hospital Chittorgarh	Silence	56.8	51.6
58		Shahid Major Natwar Singh Sec. Sr. School,	Silence	63.1	58.8
59	Churu	Near Vinayak Complex, Near Pankha Circle	Commercial	76.3	68.1
60		Park inside Housing Board, Churu	Residential	56.3	54.9
61		Near park inside Govt. D.B. General Hospital premises, Churu	Silence	60.4	61.6
62		Near Vishwakarma Laghu Udyog, RIICO Industrial Area, Churu	Industrial	64.4	55.1
63		Near Indramani Park, Churu	Commercial	69.7	64.5
64	Dausa	Ramkarn Joshi Govt.HospitalDausa	Silence	59.2	54
65		Indra Colony, Dausa	Residential	61.5	57.7
66		RIICO Area (Near Hotel Shyam Vilash),	Industrial	56.7	50.6
67		Old Bus Stand, Dausa	Commercial	76.6	63.8
68	Dholpur	Circuit House, Near Mittal Colony, Tehsil& Distt.-Dholpur	Residential	62.4	41.2
69		RIICO Office Building, Old Industrial Area, OdelaRoad, Tehsil& Distt.-Dholpur	Industrial	69.2	38.4
70		Nagar Parishad Office, Ghantaghar Road, Tehsil &Distt.-Dholpur	Commercial	71.1	40.6
71		Govt. General Hospital, Tehsil &Distt.-Dholpur	Silence	67.4	41.8
72		Govt. Sr. Sec. School, Tehsil &Distt.-Dholpur	Silence	69.4	41.6

RajKaj Ref
6883657

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.05.01 16:04:47 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in March-2024



73	Dungarpur	Near Brahamasthali Colony, Dungarpur	Residential	59.3	54.1
74		RIICO Office, Dungarpur	Commercial	69.3	61.3
75		Near Jain Mandir, Pragatinagar, New Colony,	Residential	54.1	47.4
76		Sh. Haridev Joshi Hospital, Dungarpur	Silence	60.3	53.5
77		Gap Sagar pal, Dungarpur	Commercial	63.4	57.3
78	Hanumangarh	Near RIICO Office, RIICO Industrial Area	Industrial	56.3	52.7
79		Govt. Girls Sr. Sec. School, Sector-12, Ward No. 13, Hanumangarh Junction	Residential	52.2	51.2
80		Children Park, Durga Colony Ganganagar Road	Residential	57.5	54.7
81		Near Main Bus Stand, Hanumangarh Jn.	Commercial	58.1	55.3
82		Near Bombay Hospital, Hanumangarh	Silence	54.8	51.9
83	Jaipur	Garden Behind Governor House, Civil Lines	Silence	61.3	56.5
84		Santokba Durlabhji Memorial Hospital (near OPD)	Silence	66.2	57.3
85		Nagar Nigam Office, Patel Marg, Mansarovar	Residential	66.1	57.2
86		Science Park, Shastri Nagar	Residential	72.6	70.7
87		Gali No. 3, Raja Park	Commercial	65.4	51.2
88		Near Kotwali Thana, Chhoti Choupar	Commercial	73.3	69.3
89		Rooftop of Regional Office, RPCB, VKIA, Jaipur (North)	Industrial	59.5	61.2
90	RIICO Sitapura Office, RIICO Industrial Area, Tonk Road, Sitapura, Tehsil-Sanganer	Industrial	67.1	67.6	
91	Jaisalmer	RIICO Industrial Area, Shilap Gram, Jaisalmer	Industrial	75.2	70.6
92		Near Gandhi darshan, Hanuman Circle, Jaisalmer	Commercial	70.7	61.8
93		Tikaram Paliwal Park, Jaisalmer	Residential	56.8	48.1
94		Near Jawahar hospital, Jaisalmer	Silence	41.5	36.2
95	Jalore	Near GSS, 3rd Phase RIICO Industrial Area, Jalore	Industrial	69.5	69.3
96		Govt. Hospital, Jalore	Silence	69.4	68.5
97		Near Sr. Citizen Park Sivaji Nagar, Jalore	Residential	52.6	52.2
98		Bus Stand, Jalore	Commercial	66.1	67.3
99		Circuit House Jalore (CAAQMS Site)	Commercial	55.2	49.1

RajKaj Ref
6883657

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.05.01 16:04:47 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in March-2024



100	Jhalawar	RIICO, Near Office building	Industrial	65.8	61
101		Civil Lines, Near collectrate bunglow	Residential	59.9	56.9
102		Medical College, Near dean college	Silence	61.7	61.3
103		Veterinary Polyclinic, Near office building	Commercial	72	68.7
104		Bus Stand, Jhalawar	Commercial	72.5	66.4
105	Jhunjhunu	Subhash Chandra Park, Near Mandawa Mor	Commercial	65.1	60.6
106		Rajiv Gandhi park, Housing Board, Jhunjhunu	Residential	55.5	55.5
107		Near Mother & Child care wing, BDK Hospital, Jhunjhunu	Silence	64.7	61.1
108		Near Mahindra Motors Pvt. Ltd. RIICO Industrial Area Phase II, Jhunjhunu	Industrial	69.9	57.9
109		Near Peeru Singh Circle, Jhunjhunu	Commercial	72.9	69.7
110	Jodhpur	Regional office, SPCB Jodhpur SPL 2 MIA Basni Ist phase Jodhpur	Industrial	54.3	52.7
111		Sojati Gate, Jodhpur	Commercial	68.2	62.7
112		BJS Colony, Near Soil conversion, Paota	Residential	58.3	54.2
113		Mathura Das Mathur Hospital, Shastri Nagar Jodhpur	Silence	49.4	44.6
114	Karauli	Circuit House, Ganesh Colony	Residential	51.2	49.5
115		District Industries Centre, Near Gad kaki Chowki	Industrial	65.4	54.5
116		Public Works Department Office, Near CollectrateChauraha, Teh&Distt.-Karauli	Commercial	66.7	55.2
117		Govt. General Hospital, Teh&Distt.-Karauli	Silence	59.2	54.7
118		Fire Station near private Bus Stand (CAAQMS Site)	Commercial	68.5	66.5
119	Kota	Regional Office, RSPCB, Indraprastha Industrial Area, Kota, Tesil-Ladpura	Industrial	64.2	55.5
120		Civil Lines, Nayaura, Kota, Tesil-Ladpura,	Residential	65.2	55.2
121		Police Chowki, Gumanpura, Tesil-Ladpura,	Commercial	65.1	55.6
122		New Medical College Hospital, Rama Krishna Puram, Kota, Tesil-Ladpura,	Silence	60.7	53.7
123		Allen Career Institute (Satyarth), Swami Dayanand Saraswati Road, Jawahar Nagar	Commercial	68.9	60.8

RajKaj Ref
6883657

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.05.01 16:04:47 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in March-2024



124	Nagaur	In front of house of Sh Chetan Ram Choudhary, 2/485, Housing Board Colony	Residential	62.1	54.7
125		Gandhi Chowk, Nagaur	Commercial	73.6	56.7
126		In front of M/s Shubh Laxmi Oil Industries, Ploi No. 40-44, RIICO Industrial Area	Industrial	60.7	64.5
127		Near Gate of J.L.N. District Hospital, Nagaur	Silence	45.4	38.1
128		Govt. Sen Sec. School, Rathori Kuan, Nagaur (CAAQMS Site)	Residential	57.5	ND
129	Pali	Near main gate of RSPCB	Industrial	56.9	55.4
130		At Bangur Hospital	Silence	52.1	51.8
131		At Circuit House	Residential	55.2	52.9
132		Near Town Hall, Nagar Parishad	Commercial	61.5	60.4
133		Bangur College (CAAQMS Site)	Silence	51.9	54.6
134	Pratapgarh	Bagwas Industrial Area	Industrial	62.4	58
135		Nagar Parishad Gate	Commercial	67.5	60.2
136		Bada Bagh Colony	Residential	63.1	56.2
137		District Hospital Pratapgarh	Silence	55.7	55.5
138		Govt. High Secondary School, Near Neemuch Naka, Pratapgarh	Silence	57.6	51.2
139	Rajsamand	RIICO Industrial area, Dhoinda	Industrial	64	57
140		Kalalwati, Rajnagar	Residential	52	53
141		Krishna Nagar, Near Vidya Niketan School	Silence	51	50
142		Bus stand, Kankroli	Commercial	70	52
143		R.K. Hospital	Silence	56	48
144	Sawai Madhopur	Circuit House, Near Housing Board Colony	Residential	56.5	49.1
145		RIICO Office Building, Kherda Industrial Area	Industrial	55.4	48.8
146		Head Post Office building & Passport Sewa Kendra	Commercial	64.6	63.2
147		Govt. General Hospital	Silence	63.8	64.5
148		Mahatma Gandhi Govt. School, Sahu Nagar (CAAQMS Site)	Silence	60.1	51.9

RajKaj Ref
6883657

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.05.01 16:04:47 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in March-2024



149	Sikar	Regional Office, RSPCB, Shivsinghpura Housing Board, Nawalgarh Road, Sikar	Residential	52.2	51.3
150		Near OPD Block, Sri KalayanHospital, Sikar	Silence	62.9	58.1
151		Near Hotel Fortune Blue, Piprali Road, Sikar	Commercial	75.8	70.5
152		Near RIICO Office, RIICO Ind. Area, Sikar	Industrial	62.8	56.9
153		Near Municipal Council Office, Sikar	Commercial	68.9	65.3
154	Sirohi	RIICO Industrial Area	Industrial	56.9	55.9
155		District Hospital	Silence	56.4	56.9
156		Near Collector House, Sirohi	Residential	55.4	52.2
157		Commercial area, near roadways bus stand, Sirohi	Commercial	57.9	52
158		Govt.Sr. Sec. School (CAAQMS Site)	Residential	50.7	43.8
159	Sriganganagar	Near RIICO Office,Udyog Vihar Ind. Area	Industrial	56.6	50.1
160		Govt. Sr. Sec. School, Multipurpose	Residential	52.3	50.2
161		Gandhi Park, D Block	Residential	54.2	50.2
162		Ambedkar Circle, Sriganganagar	Commercial	57.6	55.1
163		Govt. Hospital, Suratgarh Road	Silence	59.6	55.8
164	Tijara city	Rajasthan State Path Parivahan Nigam, Central Bus Stand, Tijara.	Commercial	71.3	62.4
165		Government Common Health Centre, Tijara.	Silence	65.3	41.5
166		Nagar Palika, Tijara, Tehsil-Tijara	Commercial	70.4	42.8
167		Government Senior Secondary School, Tijara,	Residential	68.8	42.6
168		Chandralok City, Tijara, Tehsil-Tijara	Residential	69.3	41.7
169	Tonk	In Front of M/s Kamal Industries, G-44,RIICO Industrial Area, Tonk	Industrial	64.3	55.7
170		In Front of Shop of M/s Mahesh Kumar Naresh Kumar Bhagat, Subhash Chauk, Tonk	Commercial	67.8	63.9
171		Near Mahila Poilce Station, Barudkhana, Tonk	Residential	59.9	56.4
172		Near Main Gate of Sahadat Govt. Hospital, Tonk	Silence	68.8	61.3
173		Govt. Senior Secondary School, Kothi Nathman, Tonk (CAAQMS Site)	Commercial	54.3	52.1

RajKaj Ref
6883657

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.05.01 16:04:47 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in March-2024



174	Udaipur	Nagar Nigam office, Town Hall	Commercial	70.1	59.3
175		MB Hospital	Silence	65.1	56.3
176		Satellite Hospital, In front of police station, AmbamataScheme,Udaipur	Residential	61.5	59.1
177		BSNL Head office, Sector 4, Hiran Magri	Residential	74.2	54.8
178		RO office,F-470 Near UCCI, MIA, Madri,	Industrial	69.5	61.1

Note: - Noise Level in Leq dB (A) exceeded the prescribed standards are highlighted in yellow.
ND: - Monitoring not done.

Ambient Air Quality Standards in respect of Noise			
Area Code	Category of Area / Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

RajKaj Ref
6883657

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.05.01 16:04:47 IST
Reason: Approved