



Rajasthan State Pollution Control Board

Headquarter, 4, Institutional Area, JhalanaDoongri, Jaipur-302004
Phone:0141- 2716804, 2716800e-mail :member-secretary@rpcb.nic.in
Helpline No. : 0141-2716877

F-14(CETP-15)/RSPCB/Textile/1220-1235

Date: 21/11/2024

Office Order

In exercise of the powers conferred vide notification No. S.O. 3804 (E) dated 09.09.2024 issued by the Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi and design parameters of Common Effluent Treatment Plant (CETP) informed by RIICO Ltd. Jaipur, the State Board hereby prescribes following standards for the inlet quality of the Common Effluent Treatment Plant (CETP) located at Bhiwadi.

S.No.	Parameter	Unit	Inlet at CETP, Bhiwadi
1.	pH		5.5-9.0
2.	COD	mg/L	2000
3.	BOD	mg/L	700
4.	Total Suspended Solids	mg/L	500
5.	Oil & Grease	mg/L	50
6.	Total Dissolved Solids	mg/L	4500
7.	Chromium Total (as Cr)	mg/L	10
8.	Zinc	mg/L	10
9.	Copper	mg/L	0.5
10.	Nickel	mg/L	10
11.	Sulphate	mg/L	591
12.	Chloride	mg/L	946
13.	Lead	mg/L	0.1
14.	Mercury	mg/L	0.01
15.	Total Iron	mg/L	50
16.	Nitrate	mg/L	99
17.	Total Hardness	mg/L	544
18.	Total Chromium	mg/L	10
19.	Phosphate	mg/L	9
20.	Ammonical Nitrogen	mg/L	50
21.	Total Kjeldahl Nitrogen	mg/L	100
22.	Arsenic	mg/L	0.2
23.	Cadmium	mg/L	2
24.	Selenium	mg/L	0.05
25.	Cyanide	mg/L	0.2
26.	Fluoride	mg/L	2
27.	Sulphide	mg/L	2
28.	Phenolic Compounds	mg/L	1
29.	Sulphates	mg/L	1000
30.	Boron	mg/L	0.2

This order will come into force with immediate effect & shall be complied by all the concerned including Industries/Units connected with Common Effluent Treatment Plant (CETP), Bhiwadi and shall be strictly enforced by all Group-Incharges, RSPCB, Jaipur and Regional Officer, RSPCB, Bhiwadi.

This bears approval of competent authority.

—Sd—

(Vijai N.)
Member Secretary



Rajasthan State Pollution Control Board

Headquarter, 4, Institutional Area, JhalanaDoongri, Jaipur-302004

Phone:0141- 2716804, 2716800e-mail :member-secretary@rpcb.nic.in

Helpline No. : 0141-2716877

F-14(CETP-15)/RSPCB/Textile/1220 - 1235

Date: 21/11/2024

Copy to the following for information & necessary action:-

1. PS to Chairperson, RSPCB, Jaipur.
2. Sr. PA to Member Secretary, RSPCB, Jaipur.
3. Managing Director, RIICO Ltd., Jaipur.
4. District Collector, Khairthal-Tijara.
5. CEO, Bhiwadi Integrated Development Authority, Bhiwadi, District: Khairthal-Tijara.
6. CEEs/CSO/FA, RSPCB, Jaipur.
7. Joint Secretary, RSPCB, Jaipur.
8. Regional Officer, RSPCB, Bhiwadi to ensure the compliance.
9. Senior Regional Manager, RIICO, Bhiwadi (Unit-1).
10. Regional Officers, Regional Offices,, RSPCB.
11. Group In-charge,, RSPCB, Jaipur to ensure compliance.
12. SPV (M/s Bhiwadi Jal Pradushan Nivaran Association), Opposite New Bus Stand, Tijara Road, Bhiwadi (Rajasthan) to ensure compliance.
13. ACP, RSPCB, Jaipur with request to upload the office order on Board website.
14. Master file


Member Secretary