

Rajasthan Medical Services Corporation Limited, Jaipur

Gandhi Block, Swasthya Bhawan, Tilak Marg, C-Scheme, Jaipur - 302005

Ph. No. 0141-2223887, Fax : 0141-2228065

E-mail : edepmrmisc-rj@nic.in

CIN:U24232RJ2011SGC035067

Website: www.rmssc.nic.in

No. F-8() RMSC/EPM/M-2/2016-17/NIB-173/ 3662

Dated: 16/8/16

CLARIFICATION/CORRIGENDUM/ADDENDUM

Sub:- Revised Technical Specifications of items and revised bid submission date under NIB No. F-8() RMSC/EPM/M-2/2016-17/NIB-173/ 3113 dated 11.07.16 due on dated 17.08.2016.

In Reference to subject cited above and NIB-173, the various representations received from the firms and issues raised by the Bidders are examined by the competent Authorities and technical committee. The following Clarification/Corrigendum/Addendum is issued for inclusion in Bid document & Technical Specification of items as below:-

1. Item No. 1:- Amended Technical Specifications of item Plastic Pallets

The Pallets should be made of **Virgin Plastic Roto molded with PU and steel reinforcement**, with following specifications:-

1. Dimensions: 1000x1000x150 mm \pm 0.5mm , Color – Blue
2. With static load bearing capacity: 2000 Kg.
3. With dynamic load bearing capacity: **1000-1500 Kg.**
4. Should meet the general Hygiene conditions
5. Pallet weight should be approx. **18 kg \pm 2 Kg.**
6. Suitable to handle all kinds of material Handling Equipment
7. The product should be protected from loss or gain of moisture from surrounding atmosphere.
8. Should be compatible with dimension of Fully Mechanized Hydraulic Stacker. it should easily allow the legs of stacker to slide in between the outer legs of Plastic Pallet .

Terms & Conditions

1. **Manufacturer should be ISO 9001 , ISO 14001 , OHSAS 18001 certified.**
2. **Guarantee: Two years** on equipment from the date of installation.
3. **Certificate of Testing (For Weight bearing capacity, Material) should be submitted in Technical Bid , issued within last 12 months from NABL certified Competent lab / Government Testing House /Labs.**

Item No. 2:- Amended Technical Specifications of item Hand Pallet Truck

1. Hand Pallet Truck Specially designed to lift and transport the widest variety of loads in stores and warehouse.
2. Should be reliable, durable and torsion-resistant.
3. All pivots points should be greased to ensure excellent maneuverability with effortless steering.
4. Should have chromed bearing brushes and joints ensure quiet running properties and particularly long service life.

S.N.	Component Description	Measurement
1	Capacity	2000 KG
2	Fork length	1150 mm \pm 10mm
3	Fork Width	540 mm \pm 10mm
4	Lower Height	85 mm \pm 5mm
5	Raised Height	200 mm \pm 10mm
6	Lift Height	115 mm \pm 5mm

7	Wheels	2 nos. 180 x 50 mm steering Nylon Wheels having 6204zz ball bearings, AT THE REAR and 4 nos. 80 x 70 mm roller Nylon Wheel with 6204zz double ball bearing.
8	Handle	3-Lever position handle (Lift / Lock / Release)
9	Turning radius	114 degree \pm 5

Terms & Conditions

1. **Manufacturer should be ISO 9001 , ISO 14001 , OHSAS 18001 certified.**
2. **Guarantee: Two years on equipment from the date of installation.**
3. **Certificate of Testing should be submitted in Technical Bid, issued within last 12 months , from certified competent lab / Government Testing House /Labs.**
4. **CMC: CMC will be given @5% (of net rate-inclusive of Excise Duty & exclusive of VAT/CST etc.) plus service tax (as applicable) and yearly escalation of 5% on last year's CMC price. The CMC may be awarded for three years (on yearly basis) after completion of guarantee period of two years.**
5. **The service engineer should be based in Rajasthan.**
6. **The company should mention the make and model name/number of the quoted equipment and submit the technical brochure of the quoted model in the technical compliance sheet as per technical specifications.**

Item No. 3:- Amended Technical Specifications of item Fully Machanized Hydraulic Stacker

S.N	Component Description	Measurement
1	Load Capacity	1500 Kg. (minimum)
2	Effective Fork length	900 mm
3	Fork Span	300-560 mm (adjustable)
4	Battery	24V/5Hr, 240 Ah
5	Telescopic masts to attain Fork lift to 4.5 meters (minimum).	
6	DRIVE UNIT	
	<ol style="list-style-type: none"> 1. Maintenance free motors with AC technology. 2. Supported with swivel castors / tandem wheels. 3. Wheel ensures positive traction, thereby maintaining firm floor grip and enhanced stability. 4. Designed for quick wheel replacement. 	
7	SAFETY BRAKES	The Electromagnetic wheel brake or similar safety device is activated when the handle arm is at the top / bottom position.
8	Hydraulic System 24 V, 2.2 KW or similar power packed unit with built-in pressure relief valve.	
9	BATTERY INDICATOR	Should indicate the battery charged condition.
10	WHEELS	<ol style="list-style-type: none"> 1. Made of Polyurethane or Rubber or Nylon. 2. One Drive Wheel 3. Two Support wheels 4. Four nos. Load wheels
11	OPERATOR STAND	As per Stacker design requirement for easy Operation
12	BASE LEGS	<p>Two nos.</p> <ol style="list-style-type: none"> a) Width of each Leg: 180 mm \pm 5mm b) Length of each Leg: minimum 875 to 920 mm c) Distance from ground to surface of each leg: 90 mm \pm 5mm d) Distance between outside to outside of legs: 555 mm \pm 5mm
13	FRONT OR REAR FRAME WIDTH	750 mm (maximum)
14	OVERALL FRAME LENGTH	2210 mm \pm 10mm

2/12


Terms & Conditions

1. **Manufacturer should be ISO 9001 , ISO 14001 , OHSAS 18001 certified.**
2. **Guarantee: Two years** on equipment from the date of installation.
3. **Certificate of Testing should be submitted in Technical Bid , issued within last 12 months , from certified competent lab / Government Testing House /Labs.**
4. CMC: CMC will be given @5% (of net rate-inclusive of Excise Duty & exclusive of VAT/CST etc.) plus service tax (as applicable) and yearly escalation of 5% on last year's CMC price. The CMC may be awarded for three years (on yearly basis) after completion of guarantee period of two years.
5. The service engineer should be based in Rajasthan.
6. The company should mention the make and model name/number of the quoted equipment and submit the technical brochure of the quoted model in the technical compliance sheet as per technical specifications.

2. The bid is re-scheduled as follows:

Existing Dates			Extended Dates		
Last Date for Sale of Bid Form	Last Date of Receipt of Bid Form	Date of Opening of Technical Bid	Last Date for Sale of Bid Form	Last Date of Receipt of Bid Form	Date of Opening of Technical Bid
1	2	3	4	5	6
up to 11:00 A.M. 17.08.2016	up to 1.00 P.M. 17.08.2016	from 3.00 P.M. 17.08.2016	up to 11:00 A.M. 02.09.2016	up to 1.00 P.M. 02.09.2016	from 3.00 P.M. 02.09.2016

This corrigendum shall be signed and annexed with bid document. This bears an approval of Managing Director, Rajasthan Medical Services Corporation Limited, Jaipur.


Executive Director (EPM)
RMSCL, Jaipur

1. The first part of the document is a list of names and addresses, which appears to be a directory or a list of correspondents. The names are arranged in a columnar format, with the first column containing the names and the second column containing the addresses.

2. The second part of the document is a list of names and addresses, which appears to be a directory or a list of correspondents. The names are arranged in a columnar format, with the first column containing the names and the second column containing the addresses.

3. The third part of the document is a list of names and addresses, which appears to be a directory or a list of correspondents. The names are arranged in a columnar format, with the first column containing the names and the second column containing the addresses.